



SMART FANDELIGHT

WIFI CAPABLE CHANDELIERS WITH FANS



TABLE OF CONTENTS

ODEON	3
CORONA	5
SOLITAIRE	7
BODEGA BAY	9
AMBIENCE	11
SOLSTICE	13
WEAVE	15

LEGEND



WiFi



LED Lighting



Title 20



Damp Location



Dimmable

All of our fan extension rods come with additional wire that easily connects at the base and to the motor in the canopy as well as an optional remote (**FCT600WT**). Downrod options include four different lengths: 18" (**FRD0118SN**), 24" (**FRD0124SN**), 30" (**FRD0130SN**), 36" (**FRD0136SN**).





SOLITAIRE

This romantic Chandelier with Fan delivers luxury appeal and timeless sophistication. The Solitaire features curved arms that lift a crown of six candle-style lamps. Built in Wi-Fi allows you to control your fan speed from your favorite device.



ITEM#	LAMPING	VOLTAGE	DIMENSIONS	BLADES	SPEED	LUMENS			Additional Info.
						CRI	INIT.	DEL.	
61013	6 x 4W E12 LED 3000K (Incl.)	DC 120V	31"D x 20"H	3 x 22"	6 Speed	80+	2000	1800	

Energy Information at High Speeds		
AIRFLOW CFM	AIRFLOW EFFICIENCY	ELECTRICITY USE
2440 CFM	122 CFM / W	20W

Finish: **Silver Mist (SM)**

SOLITAIRE





ODEON

Evoke glitz and glitter with the glamorous stylings of the Odeon collection. Beveled crystals meet a swooping lavish metal frame. Built in Wi-Fi allows you to control your fan speed from your favorite device



ITEM#	LAMPING	VOLTAGE	DIMENSIONS	BLADES	SPEED	LUMENS				Additional Info.
						CRI	INIT.	DEL.		
61018	8 x 4W E12 LED 3000K (Incl.)	DC 120V	33"D x 22.75"H	3 x 22"	6 Speed	80+	2650	2240		

Energy Information at High Speeds		
AIRFLOW CFM	AIRFLOW EFFICIENCY	ELECTRICITY USE
2400 CFM	122 CFM / W	20W

Finish Options: **Black** (BK) **Golden Silver** (GS)





SOLSTICE

SOLSTICE

The Solstice Chandelier with Fan houses three innovatively curved fan blades within a cage of artfully bent Satin Nickel channel to create a classic form in light. Built in Wi-Fi allows you to control your fan speed from your favorite device.



ITEM#	LAMPING	VOLTAGE	DIMENSIONS	BLADES	SPEED	LUMENS			Additional Info.
						CRI	INIT.	DEL.	
61006	60W PCB LED 2700-4000K (Integ.)	DC 120V	33.5"D x 23.75"H	3 x 22"	6 Speed	80+	6640	4320	

Energy Information at High Speeds		
AIRFLOW CFM	AIRFLOW EFFICIENCY	ELECTRICITY USE
2440 CFM	122 CFM / W	20W

Finish: **Satin Nickel (SN)**





BODEGA BAY

BODEGA BAY

Rings of Ash wood are distressed and then finished In Antique Pecan for that old world feel. Built in Wi-Fi allows you to control your fan speed from your favorite device.



ITEM#	LAMPING	VOLTAGE	DIMENSIONS	BLADES	SPEED	LUMENS			Additional Info.
						CRI	INIT.	DEL.	
61004	8 x 4W E12 LED 3000K (Incl.)	DC 120V	36"D x 26"H	3 x 22"	6 Speed	80+	2650	2380	   

Energy Information at High Speeds		
AIRFLOW CFM	AIRFLOW EFFICIENCY	ELECTRICITY USE
2440 CFM	122 CFM / W	20W

Finish: **Antique Pecan / Anthracite** (APAR)





AMBIENCE

The Ambience collection will enhance your home with a perfect mix of form and function. Built in Wi-Fi allows you to control your fan speed from your favorite device.



ITEM#	LAMPING	VOLTAGE	DIMENSIONS	BLADES	SPEED	LUMENS			Additional Info.
						CRI	INIT.	DEL.	
61009	48W PCB LED 3000K (Integ.)	DC 120V	33"D x 25.75"H	3 x 22"	6 Speed	80+	4800	3600	 

Energy Information at High Speeds		
AIRFLOW CFM	AIRFLOW EFFICIENCY	ELECTRICITY USE
2440 CFM	122 CFM / W	20W

Finish: **Bronze/Gold** (BZGLD)





WEAVE

Bands of metal are woven on a frame and finished in Bronzed Gilt on the outside and a contrasting Gold Leaf finish on the inside. Built in Wi-Fi allows you to control your fan speed from your favorite device.



ITEM#	LAMPING	VOLTAGE	DIMENSIONS	BLADES	SPEED	LUMENS			Additional Info.
						CRI	INIT.	DEL.	
61010	43W PCB LED 3000K (Integ.)	DC 120V	33"D x 18.5"H	3 x 22"	6 Speed	80+	4160	2700	

Energy Information at High Speeds		
AIRFLOW CFM	AIRFLOW EFFICIENCY	ELECTRICITY USE
2440 CFM	122 CFM / W	20W

Finish: **Bronze Gulte/Gold** (BZGTGLD)





CORONA

Minimalistic frames finished in your choice of Oil Rubbed Bronze or Polished Chrome support cylinders of Frost glass shades. Built in Wi-Fi allows you to control your fan speed from your favorite device.



ITEM#	LAMPING	VOLTAGE	DIMENSIONS	BLADES	SPEED	LUMENS			Additional Info.
						CRI	INIT.	DEL.	
61002	30W PCB LED 2700K-4000K (Integ.)	DC 120V	28"D x 20"H	3 x 22"	6 Speed	80+	3420	2220	 

Energy Information at High Speeds		
AIRFLOW CFM	AIRFLOW EFFICIENCY	ELECTRICITY USE
2440 CFM	122 CFM / W	20W

Finish: **Matte Black** (BK) **Satin Nickel** (SN)

