



Maxim Lighting International
253 North Vineland Avenue,
City of Industry, California 91746
USA

General Info:	626.956.4200
Customer Service:	800.486.2946
General Fax:	626.956.4226
Email:	info@maximlighting.com
Web:	maximlighting.com



MAXIM[®]
L I G H T I N G

2020 FALL INTRODUCTION

TABLE OF CONTENTS

Axis	53	Outpost	57
Barrel	61	Perf	41
Chip	63	Polaris	37
Conoid	59	Rogue	49
Coraline	5	Spec	51
Corona	45	Trim	65
Crosby	19	Tux	11
Diverse	67	Wafer	64
Fans	69	Wesley	23
Lateral	55	Wings	31
Library	43		
Light Kits	70		
Lovell	27		
Lucent	15		

LEGEND

 ADA Compliant	 California Title 20	 California Title 24	 LED
 Dimmable	 Dark Sky	 Energy Star Certified	 For Damp Location
 For Wet Location	 Incandescent	 Installs on Slope Ceiling	 Installs Up or Down
 Die Cast Aluminum	 Vivex	 Adjustable	





Whether you want to bathe a room in light or simply add some accents through illumination, we are proud to offer the options in lighting you deserve to make your plans a reality.

For over 50 years, Maxim Lighting has defined lifestyle lighting, offering a variety of high-quality, decorative fixtures for the home, including chandeliers, sconces, pendants, ceiling mounts, and outdoor lighting fixtures. With inspiration from around the world we have created fixtures in every style class from traditional to the most contemporary.

Our dedicated team is happy to assist with recommendations, quotes, and information to facilitate your project.

We welcome inquiries from building industry, hospitality, retail, and the interior design clientele: including unique or difficult lighting challenges in need of a solutions. Your creations aren't "off the shelf" endeavors, and we're here to make sure that your lighting looks and feels like a custom installation. With 50 years of operation and two generations of our customer-first legacy, we look forward to impressing you with new styles that define and dazzle.

It's your time to shine —
Let Maxim Lighting make it happen.

CORALINE

A charming collection inspired by farmhouse design. Satin White glass domes suspend from individually distributed tube arms. Available in Black, Satin Nickel, and a Bronze/Satin Brass combination, this transitional look offers an updated look for both traditional and modern settings.





CORALINE

- Cased Satin White glass shades
- Steel body construction
- Dimmable with standard dimmer



11277 SWBK, SWBZSBR, SWSN
Chandelier

A

ITEM#	LAMPING	DIMENSION	Additional Info.
A 11277	5 x 60W MB, Incan	26.75"L x 26.75"W x 23"H, 70"OAH	180°

Finish Options: Satin White glass (SW) Black (BK) Bronze/Satin Brass (BZSBR) Satin Nickel (SN)



91270 SWBK, SWBZSBR, SWSN
Mini Pendant

C



11276 SWBK, SWBZSBR, SWSN
Chandelier

B

	ITEM#	LAMPING	DIMENSION	Additional Info.
B	11276	3 x 60W MB, Incan	21"L x 21"W x 23"H, 70"OAH	90°
C	91270	1 x 60W MB, Incan	6"L x 6"W x 6.25"H, 53.5"OAH	90°

Finish Options: Satin White glass (SW) Black (BK) Bronze/Satin Brass (BZSBR) Satin Nickel (SN)

CORALINE

- Cased Satin White glass shades
- Steel body construction
- Dimmable with standard dimmer



11271 SWBK, SWBZSBR, **SWSN**
Bath Vanity
A



11272 SWBK, **SWBZSBR**, SWSN
Bath Vanity
B



11273 **SWBK**, SWBZSBR, SWSN
Bath Vanity
C



11274 SWBK, SWBZSBR, **SWSN**
Bath Vanity
D

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
A	11271	1 x 60W MB, Incan.	6"W x 10.5"H x 6.75"Ext.	8"	 
B	11272	2 x 60W MB, Incan.	14.5"W x 10.5"H x 6.75"Ext.	8"	 
C	11273	3 x 60W MB, Incan.	21.75"W x 10.5"H x 6.75"Ext.	8"	 
D	11274	4 x 60W MB, Incan.	29.5"W x 10.5"H x 6.75"Ext.	8"	 

Finish Options: Satin White glass (SW) Black (BK) Bronze/Satin Brass (BZSBR) Satin Nickel (SN)





TUX

The Tux collection is an elongated minimalist chandelier with sweeping lines evocative of the mid-20th century. The textured matte Black frame is paired with White candle covers offering classic details in a modern-day minimalist aesthetic.



- Steel body construction
- Candelabra based bulbs
- Dimmable with standard dimmer



11289BK
Chandelier

A

	ITEM#	LAMPING	DIMENSION
A	11289	9 X 60W CA, Incan.	30"W x 33.75"H, 108"OAH
Finish: Black (BK)			

TUX

- Steel body construction
- Candelabra based bulbs
- Dimmable with standard dimmer



11285BK
Chandelier

A

	ITEM#	LAMPING	DIMENSION
A	11285	5 X 60W CA, Incan.	24"W x 27.5"H, 66"OAH
Finish: Black (BK)			



11282BK
Wall Sconce
B

B	ITEM#	LAMPING	DIMENSION	Additional Info.
	11282	2 X 60W CA, Incan.	10.5"W x 16"H x 5.25"Ext.	

Finish: Black (BK)



LUCENT

Unique and dramatic pendants are created using solid Clear glass rods that fit into castings finished in Polished Nickel. This design is a creative mix of modern and classic which has a broad universal appeal.



LUCENT

- Clear Glass rod
- Polished Nickel finish



16103CLPN
Chandelier

A



NEW

16108WTCLPN
Wall Sconce

B



16109WTCLPN
Wall Sconce

C

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
A	16103	5 x 60W CA, Incan.	23.25"L x 19.25"W x 18.25"H, 58.5"OAH		
B	16108	2 x 60W MB, Incan.	13.75"W x 21"H x 6.75"Ext.	9.25"	 White Linen Shade Included
C	16109	1 x 60W CA, Incan.	5"W x 21"H x 6.75"Ext.	9.25"	 White Linen Shade Included

Finish: Clear glass (CL) White shade (WT) Polished Nickel (PN)

LUCENT

- Clear Glass rod
- Polished Nickel finish



16106CLPN
Pendant
B



16104CLPN
Pendant
A

	ITEM#	LAMPING	DIMENSION
A	16104	4 x 60W CA, Incan.	24"L x 24"W x 23.5"H, 67.5"OAH
B	16106	8 x 60W CA, Incan.	35.5"L x 35.5"W x 35"H, 79"OAH

Finish: Clear glass (CL) Polished Nickel (PN)



16100CLPN
Pendant

C



16102CLPN
Pendant

D

	ITEM#	LAMPING	DIMENSION
C	16100	4 x 60W CA, Incan.	17.5"L x 17.5"W x 34.25"H, 71.25"OAH
D	16102	8 x 30W CA, Incan.	21.25"L x 21.25"W x 42.25"H, 84"OAH

Finish: Clear glass (CL) Polished Nickel (PN)



CROSBY

Simple, yet stylish, this minimal chandelier comes in your choice of Satin Brass or Matte Black bringing contemporary appeal. Clear Ribbed glass shades are fitted with rings in a coordinating color to complete the look.





CROSBY

- Clear Ribbed cylindrical glass with coordinating metal ring
- Can be chain or stem hung (chain not provided)
- Candelabra based bulbs
- Dimmable with standard dimmer



11479 CRBK, CRSBR
Chandelier
A

	ITEM#	LAMPING	DIMENSION	Additional Info.
A	11479	9 X 60W MB, Incan.	28"W x 23.75"H, 60.25"OAH	90°

Finish Options: Clear Ribbed glass (CR) Black (BK) Satin Brass (SBR)



11475 CRBK, CRSBR
Chandelier

C



11472 CRBK, CRSBR
Wall Sconce

B

	ITEM#	LAMPING	DIMENSION	HCO Additional Info.
B	11472	2 X 60W MB, Incan.	5"W x 19.5"H x 5"Ext.	10" 
C	11475	5 X 60W MB, Incan.	24"W x 17.25"H, 53.5"OAH	

Finish Options: Clear Ribbed glass (CR) Black (BK) Satin Brass (SBR)



WESLEY

Arms sweep upward from an adjustable collector to create a minimal yet stately design. Available in Black, Satin Brass, and Satin Nickel, this collection provides a transitional look for a variety of settings.





WESLEY

- Adjustable arms allow the frame to expand and rotate
- Steel body construction
- Candelabra based bulbs
- Dimmable with standard dimmer



	ITEM#	LAMPING	DIMENSION
A	10324	4 x 60W CA, Incan	16"L x 16"W x 16.75"H, 61.25"OAH
B	10326	6 x 60W CA, Incan	24"L x 24"W x 18"H, 62.5"OAH

Finish Options: Black/Satin Nickel (BKS) Satin Brass (SBR)



10321 BKS, SBR
Wall Sconce
C



10322 BKS, SBR
Wall Sconce
D

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
C	10321	1 x 60W CA, Incan	4.75"W x 12"H x 4"Ext.	3.5"	 
D	10322	2 x 60W CA, Incan	9"W x 12"H x 4"Ext.	3.5"	 

Finish Options: Black/Satin Nickel (BKS) Satin Brass (SBR)



LOVELL

A classic mid-century look, the Lovell collection features two sizes of sputnik chandeliers and streamlined sconces perfect for bath vanity applications. Available in a Black/Satin Brass finish combination. Light bulbs nest inside the metal cones to become an element of the design.





LOVELL

- Two tone Black with Satin Brass accents
- Available with our without LED bulbs
- Steel body construction



11266BK SBR (Without Bulb)
11266BK SBR/BUL (With Bulb)
Pendant

A



11268BK SBR (Without Bulb)
11268BK SBR/BUL (With Bulb)
Pendant

B

ITEM#	LAMPING	DIMENSION	LUMENS			Additional Info.
			CRI	INIT.	DEL.	
A 11266	6 X 60W MB, Incan.	26"W x 22.5"H, 58.5"OAH				
A 11266/BUL	6 X 9W MB LED 3000K (Incl.)		90+	5400	3780	 LED  JA8 Bulb (Incl.)
B 11268	10 X 60W MB, Incan.	32"W x 22"H, 58.25"OAH				
B 11268/BUL	10 X 9W MB LED 3000K (Incl.)		90+	9000	6300	 LED  JA8 Bulb (Incl.)

Finish: Black/Satin Brass (BK SBR)



C



D

Finish: Black/Satin Brass (BKSBR)

WINGS

Sharp lines radiate from a pin pointed central body creating geometric angled wings that are sandwiched between matching conical foms. Finished in a combination Antique Brass and Black, this collection is both contemporary and warm. Complete this look with vintage T10 light bulbs to for the full effect.





WINGS

- Two-tone Black/Satin Brass combo
- Welded steel construction
- Tubular filament bulbs recommended (not included)



11656BKSBR
Chandelier
A

	ITEM#	LAMPING	DIMENSION	Additional Info.
A	11656	6 X 60W MB, Incan.	29"L x 29"W x 13"H, 58.25"OAH	
Finish: Black/Satin Brass (BKSBR)				



11653BK SBR
Pendant
B



11654BK SBR
Pendant
C

	ITEM#	LAMPING	DIMENSION	Additional Info.
B	11653	1 X 60W MB, Incan.	5"L x 5"W x 18"H, 66"OAH	190°
C	11654	4 X 60W MB, Incan.	12"L x 12"W x 25"H, 70.5"OAH	190°

Finish: Black/Satin Brass (BK SBR)

WINGS

- Two-tone Black/Satin Brass combo
- Welded steel construction
- Tubular filament bulbs recommended (not included)




11650BKSB
Flush Mount
A



11651BKSB
Wall Sconce
B

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
A	11 650	4 X 60W MB, Incan.	25"L x 25"W x 14.75"H		
B	11 651	1 X 60W MB, Incan.	5"W x 14.5"H x 3.5"Ext.	10"	

Finish: Black/Satin Brass (BKSBR)



11652BKSBR
Wall Sconce
C

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
C	11652	2 X 60W MB, Incan.	25"W x 5"H x 3"Ext.	2.5"	
Finish: Black/Satin Brass (BKSBR)					



POLARIS

A dazzling burst of Clear glass rods extend from a classic sputnik shape finished in a bright Polished Chrome or warm Satin Brass. Available in two sizes of pendants and as a ceiling fixture, this unique look is a statement piece designed to attract attention.





POLARIS

- Polished Chrome or Satin Brass metalwork
- Clear glass rods



28660 CLPC, CLSBR
Flush Mount
A



28668 CLPC, CLSBR
Pendant
B

	ITEM#	LAMPING	DIMENSION	Additional Info.
A	28660	8 X 60W CA, Incan.	25"L x 25"W x 13.75"H	
B	28668	16 X 60W CA, Incan.	40"L x 40"W x 20"H, 60"OAH	190°

Finish Options: Clear glass (CL) Polished Chrome (PC) Satin Brass (SBR)



28664 CLPC, CLSBR
Pendant
C



28666 CLPC, CLSBR
Pendant
D

	ITEM#	LAMPING	DIMENSION	Additional Info.
C	28664	12 X 60W CA, Incan.	25"L x 25"W x 23"H, 61.5"OAH	90°
D	28666	16 X 60W CA, Incan.	40"L x 40"W x 37.5"H, 69"OAH	90°

Finish Options: Clear glass (CL) Polished Chrome (PC) Satin Brass (SBR)



PERF


The Perf Pendant features a spherical glass shade housed within a matte Black perforated metal shade with Satin Brass accents. The blown glass globe provides pleasant surface diffusion while casting an optimal level of downlight. The additional metal spun shade features a perforated detailing, producing a unique dappled effect. Suspended gracefully from a field adjustable rayon covered cord and treated with a two-tone matte Black and Satin Brass finish, this collection will certainly make an impact on your living space.





10081BKSBR
Mini Pendant

A



10082WTBKSBR
Pendant

B



10083WTBKSBR
Flush Mount

C

	ITEM#	LAMPING	DIMENSION	Additional Info.
A	10081	1 x 60W MB, Incan.	3.5"L x 3.5"W x 13.25"H, 134.5"OAH	190°
B	10082	1 x 60W MB, Incan.	14.25"L x 14.25"W x 11.25"H, 132.75"OAH	
C	10083	1 x 60W MB, Incan.	14.25"L x 14.25"W x 11.5"H	

Finish: White glass (WT) Black/Satin Brass (BKSBR)



LIBRARY

Direct the light exactly where you want it using the articulated arms and metal shades of the Library series. At the backplate, the arm pivots left/right and up/down to direct the light. Additional articulated arms angle the shade or extend/contract the distance of the light source from the wall. Available in Polished Nickel, Black and Heritage Brass finishes, the Library collection evokes industrial era classicism perfect for use as a task light or accent light. Complimentary table and floor lamps complete the collection.

• Direct or pin up install



LIBRARY

- Available in Black, Heritage and Polished Nickel finishes
- Heritage finish features an inside white painted shade
- Articulated arms can be set to direct the light left or right
- High/Low switch on the backplate for convenience
- Coordinating table and floor lamps



12220 BK, HR, PN
Wall Sconce

A

NEW



12224 BK, HR, PN
Wall Sconce

C



12228HR
Floor Lamp

E



12222 BK, HR, PN
Wall Sconce

B



12226HR
Table Lamp

D



	ITEM#	LAMPING	DIMENSION	HCO
A	12220	1 X 60W MB, Incan.	8.25"W x 10.5"H x 21"Ext.	2.75"
B	12222	1 X 100W MB, Incan.	8"W x 32.25"H x 19"Ext.	5.5"
C	12224	1 X 100W MB, Incan.	8"W x 36.75"H x 28"Ext.	10"
D	12226	1 X 100W MB, Incan.	22"L x 8"W x 26.5"H	
E	12228	1 X 100W MB, Incan.	34.75"L x 11"W x 55"H	

Finish Options: Black (BK) Heritage (HR) Polished Nickel (PN)



CORONA

Minimalistic frames finished in Black or Satin Nickel support cylinders of Frosted glass shades. A clean contemporary look at a very affordable price.



10206 FTBK, FTSN
Chandelier

A



90200 FTBK, FTSN
Mini Pendant

B

	ITEM#	LAMPING	DIMENSION	Additional Info.
A	10206	9 x 60W MB, Incan.	28"W x 23"H	
B	90200	1 x 60W MB, Incan.	5"W x 6"H, 50.5"OAH	190°

Finish Options: Frosted glass (FT) Black (BK) Satin Nickel (SN)



10203 FTBK, FTSN
Chandelier
A



10205 FTBK, FTSN
Chandelier
B

	ITEM#	LAMPING	DIMENSION
A	10203	3 x 60W MB, Incan.	16.5"W x 18"H
B	10205	5 x 60W MB, Incan.	22"W x 19"H

Finish Options: Frosted glass (FT) Black (BK) Satin Nickel (SN)



10211 FTBK, FTOI, FTPC, FTSN
Bath Vanity

C



10212 FTBK, FTOI, FTPC, FTSN
Bath Vanity

D



10213 FTBK, FTOI, FTPC, FTSN
Bath Vanity

E



10214 FTBK, FTOI, FTPC, FTSN
Bath Vanity

F

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
C	10211	1 x 60W MB, Incan	4.5"W x 8.25"H x 6"Ext.	3"	
D	10212	2 x 60W MB, Incan	12"W x 9"H x 6"Ext.	3"	
E	10213	3 x 60W MB, Incan	19.25"W x 9"H x 6"Ext.	3"	
F	10214	4 x 60W MB, Incan	26.25"W x 9"H x 6"Ext.	3"	

Finish Options: Frosted glass (FT) Black (BK) Oil Rubbed Bronze (OI)
Polished Chrome (PC) Satin Nickel (SN)



ROGUE

Simple flush mounts in a variety of configurations and finishes. A twist lock lens for easy replacement of lamps and cleaning. Available in LED or E26 incandescent and emergency back-up options. Also available in your choice of Satin Nickel, Satin Brass, and Black.

- Twist lock lens for easy installation and maintenance
- Available in incandescent and LED versions
- Emergency Back Up option available
- Available in your choice of Satin Nickel, Satin Brass, or Black



10270 WTBK, WTSBR, WTSN
Flush Mount

A



10272 WTBK, WTSBR, WTSN
Flush Mount

B

NEW



10274 WTBK, WTSBR, WTSN
Flush Mount

C



10278 WTSN
Flush Mount with battery backup

D

ITEM#	LAMPING	DIMENSION	LUMENS			Additional Info.
			CRI	INIT.	DEL.	
A 10270	3 x 40W MB, Incan.	17"W x 5.25"H				
B 10272	2 x 60W MB, Incan.	13"W x 5.25"H				
C 10274	20W PCB LED 3000K (Integrated)	17"W x 5.25"H	90+	1480	1200	LED, DALI, 0-10V, 3-Wire
D 10278	20W PCB LED 3000K (Integrated)	17"W x 5.25"H	90+	1480	1200	LED, DALI, 0-10V, 3-Wire, EM battery backup

Finish Options: White glass (WT) Black (BK) Satin Brass (SBR) Satin Nickel (SN)



SPEC

This minimalistic contemporary approach to LED vanity lighting will be the standard for both residential and commercial applications. The light engine features a high quality dimmable driver with multi volt input and high color rendering LEDs for the ultimate vanity lighting.



52000 BK, BZ, GLD, PC, SN
Bath Vanity

A

- Squared acrylic lens
- 3000K Color Temperature
- CRI 90+
- Dimmable with ELV dimmers at 120V
- Damp location
- 120-277V input
- Energy Star
- Title 24



52002 BK, BZ, GLD, PC, SN
Bath Vanity

B



52004 BK, BZ, GLD, PC, SN
Bath Vanity

C



52006 BK, BZ, GLD, PC, SN
Bath Vanity

D



52008 BK, BZ, GLD, PC, SN
Bath Vanity

E

	ITEM#	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Info.									
A	52000	12W LED 3000K (Inte.)	18"W x 1.75"H x 2.25"Ext.	2.4"	90+	1140	880										120-277V Input
B	52002	16W LED 3000K (Inte.)	24"W x 1.75"H x 2.25"Ext.	2.4"	90+	1520	1250										120-277V Input
C	52004	20W LED 3000K (Inte.)	30"W x 1.75"H x 2.25"Ext.	2.4"	90+	1900	1550										120-277V Input
D	52006	24W LED 3000K (Inte.)	36"W x 1.75"H x 2.25"Ext.	2.4"	90+	2280	1850										120-277V Input
E	52008	32W LED 3000K (Inte.)	48"W x 1.75"H x 2.25"Ext.	2.4"	90+	2480	2240										120-277V Input

Finish Options: Black (BK) Bronze (BZ) Gold (GLD) Polished Chrome (PC) Satin Nickel (SN)



AXIS

This transitional design works in any style home. Intersecting, rectangular tubing, finished in your choice of Satin Nickel or Oil Rubbed Bronze, gently curves to support simple line Frost glass shades.





11381FTSN
Bath Vanity
A



11382FTSN
Bath Vanity
B



11383FTSN
Bath Vanity
C



11384FTSN
Bath Vanity
D



11385FTSN
Bath Vanity
E



11386FTSN
Bath Vanity
F

	ITEM #	LAMPING	DIMENSION	HCO	Additional Info.
A	11381	1 X 60W MB, Incan.	5"W x 7.5"H x 8"Ext.	3"	 
B	11382	2 X 60W MB, Incan.	18"W x 7.5"H x 8"Ext.	3"	 
C	11383	3 X 60W MB, Incan.	24"W x 7.5"H x 8"Ext.	3"	 
D	11384	4 X 60W MB, Incan.	30"W x 7.5"H x 8"Ext.	3"	 
E	11385	5 X 60W MB, Incan.	36"W x 7.5"H x 8"Ext.	3"	 
F	11386	6 X 60W MB, Incan.	48"W x 7.5"H x 8"Ext.	3"	 

Finish: Frosted glass (FT) Satin Nickel (SN)



LATERAL

Great for remodeling, the Lateral collection features an extended back plate with updated styling. Satin White cylindrical glass sits on a clean rectangular bar. Finished in your choice of Satin Nickel or Black, this bath vanity provides a transitional look to update your next project.



10281 SWBK, SWSN
Bath Vanity
A



10282 SWBK, SWSN
Bath Vanity
B



10283 SWBK, SWSN
Bath Vanity
C




10284 SWBK, SWSN
Bath Vanity
D



10285 SWBK, SWSN
Bath Vanity
E

	ITEM#	LAMPING	DIMENSION	Additional Info.
A	10281	1 x 60W MB, Incan.	5"W x 7.5"H x 5.5"Ext.	 
B	10282	2 x 60W MB, Incan.	12"W x 7.5"H x 5.5"Ext.	 
C	10283	3 x 60W MB, Incan.	24"W x 7.5"H x 5.5"Ext.	 
D	10284	4 x 60W MB, Incan.	30"W x 7.5"H x 5.5"Ext.	 
E	10285	5 x 60W MB, Incan.	36"W x 7.5"H x 5.5"Ext.	 

Finish Options: Satin White glass (SW) Black (BK) Satin Nickel (SN)



OUTPOST

Classic cylinder up and down lights provide directional light without glare. Available in 3 sizes with both incandescent and LED versions. Available in Aluminum or Black.

LED



86401 AL, BK
Outdoor Wall
A



86403 AL, BK
Outdoor Wall
B



86405 AL, BK
Outdoor Wall
C

	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	Additional Info.
A	86401	1 x 10W PCB LED 3000K (Inte.)	5"W x 7.25"H x 6.25"Ext.	4	4.5"W x 5"H	90+	            

OUTPOST

- Aluminum Construction
- Available in Incandescent or LED
- Available in Brushed Aluminum or Black
- Photocell option in 1-Light down



with Photocell



26101 AL/PHC, BK/PHC
Outdoor Wall

D



26101 AL, BK
Outdoor Wall

E



26103 AL, BK
Outdoor Wall

F



26105 AL, BK
Outdoor Wall

G

	ITEM#	LAMPING	DIMENSION	HCO	BP	Additional Info.
D	26101/PHC	1 x 26W MB, Incan. (Not Incl.)	5"W x 7.5"H x 7.25"Ext.	4.25"	4.5"W x 5"H	  Photocell
E	26101	1 x 60W MB, Incan. (Not Incl.)	5"W x 7.25"H x 7.25"Ext.	4"	4.5"W x 5"H	 
F	26103	2 x 60W MB, Incan. (Not Incl.)	5"W x 15"H x 7.25"Ext.	7.5"	4.5"W x 5"H	  
G	26105	2 x 60W MB, Incan. (Not Incl.)	5"W x 22"H x 7.25"Ext.	11"	4.5"W x 5"H	  

Finish Options: Brushed Aluminum (AL) Black (BK)

CONOID

Aluminum cone shades suspend from a die cast aluminum frame that conform to the same angle. Available in Aluminum or Black finish, this clean outdoor fixture has visual interest with its simple design elements.



- Aluminum Construction
- Available in Incandescent or LED
- Available in Brushed Aluminum or Black



86141 AL, BK
Outdoor Wall

A



86143 AL, BK
Outdoor Wall

B

	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	Additional Info.
A	86141	8W PCB LED 3000K (Inte.)	8"W x 5.25"H x 9.25"Ext.	2.5"	4.75"W x 5.25"H	90+	
B	86143	10W PCB LED 3000K (Inte.)	10"W x 6"H x 10.25"Ext.	2.5"	4.75"W x 5.25"H	90+	

Finish Options: Brushed Aluminum (AL) Black (BK)



BARREL

White UV-rated Polycarbonate cylinders are encased in a matte Black frame. These simple LED outdoor fixtures are a perfect combination of style at an affordable price.



BARREL

- Low maintenance Polycarbonate construction
- Great for multi-family projects
- Integrated LED



52125WTBK
Outdoor Wall

A



52126WTBK
Outdoor Wall

B

	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	Additional Info.
A	52125	15W LED PCB 3000K (Inte.)	5"W x 7.25"H x 5.5"Ext.	3.75"	5"W x 7.25"H	90+	
B	52126	18W LED PCB 3000K (Inte.)	6.75"W x 9.75"H x 6.75"Ext.	5"	6.75"W x 9.75"H	90+	

Finish: White glass (WT) Black (BK)

CHIP

The entry level Wafer model features driverless technology with the same great look. Manufactured of a plastic shell with aluminum backing, the Chip brings all the look of the Wafer at economical pricing for residential applications. The bright and even lighting effect is delivered by edge-lit technology offering an upscale surface mount solution to substitute recessed can lighting

- Available in 3000K (Made-to-order Color Temperatures available)
- Suitable for Closets according to NEC Section 410.8 & 410.16
- Available in White (WT), Black (BK) and Satin Nickel (SN)
- Dimmable with Triac and ELV Dimmers
- Easy to install: fits in 3-0 and 4-0 Outlet Box (pancake and mud ring acceptable)

- Pendant light accessory available (sold separately)
- Edge-Lit LED Technology
- Suitable for Wet Location, for use on ceilings outdoor and above showers
- cETLus

LED



57690 WTBK, WTSN, WTW
Flush Mount

A



57692 WTBK, WTSN, WTW
Flush/Wall Mount

B



57694 WTBK, WTSN, WTW
Flush/Wall Mount

C

NEW




57695 WTBK, WTSN, WTW
Flush/Wall Mount

D



57697 WTBK, WTSN, WTW
Flush Mount

E



57699 WTBK, WTSN, WTW
Flush Mount

F

NEW

ITEM#	LAMPING	DIMENSION	CRI	LUMENS		Additional Info.
				INIT.	DEL.	
A	57690 12W 120V PCB LED 3000K (Integrated)	5.25"L x 5.25"W x .5"H	90+	880	780	LED, Dimmable, Wet Location, cETLus, ADA
B	57692 15W 120V PCB LED 3000K (Integrated)	7"L x 7"W x .5"H	90+	1080	980	LED, Dimmable, Wet Location, cETLus, ADA
C	57694 18W 120V PCB LED 3000K (Integrated)	9"L x 9"W x .75"H	90+	1620	1260	LED, Dimmable, Wet Location, cETLus, ADA
D	57695 12W 120V PCB LED 3000K (Integrated)	4.75"L x 4.75"W x .5"H	90+	880	780	LED, Dimmable, Wet Location, cETLus, ADA
E	57697 15W 120V PCB LED 3000K (Integrated)	6.25"L x 6.25"W x .5"H	90+	1080	980	LED, Dimmable, Wet Location, cETLus, ADA
F	57699 18W 120V PCB LED 3000K (Integrated)	8.5"L x 8.5"W x .75"H	90+	1620	1260	LED, Dimmable, Wet Location, cETLus, ADA

Finish Options: White glass (WT) Black (BK) Satin Nickel (SN) White (WT)

WAFER

Wafer was designed for the discriminate consumer who wants the low profile look of recessed without the high cost. Manufactured of die cast aluminum, Wafer brings ultimate heat dissipation to its edge lit technology. Edge lighting gives very even light distribution while dispersing heat over a larger area. The result of this is longer LED life and better light diffusion.

- Die Cast Aluminum
- Edge Lit LED technology
- Available in White and Black finishes
- Choice of 4 Size Options between 5" and 15"
- Thin profile of 0.5"
- Wet Location Rated
- Dimmable with Triac and Electronic Low Voltage Dimmers
- Energy Star
- T24 Options



57780WT
Empty shell



- 1.5 Hours Emergency Back Up

57784WTWT
Flush Mount



57810 WTBK, WTWT
Flush/Wall Mount

A



57812 WTBK, WTWT
Flush/Wall Mount

B



57814 WTBK, WTWT
Flush/Wall Mount

C



***57737WTWT**
Flush/Wall Mount

D

* Installs to 4" Junction Box

	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	LUMENS	Additional Info.
A	57810	10W LED 4000K (Integrated)	5"W x .5"H	90+	700	600		LED, Dimmable, Wet Location, Energy Star, 120V Input
B	57812	15W LED 4000K (Integrated)	7"W x .5"H	90+	1050	900		LED, Dimmable, Wet Location, Energy Star, 120V Input
	57780	Add on shell	7"W x 1.25"H					
	57784	15W LED 3000K (Integrated)	7"W x 1.75"H	90+	1100	900		LED, Dimmable, Wet Location, Energy Star, 1.5 Hours Emergency Back Up
C	57814	20W LED 4000K (Integrated)	10"W x .5"H	90+	1400	1200		LED, Dimmable, Wet Location, Energy Star, 120V Input
D	57737	36W LED 4000K (Integrated)	15"W x .5"H	90+	2500	2500		LED, Dimmable, Wet Location, Energy Star, 120-277V Input

Finish Options: White glass(WT) Black (BK) White(WT)

TRIM

Trim – Thin discs of evenly illuminated LED create the impression of recessed lighting. The die-cast aluminum housings are available in White, Black, Satin Nickel, and Polished Chrome all with a thoughtfully recessed White polycarbonate diffuser. High efficiency and good color rendering make this a perfect choice for your next project. Use the optional pendant adapter to convert any size to a hanging fixture.



57660 WTBK, WTPC, WTSN, WWT
Flush/Wall Mount

A



57663 WTBK, WTPC, WTSN, WWT
Flush/Wall Mount

C



57662 WTBK, WTPC, WTSN, WWT
Flush/Wall Mount

B



57664 WTBK, WTPC, WTSN, WWT
Flush/Wall Mount

D



57670 WTBK, WTPC, WWT
Flush/Wall Mount

F

NEW



57600 BK, PC, SN, WT
Pendant Kit (Sold Separately)

E

ITEM#	LAMPING	DIMENSION	CRI	LUMENS		Additional Info.
				INIT.	DEL.	
A 57660	12.5W PCB LED 3000K (Inte.)	5"W x .75"H	90+	920	875	LED, DALI, 3000K, 120V, 50/60Hz, UL Listed, ETL Listed, FCC Listed, RoHS Compliant, Energy Star Qualified
B 57662	15W PCB LED 3000K (Inte.)	7"W x .75"H	90+	1100	1050	LED, DALI, 3000K, 120V, 50/60Hz, UL Listed, ETL Listed, FCC Listed, RoHS Compliant, Energy Star Qualified
C 57663	18W PCB LED 3000K (Inte.)	9"W x .75"H	90+	1280	1260	LED, DALI, 3000K, 120V, 50/60Hz, UL Listed, ETL Listed, FCC Listed, RoHS Compliant, Energy Star Qualified
D 57664	20W PCB LED 3000K (Inte.)	11"W x .75"H	90+	1450	1400	LED, DALI, 3000K, 120V, 50/60Hz, UL Listed, ETL Listed, FCC Listed, RoHS Compliant, Energy Star Qualified
E 57600		2.25"W x 10.75"H				
F 57670	25W PCB LED 3000K (Inte.)	16"W x 1.5"H	90+	2250	1750	LED, DALI, 3000K, 120V, 50/60Hz, UL Listed, ETL Listed, FCC Listed, RoHS Compliant, Energy Star Qualified

Finish Options: White glass (WT) Black (BK) Polished Chrome (PC) Satin Nickel (SN) White (WT)

- Die Cast Aluminum
- Size options between 5", 7", 9", and 11"
- Ultra-thin ½" height with less than ¼" trim
- Available in 3000k (Made-to-order Color Temperatures available)
- Suitable for Closets according to NEC Section 410.8 & 410.16
- Available in White (WT), Black (BK), Polished Chrome (PC) and Satin Nickel (SN)
- Dimmable with Triac and ELV Dimmers
- Easy to install: fits in 3-0 and 4-0 Outlet Box (pancake and mud ring acceptable)
- Pendant light accessory available (sold separately)
- Edge-Lit LED Technology
- Suitable for Wet Location, for use on ceilings outdoor and above showers
- ETL/cETL IP65

LED



57665 WTBK, **WTPC**, WTSN, WTWT
Flush/Wall Mount

G



57667 WTBK, WTPC, **WTSN**, WTWT
Flush/Wall Mount

H



57668 WTBK, WTPC, WTSN, **WTWT**
Flush/Wall Mount

I



57669 **WTBK**, WTPC, WTSN, WTWT
Flush/Wall Mount

J



57675 **WTBK**, WTPC, WTWT
Flush/Wall Mount

K


NEW

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS		Additional Info.
					INIT.	DEL.	
G	57665	12.5W PCB LED 3000K (Integrated)	4.75"W x .75"H	90+	920	875	LED, DIMMABLE, TRIAC, ELV, IP65, WET LOCATION, SLOTTED, SQUARE, 3000K, 12.5W, 4.75"W x .75"H
H	57667	15W PCB LED 3000K (Integrated)	6.25"W x .75"H	90+	1100	1050	LED, DIMMABLE, TRIAC, ELV, IP65, WET LOCATION, SLOTTED, SQUARE, 3000K, 15W, 6.25"W x .75"H
I	57668	18W PCB LED 3000K (Integrated)	8.5"W x .75"H	90+	1280	1260	LED, DIMMABLE, TRIAC, ELV, IP65, WET LOCATION, SLOTTED, SQUARE, 3000K, 18W, 8.5"W x .75"H
J	57669	20W PCB LED 3000K (Integrated)	10.5"W x .75"H	90+	1450	1400	LED, DIMMABLE, TRIAC, ELV, IP65, WET LOCATION, SLOTTED, SQUARE, 3000K, 20W, 10.5"W x .75"H
K	57675	25W PCB LED 3000K (Integrated)	15"W x 1.5"H	90+	2250	1750	LED, DIMMABLE, TRIAC, ELV, IP65, WET LOCATION, SLOTTED, SQUARE, 3000K, 25W, 15"W x 1.5"H

Finish Options: White glass (WT) Black (BK) Polished Chrome (PC) Satin Nickel (SN) White (WT)

DIVERSE

This very compact LED flush mount easily installs on any 3.25" octagon box and gives the look of a recessed trim. Constructed of Die Cast Aluminum, the Diverse luminaire is dimmable and also approved for wet locations so it can be used in virtually any ceiling application, including showers.



MSC030



57631WTWT
57633 WTBK, WTWT
57636WTWT
Flush Mount

A



57640 WTBZ, WTSN, WTWT
Flush Mount

B



57641WTWT
57647 WTBK, WTWT
57644WTWT
Flush Mount

C



57651WTWT
57652 WTBK, WTBZ, WTSN, WTWT
57654WTWT
Flush Mount
With a concaved lens

D



RFK57652 (without Bracket)
Retrofit Kit for 57652
Sold separately

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS		Additional Info.
					INIT.	DEL.	
A	57631	12W PCB LED 2700K (Integrated)	6.25"W x 1.25"H	90+	1080	850	LED, Dimmable, Wet Location, ETL, Energy Star
A	57633	12W PCB LED 3000K (Integrated)	6.25"W x 1.25"H	90+	1080	850	LED, Dimmable, Wet Location, ETL, Energy Star
A	57636	12W PCB LED 4000K (Integrated)	6.25"W x 1.25"H	90+	1080	850	LED, Dimmable, Wet Location, ETL, Energy Star
B	57640	28W PCB LED 3000K (Integrated)	13"W x .75"H	90+	1850	1320	LED, Dimmable, Wet Location, ETL, Energy Star
C	57641	15W PCB LED 2700K (Integrated)	7.5"W x 1.25"H	90+	1350	1050	LED, Dimmable, Wet Location, ETL, Energy Star
C	57647	15W PCB LED 3000K (Integrated)	7.5"W x 1.25"H	90+	1350	1050	LED, Dimmable, Wet Location, ETL, Energy Star
C	57644	15W PCB LED 4000K (Integrated)	7.5"W x 1.25"H	90+	1350	1050	LED, Dimmable, Wet Location, ETL, Energy Star
D	57651	12.5W PCB LED 2700K (Integrated)	7.5"W x 1.25"H	90+	1100	950	LED, Dimmable, Wet Location, ETL, Energy Star
D	57652	12.5W PCB LED 3000K (Integrated)	7.5"W x 1.25"H	90+	1100	950	LED, Dimmable, Wet Location, ETL, Energy Star
D	57654	12.5W PCB LED 4000K (Integrated)	7.5"W x 1.25"H	90+	1100	950	LED, Dimmable, Wet Location, ETL, Energy Star

Finish Options: White glass (WT) Black (BK) Bronze (BZ) Satin Nickel (SN) White (WT)

DIVERSE

- Die Cast Aluminum
- 3000K Color Temperature
- CRI 90+
- For residential use only
- Suitable for wet locations
- Dimmable with Triac Dimmer



57850 WTBK, WTBZ, WTSN, WTWT
57851WTWT
57852WTWT
57853WTWT
 Flush Mount

E



57855 WTBK, WTBZ, WTSN, WTWT
57856WTWT
57857WTWT
57858WTWT
 Flush Mount

F



57860 WTBK, WTBZ, WTSN, WTWT
57861WTWT
57862WTWT
57863WTWT
 Flush Mount

G

ITEM#	LAMPING	DIMENSION	CRI	LUMENS		Additional Info.
				INIT.	DEL.	
E 57850	18W PCB LED 3000K (Integrated)	9.25"W x 1.25"H	90+	1620	1260	
E 57851	18W PCB LED 2700K (Integrated)	9.25"W x 1.25"H	90+	1620	1260	
E 57852	18W PCB LED 3000K (Integrated)	9.25"W x 1.25"H	90+	1620	1260	
E 57853	18W PCB LED 4000K (Integrated)	9.25"W x 1.25"H	90+	1620	1260	
F 57855	20W PCB LED 3000K (Integrated)	11"W x 1.75"H	90+	1800	1400	
F 57856	20W PCB LED 2700K (Integrated)	11"W x 1.75"H	90+	1800	1400	
F 57857	20W PCB LED 3000K (Integrated)	11"W x 1.75"H	90+	1800	1400	
F 57858	20W PCB LED 4000K (Integrated)	11"W x 1.75"H	90+	1800	1400	
G 57860	25W PCB LED 3000K (Integrated)	13"W x 1.75"H	90+	2250	1750	
G 57861	25W PCB LED 2700K (Integrated)	13"W x 1.75"H	90+	2250	1750	
G 57862	25W PCB LED 3000K (Integrated)	13"W x 1.75"H	90+	2250	1750	
G 57863	25W PCB LED 4000K (Integrated)	13"W x 1.75"H	90+	2250	1750	

Finish Options: White glass (WT) Black (BK) Bronze (BZ) Satin Nickel (SN) White (WT)



FANS

FANS



89915BK
Outdoor Ceiling Fan
A



89905BK
Ceiling Fan
B

	ITEM#	DIMENSION	Additional Info.
A	89915	52"W x 12.5"H	Black Blades, Suitable for Wet location
B	89905	52"W x 12.5"H	Black Blades

Finish: Black (BK)

LIGHT KITS

Ceiling Fan light kits can add both functionality and beauty to our line of Basic-Max, Basic-Max Outdoor and Super-max Fans, and are available in a variety of shapes and designs.



FKT208 FTBK, FTOI, FTSN
Fan Kit
A



FKT214 FTBK, FTOI, FTSN
Fan Kit
B

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS	Additional Info.
A	FKT208	3 x 9W MB LED 3000K (Incl.)	13.5"W x 6.5"H	90+	810	LED, DIMMABLE, BLUE LIGHT REDUCED, GREEN MARKED
B	FKT214	2 x 9W MB LED 3000K (Incl.)	12.5"W x 7"H	90+	810	LED, DIMMABLE, BLUE LIGHT REDUCED, GREEN MARKED

Finish Options: Frosted glass (FT) Black (BK) Oil Rubbed Bronze (OI) Satin Nickel (SN)

INDEX

10081.....	42	11651.....	35	57665.....	66
10082.....	42	11652.....	36	57667.....	66
10083.....	42	11653.....	34	57668.....	66
10203.....	47	11654.....	34	57669.....	66
10205.....	47	11656.....	33	57670.....	65
10206.....	46	12220.....	44	57675.....	66
10211.....	48	12222.....	44	57690.....	63
10212.....	48	12224.....	44	57692.....	63
10213.....	48	12226.....	44	57694.....	63
10214.....	48	12228.....	44	57695.....	63
10270.....	50	16100.....	18	57697.....	63
10272.....	50	16102.....	18	57699.....	63
10274.....	50	16103.....	16	57737.....	64
10278.....	50	16104.....	17	57780.....	64
10281.....	56	16106.....	17	57784.....	64
10282.....	56	16108.....	16	57810.....	64
10283.....	56	16109.....	16	57812.....	64
10284.....	56	26101.....	58	57814.....	64
10285.....	56	26103.....	58	57850.....	68
10321.....	26	26105.....	58	57851.....	68
10322.....	26	28660.....	39	57852.....	68
10324.....	25	28664.....	40	57853.....	68
10326.....	25	28666.....	40	57855.....	68
11262.....	30	28668.....	39	57856.....	68
11263.....	30	52000.....	52	57857.....	68
11266.....	29	52002.....	52	57858.....	68
11268.....	29	52004.....	52	57860.....	68
11271.....	9	52006.....	52	57861.....	68
11272.....	9	52008.....	52	57862.....	68
11273.....	9	52125.....	62	57863.....	68
11274.....	9	52126.....	62	86141.....	60
11276.....	8	57600.....	65	86143.....	60
11277.....	7	57631.....	67	86401.....	57
11282.....	14	57633.....	67	86403.....	57
11285.....	13	57636.....	67	86405.....	57
11289.....	12	57640.....	67	89905.....	70
11381.....	54	57641.....	67	89915.....	70
11382.....	54	57644.....	67	90200.....	46
11383.....	54	57647.....	67	91270.....	8
11384.....	54	57651.....	67	FKT208.....	70
11385.....	54	57652.....	67	FKT214.....	70
11386.....	54	57654.....	67		
11472.....	22	57660.....	65		
11475.....	22	57662.....	65		
11479.....	21	57663.....	65		
11650.....	35	57664.....	65		

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BI40T6E12CL120V	I	E12	40	40W Incandescent E12 T6 120V Bulb Clear
	BI40T14E26CL120V	I	E26	40	40W Incandescent E26 T14 120V Bulb Clear
	BI40ST58E26CL120V	I	E26	40	40W Incandescent MB ST58 120V Bulb Clear
	BI60ST64E26CL120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BL4E12TCL120V27	L	E12	4	LED Filament 4W E12 Candelabra 2700K
	BL9E26FT120V30	L	E26	9	9W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL12E26FT120V30	L	E26	12	12W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL16E26FT120V30	L	E26	16	16W LED E26 3000K 120V Bulb Frost
	BL3-5ST64E26CL120V22	L	E26	3.5	3.5W Dimmable LED ST64 2200K 120V Bulb Clear
	BL11PAR30CL120V30	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V
	BL16PAR38CL120V30	L	PAR38	16	16W Dimmable LED PAR38 3000K 120V
	BL4MR11FT12V30	L	MR11	4	4W LED MR11 12V 3000K Bulb Frosted
	BL3MR16FLCL12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear
	BL7MR16FLCL12V	L	MR16	7	7W LED MR16 3000K 12V Clear
	BX10G4CL12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BX10G4FT12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BX20G4CL12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BX20G4FT12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BX35G4CL12V	X	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BX40G9CL120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH50PAR20FTCL120V	H	E26	50	50W Halogen PAR20 120V Bulb Clear
	BH35GU10CL120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent F - Fluorescent H - Halogen I - Incandescent L - LED X - Xenon

FINISH

AL	Brushed Aluminum
BK	Black
BZ	Bronze
GLD	Gold
HR	Heritage
OI	Oil Rubbed Bronze
PC	Polished Chrome
PN	Polished Nickel
SBR	Satin Brass
SN	Satin Nickel
WT	White

GLASS


CL	Clear
CR	Clear Ribbed
FT	Frosted
SW	Satin White
WT	White

SHADES

WT	White
----	-------

LEGEND

 LED	 ADA Compliant	 Dark Sky
 Dimmable	 For Damp Location	 For Wet Location
 Incandescent	 Installs on Slope Ceiling	 Installs Up or Down
 Vivex	 Die Cast Aluminum	 Adjustable



Energy Star
Certified

Installing new ENERGY STAR qualified light fixtures is a smart way to save energy and money. Maxim Lighting is proud to be a ENERGY STAR partner. Look for this ENERGY STAR logo to find Maxim Lighting fixtures that use 1/4 of the energy of traditional incandescent fixtures and last up to 10 times longer. More information on ENERGY STAR can be found on the ENERGY STAR web site at energystar.gov.



California
Title 20

All new homes, additions, alterations and most commercial buildings in California must meet minimum energy efficiency standards contained in Title 24, Part 6 of the California Code of Regulations. When you see the California Title 24 symbol next to a Maxim Lighting fixtures, you can be assured that the fixtures complies. More information on California Title 24 can be found on the California Energy Commission web site at energy.ca.gov/title24.



California
Title 24

Warranty And Other Information

- For specific and detailed warranty information, ask your Maxim Lighting sales representative or visit www.maximlighting.com/warranty.
- Maxim Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Bulbs are not included unless otherwise noted.



CounterMax, Maxim Lighting and StarStrand are registered trademarks of Maxim Lighting International, Inc.
All designs, logos, products and images © Copyright 2020 Maxim Lighting International, Inc.
All Rights Reserved. Printed in China

