MAXIM®
LIGHTING

2022 WINTER SUPPLEMENT

TABLE OF CONTENTS

Cabana	77
Clyde VX	69
Conrad	49
Dawn	45
Delos	15
Divine	7
Dottie	39
Giza	51
Harbor	53
Huntington	13
Lucent	9
Lumi	43
Manchester	71
Montauk	29
Nassau VX	79
Newport	55
Opulent	73
Ovation	5
Pagoda	67
Pathfinder	85
Perf Outdoor	81
Prime	59
Quarry	25
Rexford	57
Rincon	75
Rogue	63
Sausalito	33
Scout	37
Sutton Place VX	65
Tahoe	47
Telluride	83
Town & Country	19
Trim	91
Tux	21
Wafer	87
Warren	1
Zeta	17

LEGEND

- ADA Compliant
- California Title 20
- California Title 24
- LED
- Dimmable
- Dark Sky
- Energy Star Certified
- For Damp Location
- For Wet Location
- Incandescent
- Installs on Slope Ceiling
- Installs Up or Down
- Die Cast Aluminum
- Vivex

MAXIM LIGHTING

WARREN

Sophisticated glass forms of uniquely organic character drapes rings of Darkened Bronze metal. The Warren series features handcrafted molten glass draped on rings in a darkened bronze finish. This handsome approach to tiered glasswork pendants delivers a warmer and moodier aesthetic and enhances a classic contemporary look.

WARREN

- Artisanal cast glass
- Darkened Bronze finish
- Convertible 4-Light Semi-flush/Pendant

21837AGDBZ
Chandelier
A

	ITEM#	LAMPING	DIMENSION
A	21837	12 X 60W CA, Incan.	30"L x 30"W x 32"H, 107"OAH

Finish: Artisanal glass (AG) Darkened Bronze (DBZ)

WARREN

- Artisanal cast glass
- Darkened Bronze finish
- Convertible 4-Light Semi-flush/Pendant

21831AGDBZ
Mini Pendant
A

21835AGDBZ
Chandelier
B

	ITEM#	LAMPING	DIMENSION
A	21831	1 X 60W MB, Incan.	7.5"L x 7.5"W x 12"H, 51"OAH
B	21835	9 X 60W CA, Incan.	24"L x 24"W x 21.5"H, 59.5"OAH

Finish: Artisanal glass (AG) Darkened Bronze (DBZ)

21839AGDBZ
Wall Sconce
D

21833AGDBZ
Semi-Flush Mount/Chandelier
C

• Pendant convertible to semi-flush

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
C	21833	4 X 60W CA, Incan.	17.5"L x 17.5"W x 18"H, 56"OAH		
D	21839	1 X 60W CA, Incan.	7"W x 11.5"H x 4.5"Ext.	5.5"	DAMP

Finish: Artisanal glass (AG) Darkened Bronze (DBZ)

OVATION

A modern tribute to the ringed chandelier, the Ovation collection integrates LED technology for a dazzling lighting effect. The LED light produces a shimmering lighting effect along the tall and narrow fluted glass shades adding celebratory effervescence. The expansive diameters of the rings join at the center in equipoise using four down rods to suspend the frame. Mount the chandelier from the collector or make use of additional chain supplied to extend the height with ease. Available in Brushed Brass or Black, the collection toasts a classic design creating an elegant statement.

OVATION

- Integrated LED technology
- 3000K Color Temperature, Triac Dimmable
- Mount at collector or extend height with chain provided
- Available in Brushed Gold or Brushed Black
- Slender Clear Ribbed glass

16164 CRBK, **CRGLD**
Chandelier
A



16168 CRBK, CRGLD
Chandelier
B

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	16164	12 x 3W PCB LED 3000K (Inte.)	31.5"L x 31.5"W x 24.25"H, 65.5"OAH	80+	2520	1620	LED DIMMABLE
B	16168	15 x 3W PCB LED 3000K (Inte.)	47"L x 47"W x 24.25"H, 65.5"OAH	80+	3360	2160	LED DIMMABLE

Finish Options: Clear Ribbed glass (CR) Black (BK) Gold (GLD)

DIVINE

The composition of Clear glass rods are elegantly supported by thin radial arms of staggered lengths to create an iridescent motif that is truly Divine. Finished in Polished Nickel or Heritage Brass, the simplicity of this design delivers a crisp lighting fixture that works in a multitude of interior aesthetics from contemporary to traditional.

DIVINE

- Clear glass rods
- Polished Nickel or Heritage metalwork
- Pair with decorative E12 base lightbulbs such as G16.5 or T6 to elevate the look

38405 CLHR, **CLPN**
Chandelier
A

38409 CLHR, **CLPN**
Wall Sconce
C

38406 CLHR, CLPN
Chandelier
B

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
A	38405	8 x 60W CA, Incan.	23.5"L x 23.5"W x 21.75"H, 57.25"OAH		90°
B	38406	8 x 60W CA, Incan.	28.5"L x 28.5"W x 25.5"H, 59"OAH		90°
C	38409	2 x 60W CA, Incan.	11"W x 19.5"H x 5.5"Ext.	10"	DAMP

Finish Options: Clear glass (CL) Heritage (HR) Polished Nickel (PN)

LUCENT

Unique and dramatic pendants are created using solid, Clear glass rods that fit into castings finished in Polished Nickel or Heritage Brass. The elongated forms are great for foyer spaces and stairways, while the sconces provide a chic accent to the space they are installed. Combining contemporary sleekness with classic styling, this collection complements a wide range of décor styles.

LUCENT

- Clear Glass rod
- Polished Nickel or Heritage finish

16103 CLHR, CLPN
Chandelier
A

16108 WTCLPN, WTCLHR
Wall Sconce
B

16109 WTCLHR, WTCLPN
Wall Sconce
C

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
A	16103	5 x 60W CA, Incan.	23.25"L x 23.25"W x 18.25"H, 58.5"OAH		
B	16108	2 x 60W CA, Incan.	13.75"W x 21"H x 6.75"Ext.	9.25"	DAMP White Linen Shade Included
C	16109	1 x 60W CA, Incan.	5"W x 21"H x 6.75"Ext.	9.25"	DAMP White Linen Shade Included

Finish Options: Clear glass (CL) White shade (WT) Heritage (HR) Polished Nickel (PN)

LUCENT

- Clear Glass rod
- Polished Nickel or Heritage finish

16106CLPN
Pendant
B

16104CLPN
Pendant
A

	ITEM#	LAMPING	DIMENSION
A	16104	4 x 60W CA, Incan.	24"L x 24"W x 23.5"H, 67.5"OAH
B	16106	8 x 60W CA, Incan.	35.5"L x 35.5"W x 35"H, 79"OAH

Finish: Clear glass (CL) Polished Nickel (PN)

16100CLPN
Pendant
C

16102 CLHR, CLPN
Pendant
D

	ITEM#	LAMPING	DIMENSION
C	16100	4 x 60W CA, Incan.	17.5"L x 17.5"W x 34.25"H, 71.25"OAH
D	16102	8 x 60W CA, Incan.	21.25"L x 21.25"W x 42.25"H, 84"OAH

Finish Options: Clear glass (CL) Heritage (HR) Polished Nickel (PN)

HUNTINGTON

Glossy opal white shades taper to resemble classic fabric shades on an elegantly thin frame. They are supported by a spider frame with unique semicircular tabs complimenting the spherical joints of the frame. Available in Satin Nickel and Satin Brass finishes, this collection updates a timeless chandelier with a modern approach and thoughtful features.

HUNTINGTON

- Available in Satin Brass or Satin Nickel
- Satin White glass shades
- Thin framed classic design

32364 WTSBR, **WTSN**
Chandelier
B

32361 WTSBR, WTSN
Wall Sconce
A

32366 WTSBR, WTSN
Chandelier
C

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
A	32361	1 X 60W MB, Incan.	6"W x 20"H x 7"Ext.	13.5"	DAMP
B	32364	4 X 60W MB, Incan.	26"L x 26"W x 26"H, 66"OAH		
C	32366	6 X 60W MB, Incan.	34"L x 34"W x 32"H, 72"OAH		

Finish Options: White shade (WT) Satin Brass (SBR) Satin Nickel (SN)

DELOS

Evocative of the past and modernized for today, the Delos collection features ironwork finished in a textured Anthracite that support hefty glass columns. The glass shades are elongated to accentuate the verticality of the chandelier and the fluted glass shades diffuse the light in an interesting and subtly romantic way, giving the appearance of candlelight.

DELOS

- Forged rectilinear steel swoop in angular, elongated forms
- Textured Anthracite finish
- Clear, fluted glass shades softly diffuse candelabra sockets

30316CRAR
Chandelier
C

30311CRAR
Wall Sconce
A

	ITEM#	LAMPING	DIMENSION	HCO
A	30311	2 x 40W CA, Incan.	10.75"W x 17"H x 5.75"Ext.	10"
B	30315	5 x 40W CA, Incan.	24.25"W x 23"H, 70"OAH	
C	30316	8 x 40W CA, Incan.	30.25"W x 27.75"H, 74.5"OAH	

Finish: Clear Ribbed glass (CR) Anthracite (AR)

ZETA

A geometrical marvel of design and craft, the Zeta collection's abstract form seemingly twirls as if in movement. An elusive orb of clear glass casts light both up and downward through indelicate steel spindles in your choice of Natural Aged Brass, Matte Black or Matte White creating a remarkable filigree of light. Available in multiple sizes of pendants, a ceiling mount, and an ADA wall sconce, this collection of products serve as the ultimate focal point of a room.

ZETA

- Powder coated steel crafted in delicate spindles
- LED Up and Down Light
- Available in Natural Aged Brass, Matte Black and Matte White
- Complimentary ADA wall sconce
- CRI 90+, 3000K LED

24174 BK, **MW**, NAB
Pendant
C

24171 BK, MW, NAB
Wall Sconce
B

24176 BK, MW, **NAB**
Pendant
D



24170 BK, MW, **NAB**
Flush Mount
A

	ITEM#	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	24170	12W PCB LED 3000K (Inte.)	18.5"L x 20"W x 9.25"H		90+	1200	875	LED, DIMMABLE, DAMP
B	24171	7W PCB LED 3000K (Inte.)	4.75"W x 16"H x 3.75"Ext.	8"	90+	700	500	LED, DIMMABLE, ADA, DAMP,
C	24174	16W PCB LED 3000K (Inte.)	22"L x 20"W x 19.75"H, 64"OAH		90+	1600	1200	LED, DIMMABLE
D	24176	16W PCB LED 3000K (Inte.)	28.5"L x 26.25"W x 31"H, 75.25"OAH		90+	1600	1200	LED, DIMMABLE

Finish Options: Black (BK) Matte White (MW) Natural Aged Brass (NAB)

TOWN & COUNTRY

Whether in town or countryside, this collection of chandeliers simplifies the classic curved frame with a modern approach. Finished in your choice of Satin Brass or Matte Black, the sharply curved arms extend higher than classic proportions and support ribbed cylinders of opal white glass shades. These Satin White glasses upgrade pleated shades by form of their ribbed details. This material change adds durability for cleaning and maintenance.

TOWN & COUNTRY

- Finished in Satin Brass or Matte Black
- Sharply curved arms
- Pleated Satin White glass shades

32005 SWBK, SWSBR
Chandelier
A

32008 SWBK, **SWSBR**
Chandelier
B

	ITEM#	LAMPING	DIMENSION
A	32005	5 X 40W CA, Incan.	26.75"W x 16.25"H, 63.5"OAH
B	32008	8 X 40W CA, Incan.	34"W x 22.5"H, 69.5"OAH

Finish Options: Satin White glass (SW) Black (BK) Satin Brass (SBR)

TUX

Updating the traditional chandelier form, the Tux collection uses elongated sweeping lines evocative of the mid-20th century and stripped down ornamentation to create a transitional lighting product relevant again. The two-tone Black and White powder coated finish offers a neutral color palette, which coordinates perfectly with a variety of settings. Use decorative tubular bulbs or globes to dress up the design, or keep it classic with candelabra lamps.

TUX

- Steel body construction
- Candelabra based bulbs
- Dimmable with standard dimmer

11286BK
Chandelier
A

	ITEM#	LAMPING	DIMENSION
A	11286	12 X 60W CA, Incan.	36"W x 42"H, 116.5"OAH

Finish: Black (BK)

TUX

- Steel body construction
- Candelabra based bulbs
- Dimmable with standard dimmer

11285BK
Chandelier
A

11289BK
Chandelier
B

	ITEM#	LAMPING	DIMENSION
A	11285	5 X 60W CA, Incan.	24"W x 27.5"H, 66"OAH
B	11289	9 X 60W CA, Incan.	30"W x 33.75"H, 108"OAH

Finish: Black (BK)

11282BK
Wall Sconce
C

	ITEM#	LAMPING	DIMENSION	Additional Info.
C	11282	2 X 60W CA, Incan.	10.5"W x 16"H x 5.25"Ext.	DAMP

Finish: Black (BK)

QUARRY

Modern in execution, yet representative of the classic inverted bowl pendants, the Quarry collection features natural Spanish alabaster in an iron frame finished in Darkened Bronze. An inverted bowl form is created using the alabaster's straight line and the empty space below it. Slim housings of LED direct light both up at the alabaster to highlight the stone's character, while another direct light downward for functional use below.

QUARRY

- Genuine Spanish Alabaster
- Darkened Bronze ironwork
- Integrated LED lighting without drivers
- CRI 80+, 3000K

Alabaster imported from Spain

18205WADBZ
Pendant
A

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	18205	2 x 10W PCB LED 3000K (Inte.)	17.5"L x 17.5"W x 26"H, 66.25"OAH	80+	890	700	LED DIMMABLE

Finish: Alabaster stone (WA) Darkened Bronze (DBZ)

QUARRY

- Genuine Spanish Alabaster
- Darkened Bronze ironwork
- Integrated LED lighting without drivers
- CRI 80+, 3000K

18200WADBZ
Flush Mount/Wall Sconce
A

• Wall Sconce option

18204WADBZ
Mini Pendant
B

	ITEM#	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	18200	1 x 13W PCB LED 3000K (Inte.)	11.75"L x 14.25"W x 4"H	7"	80+	1000	820	LED
B	18204	2 x 10W PCB LED 3000K (Inte.)	11.5"L x 11.75"W x 18"H, 57.75"OAH		80+	890	700	LED

Finish: Alabaster stone (WA) Darkened Bronze (DBZ)

18201WADBZ
Wall Sconce
C

	ITEM#	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
C	18201	1 x 10W PCB LED 3000K (Inte.)	9.75"W x 11"H x 4"Ext.	5"	80+	780	630	

Finish: Alabaster stone (WA) Darkened Bronze (DBZ)

MONTAUK

A dark frame of Bronze suspends panels of textured Oatmeal fabric. Bring in casual comfort with the Montauk collection, a design that easily transitions from more rustic applications to Mediterranean coastal styling.

MONTAUK

- Oatmeal Linen fabric panels
- Neutral dark bronze metalwork
- Unique construction of fabric on metal frames
- Excellent in both kitchen and dining applications

20265CVBK
Chandelier
A

	ITEM#	LAMPING	DIMENSION
A	20265	4 X 60W MB, Incan.	24"W x 20"H, 60"OAH

Finish: Frosted glass (FT) Canvas shade (CV) Black (BK)

MONTAUK

- Oatmeal Linen fabric panels
- Neutral dark bronze metalwork
- Unique construction of fabric on metal frames
- Excellent in both kitchen and dining applications

20260FTCVBK
Flush Mount
A

20264CVBK
Pendant
C

20261CVBK
Pendant
B

	ITEM#	LAMPING	DIMENSION
A	20260	4 X 60W MB, Incan.	24"W x 8"H
B	20261	1 x 60W MB, Incan.	9"W x 14"H, 51.75"OAH
C	20264	4 x 40W CA, Incan.	14"W x 21"H, 58.5"OAH

Finish: Frosted glass (FT) Canvas shade (CV) Black (BK)

20262CVBK
Wall Sconce
D

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
D	20262	2 x 40W CA, Incan.	6.5"W x 8"H x 4"Ext.	4"	♿

Finish: Canvas shade (CV) Black (BK)

SAUSALITO

Inspired by the artist enclave north of San Francisco, pastoral elements influence this series of drum shades. Stirrup-like hooks support genuine suede straps in a Tobacco Brown finish which in turn suspend drum shades in an Off-white linen fabric. Metalwork in a hand-applied Weathered Zinc finish frame the frosted glass diffuser at the bottom to softly diffuse the lighting within. Head out West with this rustic, yet refined design.



SAUSALITO

- Genuine suede straps in Tobacco Brown
- Off-white linen fabric drum shades
- Hand applied Weathered Zinc finish
- Frosted glass diffuser

16133FTWZBSD
Pendant
B

16135FTWZBSD
Pendant
C

16132FTWZBSD
Mini Pendant
A

	ITEM#	LAMPING	DIMENSION
A	16132	1 x 60W MB, Incan.	7.5"L x 7.5"W x 14.25"H, 50.75"OAH
B	16133	1 x 60W MB, Incan.	11.5"L x 11.5"W x 15.25"H, 51.75"OAH
C	16135	4 x 60W MB, Incan.	24.25"L x 24.25"W x 12.25"H, 49"OAH

Finish: Frosted glass (FT) Brown Suede (BSD) Weathered Zinc (WZ)

SAUSALITO

- Genuine suede straps in Tobacco Brown
- Off-white linen fabric drum shades
- Hand applied Weathered Zinc finish
- Frosted glass diffuser

16139FTWZBSD
Flush Mount
B

16130FTWZBSD
Flush Mount
A

	ITEM#	LAMPING	DIMENSION
A	16130	3 x 60W MB, Incan.	15.5"L x 15.5"W x 6.25"H
B	16139	4 x 60W MB, Incan.	24.25"L x 24.25"W x 10.5"H

Finish: Frosted glass (FT) Brown Suede (BSD) Weathered Zinc (WZ)

SCOUT

Rugged brown leather shades are stitched and fitted over softly angled conical forms to create a rustic and warm lighting resource. Sturdy bases of cylindrical Distressed Wood adds a natural element with countryside appeal. Adjustable joints on the portable floor lamp allows you to direct the lighting where needed for function while the pendants use glass internally to reveal the leather's delightful inherent qualities in the glow from the lamp.

SCOUT

- Shades covered in Genuine Leather of Natural Brown with stitched details
- Distressed wood details add rustic charm
- Pendants feature glass reveal at bottom
- Adjustable shades on floor lamp to direct the light

10099WWDTN
Floor Lamp
B

10092CLWWDTN
Pendant
A

	ITEM#	LAMPING	DIMENSION
A	10092	1 x 9W MB, Incan.	6.75"W x 18.5"H, 138"OAH
B	10099	2 x 9W MB, Incan.	8"W x 70.75"H

Finish: Clear grass (CL) Weathered Wood (WWD) Tan (TN)

DOTTIE

Retro configurations of Mid-Century modern perforated metal designsare complete in a two tone powder coat finish. The spun metal shades are punched with oversized perforationsthat scatter a pattern of dots. Finished in a clean, two-tone Matte White and Black powder coat, these pieces add cheerful character that will match any pops of color or neutral palettes used in your space. The oversized shades on the wall sconce and portable lamps feature a swivel joint that allow you to position the shade and direct the light with ease. At the back of the shade, a conveniently located switch operates 3-step dimming to control the brightness at the touch of a button.

DOTTIE

- Finished in two-tone Matte White and Black
- Perforated metal dome shades
- Adjustable joint positions shade
- Portable desk lamp with 3-step touch dimmer to adjust brightness

21249WTBK
Floor Lamp
A

	ITEM#	LAMPING	DIMENSION
A	21249	1 x 40W MB, Incan.	12.25"L x 12.25"W x 67.5"H

Finish: White shade (WT) Black (BK)

DOTTIE

- Finished in two-tone Matte White and Black
- Perforated metal dome shades
- Adjustable joint positions shade
- Portable desk lamp with 3-step touch dimmer to adjust brightness

21242WTBK
Mini Pendant
A

21248WTBK
Desk Lamp
B

	ITEM#	LAMPING	DIMENSION
A	21242	1 x 60W MB, Incan.	7"W x 10.75"H, 132"OAH
B	21248	1 x 40W MB, Incan.	10.25"L x 8.5"W x 12.5"H

Finish: White shade (WT) Black (BK)

21240WTBK
Flush Mountt
C

21241WTBK
Wall Sconce
D

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
C	21240	1 x 40W MB, Incan.	6.25"W x 9.5"H		
D	21241	1 x 40W MB, Incan.	6.25"W x 11.5"H x 7.25"Ext.	2.5"	DAMP

Finish: White shade (WT) Black (BK)

LUMI

Pure White plaster sloping cones are hung on chains connected to a modern yoke structure finished in your choice of Aged Brass or Matte Black. The charming earthiness of the plaster is juxtaposed by the modern, angular hanging structure with Scandinavian influence in its form making this collection folksy and refreshing.

LUMI

- Cast Plaster shades in White
- Metal chain and yoke in either matte Black or Satin Brass

12383 WTBK, WTSBR
Pendant
A

12386 WTBK, **WTSBR**
Pendant
B

	ITEM#	LAMPING	DIMENSION
A	12383	1 X 40W MB, Incan.	13"W x 15"H, 95"OAH
B	12386	1 X 40W MB, Incan.	16"W x 12"H, 92"OAH

Finish Options: White shade (WT) Black (BK) Satin Brass (SBR)

DAWN

Sockets are suspended above a metal spun dome in your choice of Black with Gold accents or Satin Nickel with Black accents. A clean and simple approach to modern or transitional lighting, the opening allows light to shine through the opening atop while providing functional light below. This break in the form is supported with straps and decorative rivets in complimentary finishes for a subtlety tasteful two-tone finish.

DAWN

- Metal spun dome shades with suspended sockets
- Metal straps suspend shade from socket
- Available in two tone Satin Nickel with Matte Black or Matte Black with Aged Brass

12048 ABBK, SN
Pendant
C

12045 ABBK, **SN**
Pendant
B

12042 ABBK, SN
Pendant
A

	ITEM#	LAMPING	DIMENSION
A	12042	1 x 60W MB, Incan.	12"W x 8.75"H, 132"OAH
B	12045	1 x 60W MB, Incan.	15.25"W x 10.5"H, 133.75"OAH
C	12048	1 x 60W MB, Incan.	19.5"W x 12.75"H, 136"OAH

Finish Options: Antique Brass/Black (ABBK) Satin Nickel (SN)

TAHOE

A refreshing take on reflector shades from the early days of Mid Century modern design, the Tahoe thoughtfully applies LED light to a classic concept. The LED housing that shines light against its metal shade painted white on its interior for better reflection is also punctured with a hole at its apex to cast light on the square-tubed yoke supporting it. Much more angular than the traditional reflecting up-light shaded pendant, this pendant brings more function to its fashion. A convenient LED lamp is also included facing down to illuminate the space below. Finished in a striking Black and Satin Brass combination, this pendant certainly calls attention while casually existing in its space.

TAHOE

- Combination Satin Brass/Matte Black finish
- LED up and down light
- CRI 90+, 3000K

10098BKSBR
Pendant
A

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	10098	2 x 7W GU10 LED 3000K (Incl.)	18"W x 18.5"H, 60.5"OAH	90+	900	750	JA8 bulb (Incl.)

Finish: Black/Satin Brass (BKSBR)

CONRAD

A traditional lantern design uses a two-tone Satin Nickel and Satin Brass metal work create modern coastal flair. The sloping cone in metal supports a rounded Satin White glass diffuser to softly diffuse the light. Choose from two different sizes to use over a kitchen island or as an entry pendant in traditional or transitional settings.

CONRAD

- Satin White shade
- Spun metal in two tone Satin Brass and Satin Nickel
- Chain hung

10386WTSNSBR
Pendant
B

10384WTSNSBR
Pendant
A

	ITEM#	LAMPING	DIMENSION
A	10384	1 x 60W MB, Incan.	12"W x 17.5"H, 56.75"OAH
B	10386	1 x 60W MB, Incan.	15"W x 21.5"H, 60.75"OAH

Finish: White glass (WT) Satin Nickel (SN) Satin Brass (SBR)

GIZA

A simple glossy White glass shade, conical in form, with sharp lines of machined steel bands finished in your choice of Polished Nickel or Satin Brass create a pyramid of softly diffused light. Squared off trapezoidal top loops connect squared chain links allowing for over ten feet of adjustment. Though modern with its angular form, this pendant applies traditional metalwork details to create a timeless piece perfect for over a kitchen island or bedside.

GIZA

- Available in Satin Brass or Polished Nickel
- Glossy Opal White glass shades
- Unique squared off chain details

10376 WTPN, **WTSBR**
Pendant
C

10374 WTPN, WTSBR
Pendant
B

10372 WTPN, **WTSBR**
Mini Pendant
A

	ITEM#	LAMPING	DIMENSION
A	10372	1 x 60W MB, Incan.	7.5"W x 11.75"H, 50.75"OAH
B	10374	1 x 60W MB, Incan.	11.25"W x 17.25"H, 57"OAH
C	10376	1 x 60W MB, Incan.	15.5"W x 23"H, 63.75"OAH

Finish Options: White glass (WT) Polished Nickel (PN) Satin Brass (SBR)

HARBOR

A sizable layered glass oscillates depth and is supported by three industrial set screws for support. Available as a pendant or flush mount, the pendant also features an oversized ring to evoking nautical vibes while remaining minimalist in its design. Available in Satin Brass, Satin Nickel, or Matte Black, pair the clear glass shades with a vintage filament lamps to complete the look.

HARBOR

- Available in Satin Brass, Satin Nickel, or Matte Black
- Pair with filament bulbs to complete the look

11122 CLBK, CLSBR, CLSN
Pendant
B

11120 CLBK, **CLSBR**, CLSN
Flush Mount
A

	ITEM#	LAMPING	DIMENSION
A	11120	1 x 60W MB, Incan.	12"W x 10.5"H
B	11122	1 x 60W MB, Incan.	12"W x 15.25"H, 59.75"OAH

Finish Options: Clear glass (CL) Black (BK) Satin Brass (SBR) Satin Nickel (SN)

NEWPORT

An oversized oscillating, cylinder of Clear Seedy glass adds to a variety of coastal inspired pendants. Three knurled edge set screws support a massive glass with a ribbed bottom. Pair the clear glass shades with tubular filament lamps to complete the look.

NEWPORT

- Available in Satin Brass
- Pair with filament bulbs to complete the look

11124CLSBR
Pendant
A

	ITEM#	LAMPING	DIMENSION
A	11124	1 x 60W MB, Incan.	9"W x 17"H, 54.5"OAH

Finish: Clear glass (CL) Satin Brass (SBR)

REXFORD

Sharp lines as a cylindrical metal cup supports matching glasses in your choice of Satin White etched glass or Clear Seedy glass. A clean and transitional design, these mini pendants easily coordinate with more traditional environments with a rejuvenating young approach to design. Available in Satin Brass, Satin Nickel, or Matte Black with your choice of glass. Pair the clear glass shades with tubular filament lamps to complete the look.



REXFORD

- Available in Satin Brass, Satin Nickel, or Matte Black
- Choice of Satin White or Clear Seeded glass
- Pair with filament T9 bulbs to complete the look

CDBK

CDSN

SWBK

SWSBR

10362 CDBK, CDSN, SWBK, SWSBR
Mini Pendant
A

	ITEM#	LAMPING	DIMENSION	Additional Info.
A	10362	1 x 40W T9 MB, Incan.	4.25"W x 9.75"H, 55.75"OAH	90°

Finish Options: Seedy glass (CD) Satin White glass (SW) Black (BK) Satin Brass (SBR) Satin Nickel (SN)

PRIME

This collection of LED drum fixtures feature many options of fabric shades with an internal acrylic diffuser which twist locks into place. The result is a crisp clean look without any exposed screws or knobs. Whether you are looking for residential or commercial, there is sure to be a combination for your application.

- LED pendants and flush mounts available in AC or DC 120-277V versions
- 5 shade options: White Linen, Oatmeal Linen, Grass Cloth, White Organza or Black Organza
- Optional rings are available
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers

LED

10226 BOSN, GCOI, OMOI, WLSN, **WOSN**
Pendant
B

10224 BOSN, **GCOI**, OMOI, WLSN, WOSN
Pendant
A

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS	Additional Info.
A	10224	20W PCB LED 3000K (Integrated)	16"W x 6.5"H, 51"OAH	90+	1365	Triac dimmer
B	10226	33W PCB LED 3000K (Integrated)	20"W x 6.5"H, 51"OAH	90+	2275	Triac dimmer

Finish Options: Black Organza shade (BO) Grass Cloth shade (GC) Oatmeal Linen shade (OM)
White Linen shade (WL) White Organza shade (WO) Oil Rubbed Bronze (OI) Satin Nickel (SN)

PRIME

- LED pendants and flush mounts available in AC or DC 120-277V versions
- 5 shade options: White Linen, Oatmeal Linen, Grass Cloth, White Organza or Black Organza
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers

LED

10223 OMOI, **WLSN**
10233 OMOI, **WLSN**
Flush Mount
D

10221 OMOI, WLSN
10231 OMOI, WLSN
Flush Mount
B

10222 BO, GC, OM, WL, WO
10232 BO, GC, OM, WL, WO
Flush Mount
C

10220 BO, **GC**, OM, WL, WO,
10230 BO, **GC**, OM, WL, WO
Flush Mount
A

10227 BO, GC, OM, WL, WO, **WW**
10237 BO, GC, OM, WL, WO, **WW**
Flush Mount
E

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS	INPUT VOLTAGE	Additional Info.
A	10220	20W PCB LED 3000K (Integrated)	16"W x 5.5"H	90+	1365		Triac dimmer
A	10230	18W PCB LED 3000K (Integrated)		90+	1260	120-277V	ELV dimmer @120V
B	10221	20W PCB LED 3000K (Integrated)	16"W x 5.5"H	90+	1365		Triac dimmer, rings included
B	10231	18W PCB LED 3000K (Integrated)		90+	1260	120-277V	ELV dimmer @120V, rings included
C	10222	33W PCB LED 3000K (Integrated)	20"W x 5.5"H	90+	2275		Triac dimmer
C	10232	28W PCB LED 3000K (Integrated)		90+	1960	120-277V	ELV dimmer @120V
D	10223	33W PCB LED 3000K (Integrated)	20"W x 5.5"H	90+	2275		Triac dimmer, rings included
D	10233	28W PCB LED 3000K (Integrated)		90+	1960	120-277V	ELV dimmer @120V, rings included
E	10227	45W PCB LED 3000K (Integrated)	25"W x 5.5"H	90+	2200		Triac dimmer, rings included
E	10237	32W PCB LED 3000K (Integrated)		90+	2240	120-277V	ELV dimmer @120V, rings included

Finish Options: Black Organza shade (BO) Grass Cloth shade (GC) Oatmeal Linen shade (OM) White Linen shade (WL) White Organza shade (WO) White Weave shade (WW) Oil Rubbed Bronze (OI) Satin Nickel (SN)

Many Shades to Choose From

WL (White Linen)

OM (Oatmeal Linen)

WO (White Organza)

BO (Black Organza)

GC (Grass Cloth)

WW (White Weave)

ROGUE

Simple flush mounts in a variety of configurations and finishes. A twist lock lens for easy replacement of lamps and cleaning. Available in LED or E26 incandescent and emergency back-up options. Also available in your choice of Satin Nickel, Satin Brass, and Black.

ROGUE

- Twist lock lens for easy installation and maintenance
- Available in incandescent and LED versions
- Emergency Back Up option available
- Available in your choice of Satin Nickel, Satin Brass, or Black

10270 WTBK, WTSBR, WTSN
Flush Mount
A

10272 WTBK, WTSBR, **WTSN**
Flush Mount
B

10274 WTBK, **WTSBR**, WTSN
Flush Mount
C

10278WTSN
Flush Mount
D

Emergency Battery Backup

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	10270	3 x 40W MB, Incan.	17"W x 5.25"H				
B	10272	2 x 60W MB, Incan.	13"W x 5.25"H				
C	10274	20W PCB LED 3000K (Integrated)	17"W x 5.25"H	90+	1480	1200	LED
D	10278	20W PCB LED 3000K (Integrated)	17"W x 5.25"H	90+	1480	1200	LED EM battery backup

Finish Options: White acrylic (WT) Black (BK) Satin Brass (SBR) Satin Nickel (SN)

SUTTON PLACE VX

Stately lanterns in Maxim's proprietary Vivex composite delivers classic appeal and robust weather-resistant materials guaranteed to withstand harsh weather climates. Available in several sizes and illuminated with clustered candle sockets, this is a classic lantern design built to last.

SUTTON PLACE VX

- Stately outdoor sconces in Black finish
- Clear glass panels
- Constructed of Vivex for harsher climates

VX

40232CLBK
Outdoor Wall
B

40233CLBK
Outdoor Wall
C

40235CLBK
Outdoor Wall
D

40239CLBK
Outdoor Pendant
E

40230CLBK
Outdoor Post
A

	ITEM#	LAMPING	DIMENSION	HCO	BP	Additional Info.
A	40230	2 x 60W CA, Incan.	10"W x 24.25"H			VX
B	40232	1 x 60W MB, Incan.	7.75"W x 14.5"H x 8.75"Ext.	7"	4.75W x 8"H	VX
C	40233	1 x 60W MB, Incan.	7.75"W x 19"H x 8.75"Ext.	11.5"	4.75W x 8"H	VX
D	40235	2 x 60W CA, Incan.	10"W x 22"H x 11.5"Ext.	14"	6.25W x 9.5"H	VX
E	40239	2 x 60W CA, Incan.	10"W x 23.5"H, 61"OAH			DAMP VX

Finish: Clear glass (CL) Black (BK)

PAGODA

A shrine of light, the stacked structures with slanted roof lines over an open pavilion make for a modern lantern design. The LED light source is contained in the lower roof structure and casts light upwards creating a warm glow within the frame, while simultaneously shining ample light below to illuminate your exterior. Atop the lanterns are a sizable, squared off ring that is supported by hooks on the larger sizes. Stylishly modern and inspired by outdoor lanterns, the fixtures are made more durable by avoiding the use of glass panels all together.

PAGODA

- Corrosive resistant Aluminum construction
- Up and Down lighting
- Dimmable LED Lighting, 3000k Color Temperature
- Free of glass panels
- Matte Black outdoor rated powder coat

LED

30744BK
Outdoor Wall

B

30742BK
Outdoor Wall

A

30746BK
Outdoor Wall

C

	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	30742	2 x 6W LED 3000K (Inte.)	6.5"W x 13.5"H x 7.5"Ext.	5.75"	4.5"W x 6.5"H	90+	910	450	
B	30744	2 x 6W LED 3000K (Inte.)	7.5"W x 15.5"H x 8.5"Ext.	4.25"	4.5"W x 6.5"H	90+	910	450	
C	30746	2 x 9W LED 3000K (Inte.)	9"W x 18.5"H x 10"Ext.	5"	4.5"W x 7.75"H	90+	1190	750	

Finish: Black (BK)

CLYDE VX

A transitional design using simple cylinders and banding shifts easily between Coastal, Craftsman, and Modern exteriors. The light sources are protected by clear glass shades and the frames are protected by our innovative Vivex composite engineered to withstand harsher coastal climates. An incredible value and uncomplicated design, the Clyde series is an easy selection for most exterior applications.

CLYDE VX

- Transitional design both Coastal and Modern
- Available in Black with clear glass
- Constructed of Vivex for harsher climates

VX

40629CLBK
Outdoor Pendant
E

40620CLBK
Outdoor Post
A

40622CLBK
Outdoor Wall
B

40623CLBK
Outdoor Wall
C

40625CLBK
Outdoor Wall
D

	ITEM#	LAMPING	DIMENSION	HCO	BP	Additional Info.
A	40620	1 x 60W MB, Incan.	9"W x 19"H			VX
B	40622	1 x 60W MB, Incan.	7"W x 11"H x 8"Ext.	7.75"	4.75W x 6.5"H	VX
C	40623	1 x 60W MB, Incan.	9"W x 14"H x 10"Ext.	10"	4.75W x 8"H	VX
D	40625	1 x 60W MB, Incan.	9"W x 17"H x 10"Ext.	13"	4.75W x 8"H	VX
E	40629	1 x 60W MB, Incan.	9"W x 17.5"H, 55"OAH			DAMP VX

Finish: Clear glass (CL) Black (BK)

MANCHESTER

Inspired by traditional coach lanterns, the Manchester collection of pocket sconces ranges in size that are updated with clean lines. Black frames feature an updated squared arc handle and use a contrasting Burnished Gold reflector that shines clusters of candle lights protected by Clear glass panels. This collection plays homage to the classic exterior sconces and modernizes the appearance. Enhance the design with tubular lamps to add accentuate the verticality of the frames.

MANCHESTER

- Updated coach lantern design
- Aluminum and Stainless Steel construction
- Two tone Black finish with Gold reflector
- Candelabra clusters and full range of dimensions

30754CLBK
Outdoor Wall
B

30752CLBK
Outdoor Wall
A

30758CLBK
Outdoor Wall
D

30756CLBK
Outdoor Wall
C

	ITEM#	LAMPING	DIMENSION	HCO	BP	Additional Info.
A	30752	1 x 60W MB, Incan.	9"W x 14"H x 5.5"Ext.	8.5"	4.5"W x 6.75"H	
B	30754	2 x 60W CA, Incan.	9"W x 20"H x 5.5"Ext.	11.5"	4.5"W x 6.75"H	
C	30756	3 x 60W CA, Incan.	11.5"W x 24"H x 5.5"Ext.	14"	5"W x 9.25"H	
D	30758	3 x 60W CA, Incan.	11.5"W x 30"H x 5.5"Ext.	17"	5"W x 9.25"H	

Finish: Clear glass (CL) Black (BK)

OPULENT

Clear glass tubes are ribbed internally to refract tubular lamps creating a shimmering lighting effect. The glass is supported on a two-tone frame of black with Aged Brass accents that make this sconce complimentary to both indoor and outdoor applications. With an extension of less than 4 inches, this ADA compliant sconce even presents commercial applications in its transitional application. Complete the look with tubular filament lamps to take full advantage of the elongated shape.

OPULENT

- Corrosive resistant Aluminum construction
- Supported by a two-tone Black frame with Aged Brass accents
- Clear Ribbed glass tube shades
- ADA Compliant
- Wet location rated
- Use tubular lamps to complement elongated glass

16120CRBKAB
Outdoor Wall
A

16121CRBKAB
Outdoor Wall
B

16122CRBKAB
Outdoor Wall
C

	ITEM#	LAMPING	DIMENSION	HCO	BP	Additional Info.
A	16120	1 x 60W MB, Incan.	5"W x 11"H x 4"Ext.	5.5"	4.75W x 9.75"H	
B	16121	2 x 60W MB, Incan.	5"W x 14"H x 4"Ext.	7"	4.75W x 12.75"H	
C	16122	2 x 60W MB, Incan.	5"W x 20"H x 4"Ext.	10"	4.75W x 18.75"H	

Finish: Clear Ribbed glass (CR) Black (BK) Antique Brass (AB)

RINCON

Clean lines and Clear glass form the structure similar to a classic coach lantern. Produced of 304 Grade Stainless Steel and Aluminum, the Rincon set of LED outdoor sconces suit a variety of aesthetics both modern and traditional. Finished in a vibrant two-tone black and gold finish, these sconces are sure to provide updated curb appeal to your exterior.

50754BKGLD
outdoor Wall
B

50752BKGLD
outdoor Wall
A

	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	50752	14W PCB LED 3000K (Inte.)	7"W x 10"H x 4"Ext.	5.5"	5.5"W x 6.5"H	90+	980	540	
B	50754	14W PCB LED 3000K (Inte.)	7"W x 15.5"H x 4"Ext.	8.5"	5"W x 12.5"H	90+	980	540	

Finish: Black (BK) Gold (GLD)

CABANA

Dual frames of square tubing and squared features create a dimensional structure that transitions between modern and transitional architecture. The inner structure frames Clear Seedy glass that reduces glare and appears dirt free over longer periods of time. Available in various sizes and hanging and post configurations, this is a complete collection to light all areas of your exterior space.

CABANA

- Corrosive resistant Aluminum construction
- Matte Black finish with Clear Seedy glass panels
- Comprehensive range of product types in transitional styling

3032CDBK
Outdoor Wall
C

3033CDBK
Outdoor Wall
D

3035CDBK
Outdoor Wall
E

3039CDBK
Outdoor Pendant
F

3030CDBK
Outdoor Post
A

3031CDBK
Outdoor Flush Mount
B

	ITEM#	LAMPING	DIMENSION	HCO	BP	Additional Info.
A	3030	1 x 60W MB, Incan.	7"W x 16.75"H			
B	3031	2 x 60W MB, Incan.	12"W x 6"H			DAMP
C	3032	1 x 60W MB, Incan.	7"W x 11"H x 8"Ext.	3"	4.75"W x 6.25"H	
D	3033	1 x 60W MB, Incan.	7"W x 15"H x 8"Ext.	3"	4.75"W x 6.25"H	
E	3035	1 x 60W MB, Incan.	7"W x 18"H x 8"Ext.	3"	4.75"W x 6.25"H	
F	3039	1 x 60W MB, Incan.	7"W x 15.5"H, 91.25"OAH			DAMP

Finish: Seedy glass (CD) Black (BK)

NASSAU VX

Using our proprietary Vivex material built for seaside climates, the Nassau series presents Coastal flair, historical in design, made of an appropriately specified material for just this application. Available in your choice of solid Black or a cool combination of White with Black accents, the lanterns protect clusters of candelabras with clear glass panels. Add filament lamps to the lanterns to complete the look.

NASSAU VX

- Classic Lantern design
- Available in solid Black or White with Black accents
- Constructed of Vivex for harsher climates

VX

40312 CLBK, **CLWTBK**
Outdoor Wall
A

40314 CLBK, **CLWTBK**
Outdoor Wall
B

40316 CLBK, CLWTBK
Outdoor Wall
C

	ITEM#	LAMPING	DIMENSION	HCO	BP	Additional Info.
A	40312	1 x 60W MB, Incan.	5"W x 12.75"H x 6"Ext.	6.5"	5"W x 5"H	VX
B	40314	1 x 60W MB, Incan.	5"W x 16"H x 6"Ext.	9.5"	5"W x 5"H	VX
C	40316	2 x 60W CA, Incan.	7.5"W x 21.25"H x 8.5"Ext.	12"	7.5"W x 8.75"H	VX

Finish Options: Clear glass (CL) Black (BK) White (WT)

PERF OUTDOOR

Behind a perforated metal dome powder coated in a Black finish, an elongated White globe of glass casts soft illumination with an intriguing pattern of shadows along the wall. Combining outdoor rated powder coat in Black and Gold make this a spirited addition to an already popular mid-century inspired collection of interior pendants and flush mounts.

PERF OUTDOOR

- Corrosive resistant Aluminum construction
- Oblong white glass shade
- Perforated Gold dome shade cap
- Two tone Black and Gold outdoor rated powder coat
- Wet Location rated

30182WTBKGLD
Outdoor Wall
A

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
A	30182	1 x 60W MB, Incan.	7.5"W x 10.5"H x 8.25"Ext.	4"	

Finish: White glass (WT) Black (BK) Gold (GLD)

TELLURIDE

A particularly rustic barn light, the conical metal shaded sconce is inspired by the heartland and ornamented with frontier charms including riveted accents on its back plate and rings pinned to its sides. Finished in a dark Oriental Bronze outdoor rated powder coat, the item compliments similarly styled exterior elements such as unpolished stone veneers and wooden siding.

TELLURIDE

- Corrosive resistant Aluminum construction
- Rustic barn light design
- Rivet and ring details embellish design
- Dark Oiled Bronze outdoor-rated powder coat
- Wet Location Rated
- White interior to shade for superior illumination

DS

35034OB
outdoor Wall
A

35036OB
outdoor Wall
B

	ITEM#	LAMPING	DIMENSION	HCO	BP	Additional Info.
A	35034	1 x 60W MB, Incan.	8.25"W x 12"H x 9.5"Ext.	6.5"	4.75"W x 5.75"H	DS
B	35036	1 x 60W MB, Incan.	10.25"W x 14.5"H x 11.75"Ext.	7.75"	4.75"W x 5.75"H	DS

Finish: Oriental Bronze (OB)

PATHFINDER

With solid Die-Cast Aluminum construction and powered by a range voltage input driver, Pathfinder is a high performance down light for commercial and residential installations. Choose from triangular or spherical profiles as they discreetly extend from the wall. Available with a photocell option, these archetypal forms purposely blend into the architectural landscape creating safer spaces that shine light on locations of interest. Available in Black, Architectural Bronze, or Metallic Sliver

52122 ABZ, BK, **SV**
Outdoor Wall
A

52122 ABZ/PHC, **BK/PHC**, SV/PHC
Outdoor Wall
B

Architectural Bronze (ABZ)

	ITEM#	LAMPING	DIMENSION	HOC	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	52122	15W LED PCB 3000K (Inte.)	7"W x 4.5"H x 3.5"Ext.	2.25"	80+	880	820	120V Input
B	52122/PHC	15W LED PCB 3000K (Inte.)	7"W x 4.5"H x 3.5"Ext.	2.25"	80+	880	820	120V Input, with photocell

Finish options: Architectural Bronze (ABZ) Black (BK) Silver (SV)

PATHFINDER

- Die Cast Aluminum
- 120-277V Range Voltage Input
- High Wattage, High Lumen output
- Photocell Option

LED

52120 ABZ, **BK**, SV
Outdoor Wall
C

	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
C	52120	15W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 4"Ext.	2.75"	5.5"W x 5.5"H	80+	880	820	LED DS DC 120-277V Input

Finish Options: Architectural Bronze (ABZ) Black(BK) Silver (SV)

WAFER

Wafer was designed for the discriminate consumer who wants the low profile look of recessed without the high cost. Manufactured of die cast aluminum, Wafer brings ultimate heat dissipation to its edge lit technology. Edge lighting gives very even light distribution while dispersing heat over a larger area. The result of this is longer LED life and better light diffusion.

WAFER

- New models feature 120-277V input
- Dimmable with Triac and ELV Dimmers, ELV only at 120V
- Thin profile of .5"
- Color Temperatures: 3000K and 4000K
- CRI 90+
- Energy Star
- T24 Options
- Wet Location Rated
- * Installs to 4" Junction Box

***58742WTWT**
***58743WTWT**
Flush Mount
A



***58746WTWT**
***58747WTWT**
Flush Mount
B

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	58742	18W LED 3000K (Inte.)	24"L x 4.5"W x .5"H	90+	1300	1300	120-277V Input Triac/ELV Dimming, ELV only at 120V
A	58743	18W LED 4000K (Inte.)	24"L x 4.5"W x .5"H	90+	1380	1300	120-277V Input 0-10V Dimming
B	58746	36W LED 3000K (Inte.)	48"L x 4.5"W x .5"H	90+	3200	2500	120-277V Input Triac/ELV Dimming, ELV only at 120V
B	58747	36W LED 4000K (Inte.)	48"L x 4.5"W x .5"H	90+	3200	2600	120-277V Input 0-10V Dimming

Finish: White glass(WT) White(WT)

WAFER

- New models feature 120-277V input
- Die Cast Aluminum
- Edge Lit LED technology
- Available in Black, Bronze, Satin Nickel and White finishes
- Choice of 4 Size Options between 5” and 15”
- Thin profile of .5"
- Wet Location Rated
- Dimmable with Triac and ELV Dimmers, ELV only at 120V
- Energy Star
- T24 Options

.5"

58710 WTBK, WTBZ, WTSN, WTWT
58711 WTBK, WTBZ, WTSN, WTWT
58810WTWT
Flush/Wall Mount
A

58712 WTBK, **WTBZ**, WTSN, WTWT
58713 WTBZ, WTSN, WTWT
58812WTWT
Flush/Wall Mount
B

58780 BK, **WT**
Empty shell

58714 WTBK, WTBZ, WTSN, **WTWT**
58715 WTBZ, WTSN, **WTWT**
58814WTWT
Flush/Wall Mount
C

- 1.5 Hours Emergency Back Up

58784WTWT
Flush Mount

***58736** WTBK, WTBZ, **WTSN**, WTWT
***58737**WTWT
Flush/Wall Mount
D

* Installs to 4" Junction Box

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	58710	10W LED 3000K (Integrated)	5.5"W x .5"H	90+	930	750	120-277V Input Triac/ELV Dimming, ELV only at 120V
A	58711	10W LED 3000K (Integrated)	5.5"W x .5"H	90+	930	750	120-277V Input 0-10V Dimming
A	58810	10W LED 4000K (Integrated)	5.5"W x .5"H	90+	930	750	120-277V Input Triac/ELV Dimming, ELV only at 120V
B	58712	15W LED 3000K (Integrated)	7"W x .5"H	90+	1350	1100	120-277V Input Triac/ELV Dimming, ELV only at 120V
B	58713	15W LED 3000K (Integrated)	7"W x .5"H	90+	1500	1200	120-277V Input 0-10V Dimming
B	58812	15W LED 4000K (Integrated)	7"W x .5"H	90+	1500	1250	120-277V Input Triac/ELV Dimming, ELV only at 120V
	58780	Add on shell	7"W x 1.5"H				
	58784	17W LED 3000K (Integrated)	7"W x 2"H	90+	1250	1000	1.5 Hours Emergency Back Up, 120-277V Input Triac/ELV Dimming, ELV only at 120V
C	58714	20W LED 3000K (Integrated)	9"W x 1.5"H	90+	2100	1700	120-277V Input Triac/ELV Dimming, ELV only at 120V
C	58715	20W LED 3000K (Integrated)	9"W x 1.5"H	90+	2250	1800	120-277V Input 0-10V Dimming
C	58814	20W LED 4000K (Integrated)	9.5"W x .5"H	90+	2200	1800	120-277V Input Triac/ELV Dimming, ELV only at 120V
D	58736	30W LED 3000K (Integrated)	15"W x .5"H	90+	3000	2400	120-277V Input Triac/ELV Dimming, ELV only at 120V
D	58737	30W LED 4000K (Integrated)	15"W x .5"H	90+	3000	2400	120-277V Input 0-10V Dimming

Finish Options: White glass(WT) Black (BK) Bronze(BZ) Satin Nickel(SN) White(WT)

58720 WTBK, WTBZ, WTSN, **WTWT**
58721 WTBZ, WTSN, **WTWT**
Flush/Wall Mount
E



58722 WTBK, **WTBZ**, WTSN, WTWT
58723 WTBZ, WTSN, WTWT
Flush/Wall Mount
F

58724 WTBK, WTBZ, **WTSN**, WTWT
58725 WTBZ, **WTSN**, WTWT
Flush/Wall Mount
G

***58738** WTBK, WTBZ, WTSN, **WTWT**
58739WTWT
Flush/Wall Mount
H

* Installs to 4" Junction Box

58740WTWT
58741WTWT
Flush/Wall Mount
I

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
E	58720	10W LED 3000K (Integrated)	5"W x .5"H	90+	800	650	120-277V Input Triac/ELV Dimming, ELV only at 120V
E	58721	10W LED 3000K (Integrated)	5"W x .5"H	90+	800	650	120-277V Input 0-10V Dimming
F	58722	15W LED 3000K (Integrated)	7"W x .5"H	90+	1250	1000	120-277V Input Triac/ELV Dimming, ELV only at 120V
F	58723	15W LED 3000K (Integrated)	7"W x .5"H	90+	1250	1000	120-277V Input 0-10V Dimming
G	58724	20W LED 3000K (Integrated)	9"W x .5"H	90+	2250	1800	120-277V Input Triac/ELV Dimming, ELV only at 120V
G	58725	20W LED 3000K (Integrated)	9"W x .5"H	90+	2250	1800	120-277V Input 0-10V Dimming
H	58738	30W LED 3000K (Integrated)	15"W x .5"H	90+	3000	2400	120-277V Input Triac/ELV Dimming, ELV only at 120V
H	58739	30W LED 4000K (Integrated)	15"W x .5"H	90+	3000	2400	120-277V Input 0-10V Dimming
I	58740	32W LED 3000K (Integrated)	22"W x .5"H	90+	3200	2800	120-277V Input Triac/ELV Dimming, ELV only at 120V
I	58741	32W LED 4000K (Integrated)	22"W x .5"H	90+	3200	2800	120-277V Input Triac/ELV Dimming, ELV only at 120V

Finish Options: White glass(WT) Black (BK) Bronze(BZ) Satin Nickel(SN) White(WT)

TRIM

Trim – Thin discs of evenly illuminated LED create the impression of recessed lighting. The die-cast aluminum housings are available in White, Black, Satin Nickel, and Polished Chrome all with a thoughtfully recessed White polycarbonate diffuser. High efficiency and good color rendering make this a perfect choice for your next project. Use the optional pendant adapter to convert any size to a hanging fixture.

- Die Cast Aluminum
- Size options between 5”, 7” , 9”, and 11”
- Ultra-thin ½” height with less than ¼” trim
- Available in 3000k (Made-to-order Color Temperatures available)
- Suitable for Closets according to NEC Section 410.8 & 410.16
- Available in White (WT), Black (BK), Polished Chrome (PC) and Satin Nickel (SN)
- Dimmable with Triac and ELV Dimmers
- Easy to install: fits in 3-0 and 4-0 Outlet Box (pancake and mud ring acceptable)
- Pendant light accessory available (sold separately)
- Edge-Lit LED Technology
- Suitable for Wet Location, for use on ceilings outdoor and above showers
- ETL/cETL IP65

LED

57880 WTBK, **WTWT**
57881WTWT
Flush/Wall Mount
A

57884 WTBK, **WTWT**
57885WTWT
Flush/Wall Mount
C

57882 WTBK, WTWT
57883WTWT
Flush/Wall Mount
B

57894WTWT
57895WTWT
Flush/Wall Mount
D

Emergency Battery Backup

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	57880	12.5W PCB LED 3000K (Inte.)	5"W x .5"H	90+	920	875	120-277V Input 0-10V Dimming
A	57881	12.5W PCB LED 4000K (Inte.)	5"W x .5"H	90+	920	875	120-277V Input 0-10V Dimming
B	57882	15W PCB LED 3000K (Inte.)	7"W x .5"H	90+	1100	1050	120-277V Input 0-10V Dimming
B	57883	15W PCB LED 4000K (Inte.)	7"W x .5"H	90+	1100	1050	120-277V Input 0-10V Dimming
C	57884	18W PCB LED 3000K (Inte.)	9"W x .5"H	90+	1280	1260	120-277V Input 0-10V Dimming
C	57885	18W PCB LED 4000K (Inte.)	9"W x .5"H	90+	1280	1260	120-277V Input 0-10V Dimming
D	57894	15W PCB LED 3000K (Inte.)	7"W x 1"H	90+	1100	1050	EM battery backup
D	57895	15W PCB LED 4000K (Inte.)	7"W x 1"H	90+	1100	1050	EM battery backup

Finish Options: White glass (WT) Black (BK) White (WT)

TRIM

- Die Cast Aluminum
- Size options between 5”, 7” , 9”, and 11”
- Ultra-thin ½” height with less than ¼” trim
- Available in 3000k (Made-to-order Color Temperatures available)
- Suitable for Closets according to NEC Section 410.8 & 410.16
- Available in White (WT), Black (BK), Polished Chrome (PC) and Satin Nickel (SN)
- Dimmable with Triac and ELV Dimmers
- Easy to install: fits in 3-0 and 4-0 Outlet Box (pancake and mud ring acceptable)
- Pendant light accessory available (sold separately)
- Edge-Lit LED Technology
- Suitable for Wet Location, for use on ceilings outdoor and above showers
- ETL/cETL IP65

LED

57660 WTBK**, WTPC**, WTSN, WTWT
Flush/Wall Mount
A

57663 WTBK, WTPC, WTSN, **WTWT**
Flush/Wall Mount
C

57662 WTBK**,** WTPC, **WTSN**, WTWT
Flush/Wall Mount
B

57664 WTBK, WTPC, WTSN, WTWT
Flush/Wall Mount
D

57600 BK, PC, SN, WT
Pendant Kit *(Sold Separately)*
E

57670 WTBK, WTSN, WTWT
Flush/Wall Mount
F

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
A	57660	12.5W PCB LED 3000K (Inte.)	5"W x .75"H	90+	920	875	
B	57662	15W PCB LED 3000K (Inte.)	7"W x .75"H	90+	1100	1050	
C	57663	18W PCB LED 3000K (Inte.)	9"W x .75"H	90+	1280	1260	
D	57664	20W PCB LED 3000K (Inte.)	11"W x .75"H	90+	1450	1400	
E	57600		2.25"W x 10.75"H				
F	57670	25W PCB LED 3000K (Inte.)	16"W x 1.5"H	90+	2250	1750	

Finish Options: White glass (WT) Black (BK) Polished Chrome (PC) Satin Nickel (SN) White (WT)

57665 WTBK**, WTPC**, WTSN, WTWT
Flush/Wall Mount
G

57667 WTBK**,** WTPC, **WTSN**, WTWT
Flush/Wall Mount
H

57668 WTBK, WTPC, WTSN, WTWT
Flush/Wall Mount
I

57669 WTBK**,** WTPC, WTSN, **WTWT**
Flush/Wall Mount
J

57675 WTBK, WTSN, WTWT
Flush/Wall Mount
K

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Info.
G	57665	12.5W PCB LED 3000K (Integrated)	4.75"W x .75"H	90+	920	875	
H	57667	15W PCB LED 3000K (Integrated)	6.25"W x .75"H	90+	1100	1050	
I	57668	18W PCB LED 3000K (Integrated)	8.5"W x .75"H	90+	1280	1260	
J	57669	20W PCB LED 3000K (Integrated)	10.5"W x .75"H	90+	1450	1400	
K	57675	25W PCB LED 3000K (Integrated)	15"W x 1.5"H	90+	2250	1750	

Finish Options: White glass (WT) Black (BK) Polished Chrome (PC) Satin Nickel (SN) White (WT)

INDEX

3030.....78
3031.....78
3032.....78
3033.....78
3035.....78
3039.....78
10092.....38
10098.....48
10099.....38
10220.....61
10221.....61
10222.....61
10223.....61
10224.....60
10226.....60
10227.....61
10230.....61
10231.....61
10232.....61
10233.....61
10237.....61
10270.....64
10272.....64
10274.....64
10278.....64
10362.....58
10372.....52
10374.....52
10376.....52
10384.....50
10386.....50
11120.....54
11122.....54
11124.....56
11282.....24
11285.....23
11286.....22
11289.....23
12042.....46
12045.....46
12048.....46
12383.....44
12386.....44
16100.....12
16102.....12
16103.....10
16104.....11
16106.....11
16108.....10
16109.....10
16120.....74
16121.....74
16122.....74
16130.....35
16132.....34
16133.....34
16135.....34
16139.....35
16164.....6
16168.....6
18200.....27
18201.....28
18204.....27
18205.....26
20260.....31
20261.....31
20262.....32
20264.....31
20265.....30
21240.....42
21241.....42
21242.....41
21248.....41
21249.....40
21831.....3
21833.....4
21835.....3
21837.....2
21839.....4
24170.....18
24171.....18
24174.....18
24176.....18
30182.....82

INDEX

30311.....16
30315.....15
30316.....16
30742.....68
30744.....68
30746.....68
30752.....72
30754.....72
30756.....72
30758.....72
32005.....20
32008.....20
32361.....14
32364.....14
32366.....14
35034.....84
35036.....84
38405.....8
38406.....8
38409.....8
40230.....66
40232.....66
40233.....66
40235.....66
40239.....66
40312.....80
40314.....80
40316.....80
40620.....70
40622.....70
40623.....70
40625.....70
40629.....70
50752.....76
50754.....76
52120.....86
52122.....85
52122/PHC.....85
57600.....93
57660.....93
57662.....93
57663.....93
57664.....93
57665.....94
57667.....94
57668.....94
57669.....94
57670.....93
57675.....94
57880.....92
57881.....92
57882.....92
57883.....92
57884.....92
57885.....92
57894.....92
57895.....92
58710.....89
58711.....89
58712.....89
58713.....89
58714.....89
58715.....89
58720.....90
58721.....90
58722.....90
58723.....90
58724.....90
58725.....90
58736.....89
58737.....89
58738.....90
58739.....90
58740.....90
58741.....90
58742.....88
58743.....88
58746.....88
58747.....88
58780.....89
58784.....89
58810.....89
58812.....89
58814.....89

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BI40T8E12CL120V	I	E12	40	40W Incandescent E12 T8 120V Bulb Clear
	BI40T14E26CL120V	I	E26	40	40W Incandescent E26 T14 120V Bulb Clear
	BI40ST58E26CL120V	I	E26	40	40W Incandescent MB ST58 120V Bulb Clear
	BI60ST64E26CL120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BL4E12TCL120V27	L	E12	4	LED Filament 4W E12 Candelabra 2700K
	BL9E26FT120V30	L	E26	9	9W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL12E26FT120V30	L	E26	12	12W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL16E26FT120V30	L	E26	16	16W LED E26 3000K 120V Bulb Frost
	BL3-5A52E26CL120V22	L	E26	3.5	3.5W Dimmable LED A52 2200K 120V Bulb Clear
	BL3-5D40E26CL120V22	L	E26	3.5	3.5W Dimmable LED D40 2200K 120V Bulb Clear
	BL3-5G40E26CL120V22	L	E26	3.5	3.5W Dimmable LED G40 2200K 120V Bulb Clear
	BL3-5G40E26CL120V22	L	E26	3.5	3.5W Dimmable LED G40 2200K 120V Bulb Clear
	BL3-5ST64E26CL120V22	L	E26	3.5	3.5W Dimmable LED ST64 2200K 120V Bulb Clear
	BL5A50E26CL120V22	L	E26	5	5W Dimmable LED A50 2200K 120V Bulb Clear
	BL5BT56E26CL120V22	L	E26	5	5W Dimmable LED BT56 2200K 120V Bulb Clear
	BL5GU10FT120V30	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear, T24 JA8 Compliant
	BL9GU24FT120V30	L	GU24	9	9W Dimmable LED GU24 3000K 120V Bulb Frosted
	BL11GU24CL120V30	L	GU24	11	11W LED GU24 3000K 120V Clear
	BL1-2G4FT12V30	L	G4	1.2	1.2W LED DC AC 12V 3000K CRI80
	BL1-5G4CL12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear
	BL1-5G4CLCOB12V	L	G4	1.5	1.5W LED COB 12V 3000K CRI80
	BL1-8G4CL12V	L	G4	1.8	1.8W LED DC AC 12V 3000K CRI80
	BL2G9CL120V30	L	G9	2	2W LED G9 3000K CRI80 Clear
	BL3G9CL120V30	L	G9	3	3W LED G9 3000K CRI80 Clear
	BL2-2G9FT120V30	L	G9	2.2	2.2W LED G9 3000K CRI80 Frost
	BL2-3G9CL120V35	L	G9	2.3	2.3W LED G9 3500K CRI80 Clear
	BL2-9G9CL120V27	L	G9	2.9	2.9W LED G9 2700K CRI80 Clear
	BL2-9G9CL120V35	L	G9	2.9	2.9W LED G9 3500K CRI80 Clear
	BL4G9CL120V830	L	G9	4	4W LED G9 3000K CRI90 Clear

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BL11PAR30CL120V30	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V
	BL16PAR38CL120V30	L	PAR38	16	16W Dimmable LED PAR38 3000K 120V
	BL4MR11FT12V30	L	MR11	4	4W LED MR11 12V 3000K Bulb Frosted
	BL3MR16FLCL12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear
	BL7MR16FLCL12V	L	MR16	7	7W LED MR16 3000K 12V Clear
	BX10G4CL12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BX10G4FT12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BX20G4CL12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BX20G4FT12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BX35G4CL12V	X	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BX40G9CL120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH50PAR20FTCL120V	H	E26	50	50W Halogen PAR20 120V Bulb Clear
	BH35GU10CL120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent F - Fluorescent H - Halogen I - Incandescent L - LED X - Xenon

FINISH

AB	Antique Brass
ABZ	Architectural Bronze
AR	Anthratice
BK	Black
BSD	Brown Suede
BZ	Bronze
DBZ	Darkened Bronze
GLD	Gold
HR	Heritage
MW	Matte White
NAB	Natural Aged Brass
OB	Oriental Bronze
OI	Oil Rubbed Bronze
PC	Polished Chrome
PN	Polished Nickel
SBR	Satin Brass
SN	Satin Nickel
SV	Silver
TN	Tan
WT	White
WWD	Weathered Wood
WZ	Weathered Zine

GLASS STYLES

AG	Artisanal
CD	Seedy
CL	Clear
CR	Clear Ribbed
FT	Frosted
SW	Satin White
WA	Alabaster Stone
WT	White

SHADES

BO	Black Organza
CV	Canvas
GC	Grass Cloth
OM	Oatmeal
WL	White Linen
WO	White Organze
WT	White
WW	White Weave

LEGEND

LED	ADA Compliant	Dark Sky
Dimmable	For Damp Location	For Wet Location
Incandescent	Installs on Slope Ceiling	Installs Up or Down
Vivex	Die Cast Aluminum	

Energy Star Certified

Installing new ENERGY STAR qualified light fixtures is a smart way to save energy and money. Maxim Lighting is proud to be a ENERGY STAR partner. Look for this ENERGY STAR logo to find Maxim Lighting fixtures that use 1/4 of the energy oftraditional incandescent fixtures and last up to 10 times longer. More information on ENERGY STAR can be found on the ENERGY STAR web site at energystar.gov.

California Title 20

California Title 24

All new homes, additions, alterations and most commercial buildings in California must meet minimum energy efficiency standards contained in Title 24, Part 6 of the California Code of Regulations. When you see the California Title 24 symbol next to a Maxim Lighting fixtures, you can be assured that the fixtures complies. More information on California Title 24 can be found on the California Energy Commission web site at energy.ca.gov/title24.

Warranty And Other Information

- For specific and detailed warranty information, ask your Maxim Lighting sales representative or visit www.maximlighting.com/warranty.
- Maxim Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limita-tions inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Bulbs are not included unless otherwise noted.

CounterMax, Maxim Lighting and StarStrand are registered trademarks of Maxim Lighting International, Inc.
All designs, logos, products and images © Copyright 2022 Maxim Lighting International, Inc.
All Rights Reserved. Printed in China

LMXCAT2201
$5.00

ENERGY STAR PARTNER

american lighting association

MAXIM LIGHTING

Maxim Lighting International

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@maximlighting.com
Web: www.maximlighting.com

#Maximlighting

YouTube

Maxim Lighting and all designs, logos and images © 2022 Maxim Lighting International. All Rights Reserved. Printed in China