

### TABLE OF CONTENTS

Admiralty	145	Opulent	183
Akimbo	1	Ovation	51
Basque	5	Padrona	39
Belfry	165	Pagoda	179
Bristol	79	Paloma	17
Cabana	177	Pathfinder	195
Carlo	55	Perf Outdoor	189
Catalina	159	Pinn	119
Charlton	25	Plumette	65
Clyde VX	181	Prime	129
Conrad	87	Quarry	93
Copacabana	147	Rail 3CCT	121
CounterMax MX-L-24-SS	201	Rexford	89
Dapper	127	Rincon	185
Dawn	59	Rivet VX	157
Delos	91	Rogue	133
Deven	21	Ruffles	123
Diverse	143	San Simeon	125
Divine	63	Sausalito	103
Dottie	109	Savannah VX	171
Duke	29	Scout	101
Equilibrium	35	Shutters	155
Flambeau	9	Spec 3CCT	122
Formosa	15	Spotlight	191
Giza	85	Sutton Place VX	167
Harbor	115	Tahoe	113
Huntington	83	Telluride	187
Jewel	200	Timber	199
Lattice	149	Town & Country	73
Lucent	75	Trim	139
Lumi	107	Tulum	197
Manchester	175	Tux	41
Mansard	193	Vela	45
Metropolis	47	Wafer	135
Montauk	97	Warren	69
Nassau VX	173	Yorktown VX	163
Neoclass	151	Zeta	33
Newport	117		

#### LEGEND



ADA Compliant



LED



**Energy Star** Certified



Incandescent





Die Cast Aluminum



California Title 20



Dimmable



For Damp Location



Installs on Slope Ceiling



Vivex



California Title 24



Dark Sky



For Wet Location



Installs Up or Down











- Two tone finish: Dark Bronze and Antique Brass
- · Solid Wood shades in Walnut finish
- Satin White glass shades
- Horizontal Swing Wall Sconce with switches on face plate
- 3000K Neutral LED lamps included





28278DBZAB Pendant

Finish: Dark Bronze (DBZ) Antique Brass (AB)



#### AKIMBO

- Two tone finish: Dark Bronze and Antique Brass
- Solid Wood shades in Walnut finish
- Satin White glass shades
- Horizontal Swing Wall Sconce with switches on face plate

• 3000K Neutral LED lamps included



28276DBZAB							
Semi-Flush Mount/Pendant							
D							

					0.51	LUM		
	IIEM#	LAMPING		DIMENSION	CRI	INII.	DEL.	Additional Info.
Α	28274	4 x 6W MB I	_ED 3000K (Incl.)	14.5"L x 21.75"W x 24.25"H, 67.25"OAH	90+	2400	1650	(ED)
В	28276	6 x 6W MB I	_ED 3000K (Incl.)	30.75"L x 30.75"W x 15.75"H, 45.75"OAH	90+	3600	2500	LED LED

Finish: Dark Bronze (DBZ) Antique Brass (AB)





				LUM	ENS	
	ITEM# LAMPING	DIMENSION	HCO CRI	INIT.	DEL.	Additional Info.
С	28272 2 x 6W MB LED 3000K (Incl.)	21.75"W x 10.25"H x 15.25"Ext.	5" 90+	1200	800	
	Finish: Dark Bronze (DBZ) Antique Bro	iss (AB)				









	ITEM#	LAMPING	DIMENSION
Α	20348	8 x 60W CA, Incan.	32"W x 36"H, 76.5"OAH

Finish: Driftwood (DW) Anthracite (AR)

#### BASQUE

Robust steel construction with mitered top edge detail
Realistic Driftwood finish with coordinating Anthracite accents
Includes spherical charm in Driftwood 20343DWAR Semi-Flush Mount 20345DWAR Chandelier

	ITEM#	LAMPING	DIMENSION
Α	20343	3 x 60W CA, Incan.	20"W x 17.25"H
В	20345	5 x 60W CA, Incan.	26"W x 28.5"H, 68.75"OAH

Finish: Driftwood (DW) Anthracite (AR)

В






20341DWAR Wall Sconce C

	ITEM#	LAMPING	DIMENSION	НСО
С	20341	2 x 60W CA, Incan.	12"W x 12.5"H x 6.75"Ext.	9.5"

Finish: Driftwood (DW) Anthracite (AR)



Dramatic and opulent, light sources shine through exquisite Clear scalloped glass hurricane shades as they seemingly float on unique metal prongs finished in Antique Brass. The brass accents are contrasted with a Black frame configured in cascading pendant forms, classically tiered chandeliers and elongated individual pendants. The expansive variety of configurations present a configuration for all the interior spaces of a home, be it over dining tables or used in the entry, kitchen, or over the vanity. The collection also includes ADA wall sconces that are left and right oriented for symmetrical installations bedside or beside a mirror.



#### FLAMBEAU

- Scalloped cylindrical Clear glass shades Two-tone Black and Antique Brass finish
- 120-277V input
- 2 in 1 dimming (Triac and 0-10V)
- Full range of configurations allow for more applications



16127CLBKAB Linear Chandelier

		LUMENS						
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.	
Α	16127	10 x 1.8W G4 LED 3000K (Incl.)	45.25"L x 12"W x 14"H, 51"OAH	90+	1800	1250	[] (ED)	

#### FLAMBEAU

- Scalloped cylindrical Clear glass shades
  Two-tone Black and Antique Brass finish
  120-277V input

- 2 in 1 dimming (Triac and 0-10V)
   Full range of configurations allow for more applications



16129CLBKAB Chandelier

				LUMENS			
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	16129	12 x 1.8W G4 LED 3000K (Incl.)	48"L x 48"W x 23.25"H, 63"OAH	90+	2150	1450	





					LUM	ens	
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
В	16125	6 x 1.8W G4 LED 3000K (Incl.)	24.75"L x 24.75"W x 14"H, 54.75"OAH	90+	690	520	(ED) (90°)
С	16128	8 x 1.8W G4 LED 3000K (Incl.)	33"L x 33"W x 14"H, 54.75"OAH	90+	920	680	(LED (90°)

# Scalloped cylindrical Clear glass shades Two-tone Black and Antique Brass finish Full range of configurations allow for more applications





16113CLBKAB Pendant

	ITEM#	LAMPING	DIMENSION	Additional Info.
Α	16113	3 x 60W CA, Incan.	13.75"L x 12.75"W x 25.5"H, 54.75"OAH	90°
В	16114	4 x 60W CA, Incan.	13"L x 13"W x 25"H, 79"OAH	(90°)
С	16116	6 x 60W CA, Incan.	19.25"L x 14"W x 34.25"H, 79"OAH	(90°)







16115CLBKAB Wall Sconce

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
D	16111	1 x 60W MB, Incan.	7.25"L x 3"W x 26"H, 65.5"OAH		90°)
E	16112	2 x 60W CA, Incan.	13"W x 18"H x 3.75"Ext.	12.5"	<b>&amp;</b>
F	16115	2 x 60W CA, Incan.	13"W x 18"H x 3.75"Ext.	12.5"	<b>&amp; @</b>
G	16123	3 x 60W MB, Incan.	12.75"L x 12.75"W x 19.25"H, 140.75"OAH		







	ITEM#	LAMPING	DIMENSION	НСО
Α	20488	8 x 60W CA, Incan	32"W x 43"H, 83.25"OAH	
В	20482	2 x 60W CA, Incan	12"W x 21.5"H x 7"Ext.	16"
С	20486	6 x 60W CA, Incan	27''W x 36.5''H, 76.75''OAH	

Finish Options: Ecru White/Venetian Gold (ECVG) Golden Noir (GN)







#### PALOMA

- Center plume of feathers or leaf-like biophilic detail
- Bright gold leaf application in a unique textural application
- Available in multiple sizes of chandelier and coordinating two-light sconce
- Available in contemporary Gold Leaf or dramatic Anthracite finishes



2889 AR, GL Chandelier

	ITEM#	LAMPING	DIMENSION
Α	2889	9 x 60W CA, Incan	36"W x 28"H, 70.5"OAH

#### PALOMA

- Center plume of feathers or leaf-like biophilic detail
- Bright gold leaf application in a unique textural application
- Available in multiple sizes of chandelier and coordinating two-light sconce
- Available in contemporary Gold Leaf or dramatic Anthracite finishes





2885 AR, GL Chandelier

	ITEM#	LAMPING	DIMENSION
Α	2883	3 x 60W CA, Incan	16"W x 18"H, 61.75"OAH
В	2885	5 x 60W CA, Incan	26"W x 22.5"H, 65.75"OAH

Finish Options: Anthracite (AR) Gold Leaf (GL)



2882 AR, GL Wall Sconce C

	ITEM# LAMPING	DIMENSION	НСО	Additional Info.
С	2882 2 x 60W CA, Incan	10.25"W x 15.75"H x 6"Ext.	8"	DAMP

Finish Options: Anthracite (AR) Gold Leaf (GL)





- Available in wide range of finishes including: Satin Nickel, Black, Oil Rubbed Bronze, and Satin Brass
- Semi-flush Mount convertible to pendant with 3ft of wire included



	ITEM#	LAMPING	DIMENSION	
Α	20036	9 x 60W MB, Incan.	32"L x 32"W x 32"H, 108"OAH	

Chandelier

Finish Options: Satin White glass (SW) Black (BK) Oil Rubbed Bronze(OI) Satin Brass (SBR) Satin Nickel (SN)



## DEVEN

- Available in wide range of finishes including: Satin Nickel, Black, Oil Rubbed Bronze, and Satin Brass
- Semi-flush Mount convertible to pendant with 3ft of wire included



**20035** SWBK, SWOI, SWSBR, **SWSN** Chandelier



	ITEM# LAMPING	DIMENSION
Α	20033 3 x 60W MB, Incan.	18"L x 18"W x 20"H, 60"OAH
В	20035 5 x 60W MB, Incan.	24"L x 24"W x 23"H, 62"OAH

Finish Options: Satin White glass (SW) Black (BK) Oil Rubbed Bronze(OI) Satin Brass (SBR) Satin Nickel (SN)



20031 SWBK, SWOI, SWSBR, SWSN Semi-Flush Mount/Pendant



 Convertible to pendant with CKT01 (sold separately)



20030 SWBK, SWOI, SWSBR, SWSN Wall Sconce



90030 SWBK, SWOI, SWSBR, SWSN Mini Pendant

	ITEM#	LAMPING	DIMENSION	НСО	Additional Info.
С	20030	1 x 60W MB, Incan.	4.75"W x 9"H x 6.25"Ext.	6.3"	<b>(2) (4)</b>
D	20031	3 x 60W MB, Incan.	14"L x 14"W x 10"H		
E	90030	1 x 60W MB, Incan.	4"W x 7.5"H, 52.5"OAH		(90°)









- Updated transitional styling Available in softer Weathered White with Gold Leaf accents or bold Black and Antique Brass



11378 BKAB, WWTGL Chandelier A

	ITEM# LAMPING		DIMENSION
Α	11378	8 x 60W CA, Incan.	48"W x 24"H, 102.75"OAH

Finish Options: Black/Antique Brass (BKAB) Weathered White/Glod Leaf(WWTGL)





	ITEM#	LAMPING	DIMENSION
Α	11373	3 x 60W CA, Incan.	20"W x 21"H, 59"OAH
В	11377	9 x 60W CA, Incan.	30"W x 28.25"H, 102.75"OAH

Finish Options: Black/Antique Brass (BKAB) Weathered White/Glod Leaf(WWTGL)




11375 BKAB, WWTGL Chandelier D

	ITEM#	LAMPING	DIMENSION	НСО
С	11372	2 x 60W CA, Incan.	11.75"W x 8.75"H x 6"Ext.	4''
D	11375	5 x 60W CA, Incan.	26"W x 22"H, 60"OAH	

Finish Options: Black/Antique Brass (BKAB)
Weathered White/Glod Leaf(WWTGL)













ITEM#	LAMPING	DIMENSION

**A** 12414 4 x 60W MB, Incan. 42"L x 8.75"W x 14.75"H, 60"OAH

Finish Options: Satin White glass (SW) Black/Weathered Brass (BKWBR) Satin Nickel/Satin Brass (SNSBR)

**12414** SWBKWBR, **SWSNSBR** Linear Pendant





	ITEM#	LAMPING	DIMENSION	<u>Additional Info</u>	١.
Α	12410	1 x 60W MB, Incan.	9.5"W x 10.75"H		
В	12411	1 x 60W MB, Incan.	9.5"W x 9.25"H, 56.5"OAH	90°	
С	12412	1 x 60W MB, Incan.	10.5"W x 11.25"H, 58.5"OAH	90°	





12418 SWBKWBR, SWSNSBR Wall Sconce







12419 SWBKWBR, SWSNSBR Flush Mount

	ITEM#	LAMPING	DIMENSION	HCO	BP	Additional Info.
D	12416	1 x 60W MB, Incan.	9.5"W x 15.75"H x 9.75"Ext.	2.5"	5"W x 5"H	0
E	12418	1 x 60W MB, Incan.	9.5"W x 7.5"H x 4.25"Ext.	3.75"		<b>(</b>
F	12419	1 x 60W MB, Incan.	12.25"W x 8.75"H			



filigree of light. Available in multiple sizes of pendants, a ceiling mount, and an ADA wall sconce, this collection of products serve as the ultimate focal point of a room.





					LUM		
	ITEM# LAMPING	DIMENSION	НСО	CRI	INIT.	DEL.	Additional Info.
Α	24170 12W PCB LED 3000K (Inte.)	18.5"L x 20"W x 9.25"H		90+	1200	875	
В	24171 7W PCB LED 3000K (Inte.)	4.75"W x 16"H x 3.75"Ext.	8"	90+	700	500	
С	24174 16W PCB LED 3000K (Inte.)	22"L x 20"W x 19.75"H, 64"OAH		90+	1600	1200	LED 🗻
D	24176 16W PCB LED 3000K (Inte.)	28.5"L x 26.25"W x 31"H, 75.25"OAH		90+	1600	1200	(ED )

Finish Options: Black (BK) Matte White (MW) Natural Aged Brass (NAB)



tubular lamps supplied and shrouded in long cylindrical glass shades secured with pins at the fixture's sockets. The characteristic details and warm filament light source add industrial flair making the collection's modern configuration suitable to a wider array of transitional styling.





## EQUILIBRIUM

- · Available in Natural Aged Brass or Matte Black finishes
- Clear cylinder glass tube shades supported by pins
- LED T9 lamps in 3000K color temperature included
- Coordinating ADA sconce



				LUM	ENS	
	ITEM# LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	26376 6 x 6W MB LED 3000K (Incl.)	51.75"L x 51.75"W x 33"H, 76.25"OAH	90+	3600	2880	LED C

Finish Options: Clear glass (CL) Black (BK) Natural Aged Brass (NAB)



# EQUILIBRIUM

- · Available in Natural Aged Brass or Matte Black finishes
- Clear cylinder glass tube shades supported by pins
- LED T9 lamps in 3000K color temperature included
- · Coordinating ADA sconce



			LUMENS			
	ITEM# LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	26374 4 x 6W MB LED 3000K (Incl.)	36"L x 36"W x 15.75"H, 59"OAH	90+	2400	1920	

26374 CLBK, CLNAB Pendant/Semi-Flush Mount

Finish Options: Clear glass (CL) Black (BK) Natural Aged Brass (NAB)



					LUMENS	
	ITEM# LAMPING	DIMENSION	HCO	CRI	INIT. DEL.	Additional Info.
В	26370 2 x 6W MB LED 3000K (Incl.)	6"W x 25"H x 4"Ext.	12.5"	90+	1200 960	
С	26372 2 x 6W MB LED 3000K (Incl.)	42"L x 42"W x 7.75"H, 51"OAH		90+	1200 960	

Finish Options: Clear glass (CL) Black (BK) Natural Aged Brass (NAB)










- Uniquely curved ironwork on wide spanned chandeliers
- Textural Black Oxide finish enhances the forged iron details
- Open hook at top loop makes hanging simpler and adds rustic charm
- Coordinating sconce in with looping detail



	ITEM# LAMPING	DIMENSION	НСО
Α	27706 6 x 60W CA, Incan.	32.5"W x 27.5"H, 70.5"OAH	
В	27701 1 x 60W CA, Incan.	4.75"W x 19"H x 5"Ext.	10.25"
С	27708 8 x 60W CA, Incan.	48.5"W x 27.75"H, 70.5"OAH	

Finish: Black Oxide (BO)





Updating the traditional chandelier form, the Tux collection uses elongated sweeping lines evocative of the mid-20th century and stripped down ornamentation to create a transitional lighting product relevant again. The two-tone Black and White powder coated finish offers a neutral color palette, which coordinates perfectly with a variety of settings. Use decorative tubular bulbs or globes to dress up the design, or keep it classic with candelabra lamps.







- Steel body construction
- Candelabra based bulbs
- Dimmable with standard dimmer



	ITEM#	LAMPING	DIMENSION				
Α	11286	12 x 60W CA, Incan.	36"W x 42"H, 116.5"OAH				

Finish: Black (BK)



- Steel body construction
- · Candelabra based bulbs
- Dimmable with standard dimmer



11289BK Chandelier

ITEM#	LAMPING	DIMENSION

Α	11285	5 x 60W CA, Incan.	24"W x 27.5"H, 66"OAH
В	11289	9 x 60W CA, Incan.	30"W x 33.75"H, 108"OAH

Finish: Black (BK)





11282BK Wall Sconce C

	ITEM# LAMPING	DIMENSION	Additional Info.
С	11282 2 x 60W CA, Incan.	10.5"W x 16"H x 5.25"Ext.	Comp.

Finish: Black (BK)



take on the candle chandelier with subtle and unique design details.





	ITEM# LAMPING	DIMENSION	HCO	Additional Info.
Α	24811 1 x 60W CA, Incan.	5"W x 24"H x 3.75"Ext.	10"	<b>(</b>
В	24815 5 x 60W CA, Incan.	24"W x 18.25"H, 72"OAH		
С	24819 9 x 60W CA, Incan.	32"W x 24"H, 80"OAH		

Finish Options: Black (BK) Satin Brass (SBR)



configurations of pendants and sconces, the collection celebrates classic design concepts in an understated contemporary glamor that results in a composition suited to transitional and contemporary aesthetics. Make a statement with the oversized with the 3-light sconce nearly five foot in height or use the multiple functional pieces for reading our over an island.

### METROPOLIS

- Field adjustable cord
- Clear Textured artisan glass vessels
- Bright satin Brass finish
- · Swing arm and over-scaled wall sconces add drama to its setting
- Dimmable LED light modules, neutral 3000K Color Temperature







24981TCSBR Pendant

				LUM	ENS	
	ITEM# LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	24981 1 x 6W PCB LED 3000K (Inte.)	10"L x 10"W x 13.75"H, 135.25"OAH	90+	650	420	
В	24983 3 x 8W PCB LED 3000K (Inte.)	12"L x 12"W x 16.5"H, 138"OAH	90+	1800	1680	

Finish: Textural Clear glass (TC) Satin Brass (SBR)

# METROPOLIS

- · Adjustable shades can direct light up or down
- Clear Textured glass shades





	ITEM# LAMPING	DIMENSION	НСО	CRI	LUM INIT.		Additional Info.
Α	24982 2 x 6W PCB LED 3000K (Inte.)	38"L x 12"W x 19.25"H, 140.75"OAH		90+	1050	800	LED OWNIE
В	24989 3 x 8W PCB LED 3000K (Inte.)	10"W x 55.5"H x 13.5"Ext.	51"	90+	1800	1680	

Finish: Textural Clear glass (TC) Satin Brass (SBR)





Rotatable and swing arm









					LUM	ENS	
	ITEM# LAMPING	DIMENSION	HCO	CRI	INIT.	DEL.	Additional Info.
С	24980 1 x 6W PCB LED 3000K (Inte	e.) 10"W x 17"H x 13.25"Ext.	1 <i>7</i> "	90+	650	420	(LED) TO (LED)

Finish: Textural Clear glass (TC) Satin Brass (SBR)






- Thin elements in large proportions using four stem support system

  Mount chandeliers directly at wired housing for
- shorter ceiling applications

   Fluted glass is frosted partially to capture the glow of LED light within



#### 16168 CRBK, CRGLD

Chandelier



					LUM	ENS	
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	16168	15 x 3W PCB LED 3000K (Inte.)	47"L x 47"W x 24.25"H, 65.5"OAH	80+	3360	2160	LED COMME

Finish Options: Ribbed glass (CR) Black (BK) Gold (GLD)



# OVATION

- Thin elements in large proportions using four stem support system

  Mount chandeliers directly at wired housing for
- Mount chandellers directly at wired nousing to shorter ceiling applications
  Fluted glass is frosted partially to capture the glow of LED light within
  3000K Color Temperature, dimmable
  Available in Bushed Gold or Brushed Black
  ADA wall sconces with up and down lighting





16164 CRBK, CRGLD Chandelier



				LUM	ENS	
	ITEM# LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	16164 12 x 3W PCB LED	0 3000K (Inte.) 31.5"L x 31.5"W x 24.25"H, 65.5"OAH	80+	2520	1620	LED CONTRACTOR

Finish Options: Ribbed glass (CR) Black (BK) Gold (GLD)







16161 CRBK, CRGLD Wall Sconce

В

16162 CRBK, CRGLD Chandelier C

						LUM		
	ITEM#	LAMPING	DIMENSION	НСО	CRI	INIT.	DEL.	Additional Info.
В	16161	2 x 3W MR11 LED 3000K (Incl.)	4.75"W x 13"H x 4.25"Ext.	9.25"	80+	460	350	
С	16162	9 x 2W PCB LED 3000K (Inte.)	23.5"L x 23.5"W x 26.5"H, 68"OAH		90+	1260	900	

Finish Options: Ribbed glass (CR) Black (BK) Gold (GLD)















25175DBZHR Chandelier

В


					LUM		
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	25176	6 x 6W LED 3000K (Inte.)	48"L x 24"W x 6.25"H, 50.5"OAH	90+	3240	2880	LED (
В	25175	5 x 6W LED 3000K (Inte.)	28"L x 28"W x 12"H, 56.25"OAH	90+	2700	2400	LED COMMING

Finish: Dark Bronze (DBZ) Heritage (HR)



# CARLO

- Metal shades finished in Heritage Brass
- Accented metal details in Dark Bronze and Tobacco Brown leather wraps
- Paddles to direct the light source
- Frosted diffusers soften where directed





#### 25179DBZHR

Chandelier



				LUM	ENS	
	ITEM# LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	25179 9 x 6W LED 3000K (Inte.)	34"L x 34"W x 16.75"H, 61"OAH	90+	4860	4320	LED T

Finish: Dark Bronze (DBZ) Heritage (HR)




25170DBZHR Semi-Flush Mount





25174DBZHR Pendant

#### • Adjustable







					LUM		
	ITEM# LAMPING	DIMENSION	HCO	CRI	INIT.	DEL.	Additional Info.
В	25170 1 x 24W LED 3000K (Inte.)	13.75"L x 13.75"W x 11"H		90+	2160	1920	LED O
С	25171 1 x 6W LED 3000K (Inte.)	5.5"W x 6.5"H x 7"Ext.	3"	90+	540	480	LED OMB
D	25174 1 x 24W LED 3000K (Inte.)	13.75"L x 13.75"W x 8"H, 62"OAH		90+	2160	1920	LED COMMITTEE

Finish: Dark Bronze (DBZ) Heritage (HR)









	ITEM# LAMPING	DIMENSION
Α	12042 1 x 60W MB, Incan.	12"W x 8.75"H, 132"OAH
В	12045 1 x 60W MB, Incan.	15.25"W x 10.5"H, 133.75"OAH
С	12048 1 x 60W MB, Incan.	19.5"W x 12.75"H, 136"OAH

Finish Options: Antique Brass/Black (ABBK) Satin Nickel (SN) White/Satin Brass (WTSBR)









12041 ABBK, SN, WTSBR Pin-up Wall Sconce B



12040 ABBK, SN, WTSBR Flush Mount

	ITEM# LAMPING	DIMENSION	НСО
Α	12040 1 x 60W MB, Incan.	12"W x 9"H	
В	12041 1 x 60W MB, Incan.	7"W x 12.75"H x 11"Ext.	7.75"

Finish Options: Antique Brass/Black (ABBK) Satin Nickel (SN) White/Satin Brass (WTSBR)



- Metal spun dome shades with suspended sockets
- Metal straps suspend shade from socket
- Available in your choice of finishes: Satin Nickel with black accents, Black with Antique Brass interiors, or White with bright Satin Brass details
- Coordinating pin-up sconce with integrated switch on back plate









	ITEM# LAMPING	DIMENSION	НСО	Additional Info.
Α	38405 8 x 60W CA, Incan.	23.5"L x 23.5"W x 21.75"H, 57.25"OAH		90°
В	38406 8 x 60W CA, Incan.	28.5"L x 28.5"W x 25.5"H, 59"OAH		(90°)
С	38409 2 x 60W CA, Incan.	11"W x 19.5"H x 5.5"Ext.	10"	<b>@</b>

Finish Options: Clear glass (CL) Heritage (HR) Polished Nickel (PN)









 ITEM#
 LAMPING
 DIMENSION
 Additional Info.

 A
 12168
 8 x 60W CA, Incan.
 36"W x 30"H, 105.5"OAH
 CRY12168 Optional

Finish Options: Chestnut Bronze (CHB) Gold Leaf (GL)





12166 CHB, GL 12166 CHB/CRY, GL/CRY (with Crystal) Chandelier

	ITEM# LAMPING	DIMENSION	Additional Info.
Α	12163 3 x 60W CA, Incan.	14"W x 24.5"H, 63"OAH	
В	12166 6 x 60W CA, Incan.	28"W x 22"H, 94.5"OAH	CRY12166 Optional

Finish Options: Chestnut Bronze (CHB) Gold Leaf (GL)

- Classic and timeless designHand applied finishes
- Coordinating Foyer pendant
- Optional crystal kits transforms the chandelier with luxurious details



12161 CHB, GL 12161 CHB/CRY, GL/CRY (with Crystal) Wall Sconce C

	ITEM# LAMPING	DIMENSION	HCO	Additional Info.
С	12161 2 x 60W CA, Incan.	14"W x 16"H x 5.25"Ext.	5.5"	CRY12161 Optional

Finish Options: Chestnut Bronze (CHB) Gold Leaf (GL)









	ITEM#	LAMPING	DIMENSION
Α	21837	12 x 60W CA, Incan.	30"L x 30"W x 32"H, 107"OAH

Finish: Artisanal glass (AG) Darkened Bronze (DBZ)



## WARREN

- Artisanal cast glass
- Darkened Bronze finish
- Convertible 4-Light Semi-flush/Pendant



21831AGDBZ Mini Pendant



21835AGDBZ Chandelier B

	ITEM#	LAMPING	DIMENSION
Α	21831	1 x 60W MB, Incan.	7.5"L x 7.5"W x 12"H, 51"OAH
В	21835	9 x 60W CA, Incan.	24"L x 24"W x 21.5"H, 59.5"OAH

Finish: Artisanal glass (AG) Darkened Bronze (DBZ)





21833AGDBZ Semi-Flush Mount/Chandelier



• Pendant convertible to semi-flush

	ITEM#	LAMPING	DIMENSION	НСО	Additional Info.	
С	21833	4 x 60W CA, Incan.	17.5"L x 17.5"W x 18"H, 56"OAH			
D	21839	1 x 60W CA, Incan.	7"W x 11.5"H x 4.5"Ext.	5.5"		

Finish: Artisanal glass (AG) Darkened Bronze (DBZ)







	ITEM#	LAMPING	DIMENSION
Α	32008	8 x 40W CA, Incan.	34"W x 22.5"H, 61.75"OAH
В	32004	4 x 40W CA, Incan.	43.25"L x 5"W x 17.75"H, 62.5"OAH
С	32005	5 x 40W CA, Incan.	26.75"W x 16.25"H, 55.5"OAH

Finish Options: Satin White glass (SW) Black (BK) Satin Brass (SBR)










16103 CLHR, CLPN Chandelier



	ITEM# LAMPING	DIMENSION	HCO	Additional Info.
Α	16103 5 x 60W CA, Incan.	23.25"L x 23.25"W x 18.25"H, 58.5"OAH		
В	16108 2 x 60W CA, Incan.	13.75"W x 21"H x 6.75"Ext.	9.25"	White Linen Shade Included
С	16109 1 x 60W CA, Incan.	5"W x 21"H x 6.75"Ext.	9.25"	White Linen Shade Included

Finish Options: Clear glass (CL) White shade (WT) Heritage (HR) Polished Nickel (PN)



	ITEM#	LAMPING	DIMENSION
Α	16104	4 x 60W CA, Incan.	24"L x 24"W x 23.5"H, 67.5"OAH
В	16106	8 x 60W CA, Incan.	35.5"L x 35.5"W x 35"H, 79"OAH

Finish: Clear glass (CL) Polished Nickel (PN)




	ITEM# LAMPING	DIMENSION
С	16100 4 x 60W CA, Incan.	17.5"L x 17.5"W x 34.25"H, 71.25"OAH
D	16102 8 x 60W CA, Incan.	21.25"L x 21.25"W x 42.25"H, 84"OAH

Finish Options: Clear glass (CL) Heritage (HR) Polished Nickel (PN)









- Satin White tapered glass shades secured with socket ring
- Available in your choice of: Satin Nickel, Satin Brass, or Anthracite with bath vanity sconces finished in Matte Black
- Stem to chain loop construction allows for variable extension of height
- Linear pendant used 90 degree swivel for sloped ceiling applications
- Sconces can be mounted facing up or down



12096 SWAR, SWSBR, SWSN Chandelier

	ITEM# LAMPING	DIMENSION
Α	12096 6 x 60W MB, Incan.	34"L x 18"W x 10.5"H , 49.5"OAH

Finish Options: Satin White glass (SW) Anthratice (AR) Satin Brass (SBR) Satin Nickel (SN)





- Satin White tapered glass shades secured with socket ring
- Available in your choice of: Satin Nickel, Satin Brass, or Anthracite with bath vanity sconces finished in Matte Black
- Stem to chain loop construction allows for variable extension of height
- Linear pendant used 90 degree swivel for sloped ceiling applications
- · Sconces can be mounted facing up or down





**12097 SWAR**, SWSBR, SWSN Linear Pendant



	ITEM# LAMPING	DIMENSION
Α	12095 5 x 60W MB, Incan.	26.5"L x 26.5"W x 10.5"H , 49.5"OAH
В	12097 4 x 60W MB, Incan.	48"L x 5"W x 10.5"H , 49.5"OAH

Finish Options: Satin White glass (SW) Anthratice (AR) Satin Brass (SBR) Satin Nickel (SN)





12093 SWBK, SWSBR, SWSN Bath Vanity



12091 SWAR, SWBK, SWSBR, SWSN Wall Sconce C



12092 SWAR, SWBK, SWSBR, SWSN Wall Sconce



12094 SWBK, SWSBR, SWSN Bath Vanity

	ITEM# LAMPING	DIMENSION	HCO	Additional Info.
С	12091 1 x 60W MB, Incan.	5"W x 10"H x 6.5"Ext.	7.75"	<b>© \$</b>
D	12092 2 x 60W MB, Incan.	13.25"W x 10"H x 6"Ext.	7.75"	<b>© \$</b>
E	12093 3 x 60W MB, Incan.	20.75"W x 10"H x 6"Ext.	7.75"	<b>© \$</b>
F	12094 4 x 60W MB, Incan.	28.5"W x 10"H x 6"Ext.	7.75"	<b>© \$</b>

Finish Options: Satin White glass (SW) Anthratice (AR) Black (BK) Satin Brass (SBR) Satin Nickel (SN)







	ITEM# LAMPING	DIMENSION	НСО	Additional Info.
Α	32361 1 x 60W MB, Incan.	6"W x 20"H x 7"Ext.	13.5"	<b>C</b>
В	32364 4 x 60W MB, Incan.	26"L x 26"W x 26"H, 66"OAH		
С	32366 6 x 60W MB, Incan.	34"L x 34"W x 32"H, 72"OAH		

Finish Options: White shade (WT) Satin Brass (SBR) Satin Nickel (SN)







- Available in Satin Brass or Polished Nickel
- · Glossy Opal White glass shades
- · Unique squared off chain details



	ITEM#	LAMPING	DIMENSION
Α	10372	1 x 60W MB, Incan.	7.5"W x 11.75"H, 50.75"OAH
В	10374	1 x 60W MB, Incan.	11.25"W x 17.25"H, 57"OAH
С	10376	1 x 60W MB, Incan.	15.5"W x 23"H, 63.75"OAH

Finish Options: White glass (WT) Polished Nickel (PN) Satin Brass (SBR)











- Satin White shade
- Spun metal in two tone Satin Brass and Satin Nickel
- Chain hung



10386WTSNSBR Pendant B



10384WTSNSBR Pendant

	ITEM# LAMPING	DIMENSION
Α	10384 1 x 60W MB, Incan.	12"W x 17.5"H, 56.75"OAH
В	10386 1 x 60W MB, Incan.	15"W x 21.5"H, 60.75"OAH

Finish: White glass (WT) Satin Nickel (SN) Satin Brass (SBR)







- Available in Satin Brass, Satin Nickel, or Matte Black
- Choice of Satin White or Clear Seeded glass
- Pair with filament T9 bulbs to complete the look



10362 CDBK, CDSN, SWBK, SWSBR Mini Pendant



	ITEM# LAMPING	DIMENSION	Additional Info.
Α	10362 1 x 40W T9 MB, Incan.	4.25"W x 9.75"H, 55.75"OAH	(90°)

Finish Options: Seedy glass (CD) Satin White glass (SW) Black (BK) Satin Brass (SBR) Satin Nickel (SN)





- Forged rectilinear steel swoop in angular, elongated forms
- Textured Anthracite finishClear, fluted glass shades softly




30316CRAR
Chandelier
C

	ITEM#	LAMPING	DIMENSION	HCO
Α	30311	2 x 40W CA, Incan.	10.75"W x 17"H x 5.75"Ext.	10"
В	30315	5 x 40W CA, Incan.	24.25"W x 23"H, 70"OAH	
С	30316	8 x 40W CA, Incan.	30.25"W x 27.75"H, 74.5"OAH	

Finish: Clear Ribbed glass (CR) Anthracite (AR)











- Genuine Spanish Alabaster
- Darkened Bronze ironwork
- Integrated LED lighting without drivers
- CRI 80+, 3000K



					LUM	FN2	
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	18205	10W PCB LED 3000K (Inte.)	17.5"L x 17.5"W x 26"H, 66.25"OAH	80+	890	700	(ED)

Finish: Alabaster stone (WA) Darkened Bronze (DBZ)



## QUARRY

- Genuine Spanish Alabaster
- Darkened Bronze ironwork
- Integrated LED lighting without drivers
- CRI 80+, 3000K







18200WADBZ Flush Mount/Wall Sconce



18204WADBZ Mini Pendant B

	ITENA III AAAA BINA O	D11451101011		0.01	LUM		
	ITEM# LAMPING	DIMENSION	НСО	CRI	INII.	DEL.	Additional Info.
Α	18200 13W PCB LED 3000K (Inte.)	11.75"L x 14.25"W x 4"H	7''	80+	1000	820	
В	18204 10W PCB LED 3000K (Inte.)	11.5"L x 11.75"W x 18"H, 57.75"OAH		80+	890	700	LED (MARIE)

Finish: Alabaster stone (WA) Darkened Bronze (DBZ)





18201WADBZ Wall Sconce

					LUM	FNS	
	ITEM# LAMPING	DIMENSION	HCO	CRI	INIT.	DEL.	Additional Info.
С	18201 10W PCB LED 3000K (Inte.)	9.75"W x 11"H x 4"Ext.	5"	80+	780	630	LED TO 🗞 😃 👃

Finish: Alabaster stone (WA) Darkened Bronze (DBZ)









	ITEM#	LAMPING	DIMENSION
Α	20265	4 x 60W MB, Incan.	24"W x 20"H, 60"OAH

Finish: Frosted glass (FT) Canvas shade (CV) Black (BK)



	ITEM#	LAMPING	DIMENSION
Α	20260	4 x 60W MB, Incan.	24"W x 8"H
В	20261	1 x 60W MB, Incan.	9"W x 14"H, 51.75"OAH
С	20264	4 x 40W CA, Incan.	14"W x 21"H, 58.5"OAH

Finish: Frosted glass (FT) Canvas shade (CV) Black (BK)



20262CVBK Wall Sconce D

| ITEM# LAMPING | DIMENSION | HCO | Additional Info. | D | 20262 | 2 x 40W CA, Incan. | 6.5"W x 8"H x 4"Ext. | 4" | & |

Finish: Canvas shade (CV) Black (BK)









						LUM	ENS	
	ITEM#	LAMPING	DIMENSION	HCO	CRI	INIT.	DEL.	Additional Info.
Α	10092	1 x 9W MB LED 3000K (Incl.)	6.75"W x 18.5"H, 138"OAH		90+	930	800	LED
В	10096	1 x 9W MB LED 3000K (Incl.)	6"W x 32.25"H x 23.5"Ext.	5.75"	90+	930	800	LED
С	10099	2 x 9W MB LED 3000K (Incl.)	8"W x 70.75"H		90+	1860	1600	

Finish: Weathered Wood (WWD) Tan (TN)











	ITEM#	LAMPING	DIMENSION
Α	16132	1 x 60W MB, Incan.	7.5"L x 7.5"W x 14.25"H, 50.75"OAH
В	16133	1 x 60W MB, Incan.	11.5"L x 11.5"W x 15.25"H, 51.75"OAH
С	16135	4 x 60W MB, Incan.	24.25"L x 24.25"W x 12.25"H, 49"OAH

Finish: Frosted glass (FT) Brown Suede (BSD) Weathered Zinc (WZ)

## SAUSALITO

- Genuine suede straps in Tobacco Brown
- Off-white linen fabric drum shades
- Hand applied Weathered Zinc finish Frosted glass diffuser



16139FTWZBSD Flush Mount В



16130FTWZBSD Flush Mount A

	ITEM#	LAMPING	DIMENSION
Α	16130	3 x 60W MB, Incan.	15.5"L x 15.5"W x 6.25"H
В	16139	4 x 60W MB, Incan.	24.25"L x 24.25"W x 10.5"H

Finish: Frosted glass (FT) Brown Suede (BSD) Weathered Zinc (WZ)







- · Cast Plaster shades in White
- · Metal chain and yoke in either matte Black or Satin Brass



12386 WTBK, WTSBR Pendant B

	ITEM# LAMPING	DIMENSION
Α	12383 1 x 40W MB, Incan.	13"W x 15"H, 95"OAH
В	12386 1 x 40W MB, Incan.	16"W x 12"H, 92"OAH

Finish Options: White shade (WT) Black (BK) Satin Brass (SBR)












- Perforated metal dome shades
- Adjustable joint positions shade
- Portable desk lamp with 3-step touch dimmer to adjust brightness





21248WTBK Desk Lamp

21249WTBK Floor Lamp

	ITEM# LAMPING	DIMENSION
Α	21248 1 x 40W MB, Incan.	10.25"L x 8.5"W x 12.5"H
В	21249 1 x 40W MB, Incan.	12.25"L x 12.25"W x 67.5"H

Finish: White shade (WT) Black (BK)



- Finished in two-tone Matte White and Black
- Perforated metal dome shades
- Adjustable joint positions shadePortable desk lamp with 3-step touch dimmer to adjust brightness



21240WTBK Flush Mountt A



21242WTBK Mini Pendant В

	ITEM# LAMPING	DIMENSION
Α	21240 1 x 40W MB, Incan.	6.25"W x 9.5"H
В	21242 1 x 60W MB, Incan.	7"W x 10.75"H, 132"OAH

Finish: White shade (WT) Black (BK)





 ITEM#
 LAMPING
 DIMENSION
 HCO
 Additional Info.

 C
 21241
 1 x 40W MB, Incan.
 6.25"W x 11.5"H x 7.25"Ext.
 2.5"
 €

Finish: White shade (WT) Black (BK)





				LUM	ENS	
	ITEM# LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	10098 2 x 7W GU10 LED 3000K (Incl.)	18''W x 18.5''H, 60.5''OAH	90+	900	750	III) Maria M

A

Finish: Black/Satin Brass (BKSBR)









- Available in Satin Brass, Satin Nickel, or Matte Black
- Pair with filament bulbs to complete the look



11120 CLBK, CLSBR, CLSN Flush Mount

11122 CLBK, CLSBR, CLSN Pendant B

	ITEM#	LAMPING	DIMENSION
Α	11120	1 x 60W MB, Incan.	12"W x 10.5"H
В	11122	1 x 60W MB, Incan.	12"W x 15.25"H, 59.75"OAH

## NEWPORT

An oversized oscillating, cylinder of Clear Seedy glass adds to a variety of coastal inspired pendants. Three knurled edge set screws support a massive glass with a ribbed bottom. Pair the clear glass shades with tubular filament lamps to complete the look.









- Available in Satin Brass
- Pair with filament bulbs to complete the look



11124CLSBR Pendant

	ITEM# LAMPING	DIMENSION
Α	11124 1 x 60W MB, Incan.	9"W x 17"H, 54.5"OAH


Finish: Clear glass (CL) Satin Brass (SBR)





	ITEM# LAMPING		DIMENSION	HCO	Additional Info.
Α	12401	1 x 60W MB, Incan.	4.75"W x 8.25"H x 6.25"Ext.	2.25"	<b>(2) (4)</b>
В	12403	3 x 60W MB, Incan.	20.75"W x 8.25"H x 5.5"Ext.	2.25"	<b>(2) (4)</b>
С	12404	4 x 60W MB, Incan.	30"W x 8.25"H x 5.5"Ext.	2.25"	<b>(2) (4)</b>
D	12405	5 x 60W MB, Incan.	39"W x 8.25"H x 5.5"Ext.	2.25"	<b>(2) (4)</b>
E	12406	1 x 60W MB, Incan.	5"W x 10"H, 55"OAH		90°
F	12408	1 x 60W MB, Incan.	8"W x 14"H, 59"OAH		90°

Finish Options: Clear glass (CL) Black/Satin Brass (BKSBR) Satin Nickel (SN)



· White Acrylic diffusers

• Driverless LED modules

• 2700-3500-4000K Color Temperature

• CRI 90+

• Dimmable with Triac dimmers

· Available finishes: Satin Nickel or Black



3500K 4000K 2700K



52132 BK, SN Bath Vanity A

LUMENS ITEM# LAMPING DIMENSION HCO CRI INIT. DEL. Additional Info. 


Finish Options: Black (BK) Satin Nickel (SN)



- CRI 90+
- Dimmable with ELV dimmers at 120V
- Damp location
- 120-277V input
- · Energy Star
- Title 24



52032 BK, PC, SN Bath Vanity A



52034SN Bath Vanity В

> **LUMENS** INIT. DEL. Additional Info.

ITEM# LAMPING DIMENSION HCO CRI 52032 16W LED 2700-3500-4000K (Inte.) 24"W x 4.75"H x 2.75"Ext. 2.75" 90+ 1440 1250 📉 🙆 👃 🚟 🔬 😘 120-277V Input 52034 20W LED 2700-3500-4000K (Inte.) 30"W x 4.75"H x 2.75"Ext. 2.75" 📉 🤮 😓 🔀 🍇 120-277V Input 90+ 1800

Finish Options: Black (BK) Polished Chrome (PC) Satin Nickel (SN)







#### RUFFIES

- Ridged collar detail in Antique Brass with contrasting Black frame
- Satin White glass shades
- Damp Location Rated



32650SWBKAB Semi-Flush Mount



32651SWBKAB Bath Vanity



nal Into.	Additional Info.	НСО	DIMENSION	LAMPING	ITEM#	
	DAMI		13.75"W x 12.75"H	3 x 60W MB, Incan.	32650	Α
	<b>(2) (5)</b>	7''	5"W x 13"H x 6"Ext.	2 x 60W MB, Incan.	32651	В
	90°		13.75"W x 18"H, 65"OAH	3 x 60W MB, Incan.	32653	С
	(90°)		13.75"W x 18"H, 65"OAH	3 x 60W MB, Incan.	32653	С

Finish: Satin White glass (SW) Black (BK) Antique Brass (AB)







### SAN SIMEON

- Aluminum frames suitable for Damp locations including covered exteriors
- Finished in Naturally Aged Brass and Black contrasting ridged accents
- Satin White glass globe shade covers medium base socket
- Additional AC Integrated LED light source is diffused through optical lens at bottom





32481SWBKNAB Flush Mount



32482SWBKNAB Wall Sconce

	ITEM# LAMPING	DIMENSION	НСО	ВР	CRI		MENS DEL. Additional Info.
Α	32481 1 x 7W MB LED 3000K (Incl.)	7.75"W x 11.75"H			90+	700	600 💷 📆 😃
В	32482 2 x 4W PCB LED 3000K (Inte.	) 6"W x 11.5"H x 8"Ext.	8.5"	4.75"W x 6.25"H	90+	600	450

Finish: Satin White glass (SW) Black (BK) Natural Aged Brass (NAB)







- Two tone Black and Gold finish make a bold statement in color
- 12" and 16" Diameter flush mounts
- LED integrated, 3000K Color Temperature
- Dimmable with Triac or ELV dimmers





**59702WTBKAB**Flush Mount





59704WTBKAB

Flush Mount



				LUM	ENS	
	ITEM#	LAMPING	DIMENSION	CRI INIT.	DEL.	Additional Info.
Α	59702	20W PCB LED 3000K (Integrated)	12"W x 2"H	90+ 1800	1360	LED 54
В	59704	25W PCB LED 3000K (Integrated)	16"W x 2"H	90+ 2250	1700	LED 🔼 🏂

Finish: White acrylic (WT) Black (BK) Antique Brass (AB)





## PRIME

Drum shades in a variety of fabrics and materials are a core lighting offering. Flush mounts, pendants, and ADA sconces are available in options of linen, organza, grasscloth, and sound absorbing grey felt shades. An internal acrylic diffuser, illuminated by an evenly dispersed powerful LED light source, directs light downward and produces an ambient glow inside the outer shade. This lens features a crisp and tidy twist-lock mechanism that eliminates any visible hardware. whether it is put in a residential or commercial context, this collection meets the necessary application needs while adding style to the space





### PRIME ACOUSTIC

- · Sound-dampening Grey Felt with black stitching
- Additional Shade options include: Linen in White or Oatmeal, Black or White Organza, Grass Cloth or White Weave
- AC 120V or 120-277V versions
- · Emergency battery back up option with Bi-Level Dimming
- 3000K Color Temperature, CRI 90+
- Dimmable with Triac dimmers

























					LUMI	ENS	INPUT	
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	VOLTAGE	Additional Info.
Α	10220	20W PCB LED 3000K (Inte.)	16"W x 5.5"H	90+	1380	1200		LED T
Α	10230	18W PCB LED 3000K (Inte.)	16"W x 5.5"H	90+	1260	1200	120-277V	LED 🗻
Α	60230	18W PCB LED 3000K (Inte.)	16"W x 5.5"H	90+	1260	1200	120-277V	
В	10222	33W PCB LED 3000K (Inte.)	20"W x 5.5"H	90+	2270	2000		
В	10232	28W PCB LED 3000K (Inte.)	20"W x 5.5"H	90+	1950	1700	120-277V	
В	60232	28W PCB LED 3000K (Inte.)	20"W x 5.5"H	90+	1950	1700	120-277V	

Finish Options: Black Organza shade (BO) Grass Cloth shade (GC) Grey shade (GY) Oatmeal Linen shade (OM) White Linen shade (WL) White Organza shade (WO) White Weave shade (WW)



#### PRIME

- LED pendants and flush mounts available in AC or DC 120-277V versions
- Shade options include: White Linen, Oatmeal Linen, Black Organza, White Organza, Grasscloth, polystyrene White Woven, and sound-dampening Grey Felt with black stitching
- Emergency battery back up option with or without Motion Detecting Bi-Level Dimming
- 3000K Color Temperature, CRI 90+
- Dimmable with Triac dimmers
- ADA Sconces







10221 OMOI, WLSN 10231 OMOI, WLSN Flush Mount

10223 OMOI, WLSN 10233 OMOI, WLSN Flush Mount B



**10227** BO, GC, GY, OM, WL, WO, **WW 10237** BO, GC, GY, OM, WL, WO, **WW** Flush Mount

	ITEM# LAMPING	DIMENSION	CRI	LUME INIT.		INPUT VOLTAGE	Additional Info.
Α	10221 20W PCB LED 3000K (Inte.)	16"W x 5.5"H	90+		1200		Triac dimmer, rings included
Α	10231 18W PCB LED 3000K (Inte.)	10 W X 3.3 H	90+		1330	120-277V	ELV dimmer @120V, rings included
В	10223 33W PCB LED 3000K (Inte.)	20"W x 5.5"H	90+		2000		Triac dimmer, rings included
В	10233 28W PCB LED 3000K (Inte.)	20 W X 3.3 11	90+		1700	120-277V	ELV dimmer @120V, rings included
С	10227 45W PCB LED 3000K (Inte.)	25"W x 5.5"H	90+	2030	1880		Triac dimmer, rings included
С	10237 32W PCB LED 3000K (Inte.)	20 W X 3.3 F	90+	2220	2000	120-277V	ELV dimmer @120V, rings included

Finish Options: Black Organza shade (BO) Grass Cloth shade (GC) Grey shade (GY) Oatmeal Linen shade (OM) White Linen shade (WL) White Organza shade (WO) White Weave shade (WW) Oil Rubbed Bronze (OI) Satin Nickel (SN)

# Coordinating ADA Sconces and Semi-Flush / Pendants



10224 BOSN, GCOI, GYSN, OMOI, WLSN, WOSN Semi-Flush Mount / Pendant



10228 BO, GC, OM, WL 10238 BO, GC, OM, WL Wall Sconce



10226 BOSN, GCOI, GYSN, OMOI, WLSN, WOSN Semi-Flush Mount / Pendant



10229 BO, GC, OM, WL 10239 BO, GC, OM, WL Wall Sconce G

	ITEM#	LAMPING	DIMENSION	нсо	CRI	LUMI INIT.		INPUT VOLTAGE	Additiona	lInfo.
D	10224	20W PCB LED 3000K (Inte.)	16"W x 6.5"H, 51"OAH		90+	1380	1200		LED 90°	Triac or ELV dimmer
Е	10226	33W PCB LED 3000K (Inte.)	20"W x 6.5"H, 51"OAH		90+	2270	2000		LED 90°	Triac or ELV dimmer
F	10228	12W PCB LED 3000K (Inte.)	6"W x 18.25"H x 3.75"Ext.	9"	90+	950	550		□ □ □	ELV dimmer @120V
F	10238	12W PCB LED 3000K (Inte.)	0 W X 10.23 11 X 3.73 EXI.	'	90+	950	550	120-277V		Triac/ELV dimmer, 0-10V dimming
G	10229	10W PCB LED 3000K (Inte.)	13"W x 8.25"H x 3.75"Ext.	4"	90+	720	490			ELV dimmer @120V
G	10239	10W PCB LED 3000K (Inte.)		4" -	90+	720	490	120-277V	III) 🔼 💍	Triac/ELV dimmer, 0-10V dimming

Finish Options: Black Organza shade (BO) Grass Cloth shade (GC) Grey shade (GY) Oatmeal Linen shade (OM) White Linen shade (WL) White Organza shade (WO) Oil Rubbed Bronze (OI) Satin Nickel (SN)





A steel framed acrylic shade transitional flush mount available in a variety of finishes and sizes. Featuring easy accessibility to the shade after installation, the locking mechanism that shade's frame rests on top of making removal quick for keeping clean and replacing lamps over its lifetime. For those who prefer not to re-lamp, an LED option enhances the fixture by evenly dispersing the light across the shade, and it includes additional options made for light commercial applications. This includes an emergency backup battery and range voltage inputs. Available in your choice of Satin Nickel, Satin Brass, and Black

and two shade sizes.





- · Available in your choice of Satin Nickel, Black, and Satin Brass
- Sizes include: 13" and 17"
- · LED or incandescent medium base options
- Quick release shade construction makes cleaning and lamp replacement simpler
- Emergency battery back up option



10274 WTBK, WTSBR, WTSN Flush Mount



10273 WTBK, WTSBR, WTSN Flush Mount



10270 WTBK, WTSBR, WTSN Flush Mount



10272 WTBK, WTSBR, WTSN Flush Mount



	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	10270	3 x 40W MB, Incan.	17"W x 5.25"H				
В	10272	2 x 60W MB, Incan.	13"W x 5.25"H				
С	10273	16W PCB LED 3000K (Integrated)	13"W x 5"H	90+	1120	960	
D	10274	20W PCB LED 3000K (Integrated)	17"W x 5.25"H	90+	1480	1200	
E	10278	20W PCB LED 3000K (Integrated)	17"W x 5.25"H	90+	1480	1200	🖽 🗻 EM battery backup

Finish Options: White acrylic (WT) Black (BK) Satin Brass (SBR) Satin Nickel (SN)









- New models feature 120-277V input
- Dimmable with Triac and ELV Dimmers, ELV only at 120V
- Thin profile of .5"
- Color Temperatures: 3000K and 4000K
- CRI 90+
- Energy Star
- T24 Options
- · Wet Location Rated
- \* Installs to 4" Junction Box

















Finish: White glass(WT) White(WT)

#### WAFER

- New models feature 120-277V input
- Die Cast Aluminum
- Edge Lit LED technology
- · Available in Black, Bronze, Satin Nickel and White finishes
- Choice of 4 Size Options between 5" and 15"
- Thin profile of .5"
- · Wet Location Rated
- Dimmable with Triac and ELV Dimmers, ELV only at 120V
- · Energy Star
- T24 Options













58710 WTBK, WTBZ, WTSN, WTWT 58711WTWT 58810WTWT

Flush/Wall Mount









58780 BK, WT Empty shell



58714 WTBK, WTBZ, WTSN, WTWT 58715WTWT 58814WTWT

Flush/Wall Mount



58784WTWT Flush Mount



\*58736 WTBK, WTBZ, **WTSN**, WTWT \*58737WTWT

\* Installs to 4" Junction Box

Flush/Wall Mount



					LUM	ENS	
	ITEM# LAMP	PING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	58710 10W L	.ED 3000K (Integrated)	5.5"W x .5"H	90+	930	750	💷 🔼 🕖 🧱 🔈 120-277V Input Triac/ELV Dimming, ELV only at 120V
Α	58711 10W L	.ED 3000K (Integrated)	5.5"W x .5"H	90+	930	750	120-277V Input 0.100 0.10V Dimming
Α	58810 10W L	.ED 4000K (Integrated)	5.5"W x .5"H	90+	930	750	💷 🗖 🕖 🥳 🔉 (\$\) 120-277V Input Triac/ELV Dimming, ELV only at 120V
В	58712 15W L	.ED 3000K (Integrated)	7''W x .5''H	90+	1350	1100	1 Input Triac/ELV Dimming, ELV only at 120V
В	58713 15W L	.ED 3000K (Integrated)	7''W x .5''H	90+	1500	1200	10 📆 🕖 🔀 🔉 (\$\frac{1}{20-277V} Input 0-10V Dimming
В	58812 15W L	.ED 4000K (Integrated)	7"W x .5"H	90+	1500	1250	1 IED 📆 🕗 🚰 🔉 💪 120-277V Input Triac/ELV Dimming, ELV only at 120V
	58780 Add	on empty shell	7"W x 1.5"H				
	58784 17W L	.ED 3000K (Integrated)	7"W x 1.75"H	90+	1250	1000	1.5 Hours Emergency Back Up, 120-277V Input, 0-10V Dimming
С	58714 20W L	.ED 3000K (Integrated)	9"W x .5"H	90+	2100	1700	1 Input Triac/ELV Dimming, ELV only at 120V
С	58715 20W L	.ED 3000K (Integrated)	9"W x .5"H	90+	2250	1800	120-277V Input 0-10V Dimming
С	58814 20W L	.ED 4000K (Integrated)	9"W x .5"H	90+	2000	1600	1 Input Triac/ELV Dimming, ELV only at 120V
D	58736 30W L	.ED 3000K (Integrated)	15"W x .5"H	90+	3000	2400	120-277V Input Triac/ELV Dimming, ELV only at 120V
D	58737 30W L	.ED 4000K (Integrated)	15"W x .5"H	90+	3000	2400	1 120-277V Input
		) ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (					0.11.11.11.11.11.11.11.11.11.11.11.11.11

Finish Options: White glass(WT) Black (BK) Bronze(BZ) Satin Nickel(SN) White(WT)



					LUM	ENS	
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Е	58720	10W LED 3000K (Integrated)	5"W x .5"H	90+	800	650	120-277V Input Triac/ELV Dimming, ELV only at 120V
F	58722	15W LED 3000K (Integrated)	7"W x .5"H	90+	1250	1000	120-277V Input Triac/ELV Dimming, ELV only at 120V
G	58724	20W LED 3000K (Integrated)	9"W x .5"H	90+	2250	1800	120-277V Input Triac/ELV Dimming, ELV only at 120V
Н	58738	30W LED 3000K (Integrated)	15"W x .5"H	90+	3000	2400	120-277V Input Triac/ELV Dimming, ELV only at 120V
Н	58739	30W LED 4000K (Integrated)	15"W x .5"H	90+	3000	2400	120-277V Input 0-10V Dimming
I	58740	32W LED 3000K (Integrated)	22"W x .5"H	90+	3200	2800	120-277V Input Triac/ELV Dimming, ELV only at 120V
I	58741	32W LED 4000K (Integrated)	22"W x .5"H	90+	3200	2800	120-277V Input Striac/ELV Dimming, ELV only at 120V

Finish Options: White glass(WT) Black (BK) Bronze(BZ) Satin Nickel(SN) White(WT)







- Die Cast Aluminum •
- Size options between 5", 7" and 9" •
- Ultra-thin 1/2" height with less than 1/4" trim •
- Available in 3000k (Made-to-order Color Temperatures available)
  - Suitable for Closets according to NEC Section 410.8 & 410.16 •
- Available in White (WT), Black (BK), Polished Chrome (PC) and Satin Nickel (SN)
  - Dimmable with Triac and ELV Dimmers •
  - Easy to install: fits in 3-0 and 4-0 Outlet Box (pancake and mud ring acceptable)
    - Pendant light accessory available (sold separately)
      - Back-Lit LED Technology •
    - Suitable for Wet Location, for use on ceilings outdoor and above showers
      - ETL/cETL •





57880 WTBK, WTWT 57881WTWT Flush/Wall Mount



57882 WTBK, WTWT 57883WTWT Flush/Wall Mount B



57894WTWT 57895WTWT Flush/Wall Mount





#### 57884 WTBK, WTWT 57885WTWT Flush/Wall Mount

C C

LOTTILITIE	Ll	JM	E١	12
------------	----	----	----	----

	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	57880	13W PCB LED 3000K (Inte.)	5"W x .5"H	90+	1250	1000	□ 🚺 🕖 🍇 🚟 🕭 120-277∨ Input 0-10∨ Dimming
Α	57881	13W PCB LED 4000K (Inte.)	5"W x .5"H	90+	1250	1000	□ 🚺 🕖 🍇 🚟 🕭 120-277∨ Input 0-10∨ Dimming
В	57882	15W PCB LED 3000K (Inte.)	7''W x .5"H	90+	1600	1300	(III)
В	57883	15W PCB LED 4000K (Inte.)	7''W x .5''H	90+	1600	1300	□ 🚺 🕖 🍇 🚟 🕭 120-277∨ Input 0-10∨ Dimming
С	57884	18W PCB LED 3000K (Inte.)	9"W x .5"H	90+	2000	1600	□ 🚺 🕖 🍇 🚟 🕭 120-277∨ Input 0-10∨ Dimming
С	57885	18W PCB LED 4000K (Inte.)	9"W x .5"H	90+	2000	1600	(ED) (2) (2) (2) (120-277V Input 0-10V Dimming
D	57894	15W PCB LED 3000K (Inte.)	7''W x 2"H	90+	1750	1400	🖽 🗻 🕖 🔯 🥌 EM battery backup
D	57895	15W PCB LED 4000K (Inte.)	7"W x 2"H	90+	1750	1400	🖽 🗻 🕖 🔉 🥌 EM battery backup

Finish Options: White glass (WT) Black (BK) White (WT)



#### TRIM

- Die Cast Aluminum
- Size options between 5", 7", 9", 11" and 16"
- Ultra-thin 1/2" height with less than 1/4" trim
- Available in 3000k (Made-to-order Color Temperatures available)
- Suitable for Closets according to NEC Section 410.8 & 410.16
- Available in White (WT), Black (BK), Polished Chrome (PC) and Satin Nickel (SN)
- Dimmable with Triac and ELV Dimmers
- Easy to install: fits in 3-0 and 4-0 Outlet Box (pancake and mud ring acceptable)
- Pendant light accessory available (sold separately)
- Edge-Lit LED Technology
- · Suitable for Wet Location, for use on ceilings outdoor and above showers
- ETL/cETL IP65





57660 WTBK, WTPC, WTSN, WTWT Flush/Wall Mount







57663 WTBK, WTPC, WTSN, **WTWT** 

Flush/Wall Mount





57664 WTBK, WTPC, WTSN, WTWT

Flush/Wall Mount



**57600 BK, PC, SN, WT** Pendant Kit (Sold Separately)



**57670 WTBK,** WTSN, WTWT Flush/Wall Mount



			LUMENS						
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.		
Α	57660	12.5W PCB LED 3000K (Inte.)	5"W x .75"H	90+	920	875	💷 🔼 🕖 🍇 🚟 🕭		
В	57662	15W PCB LED 3000K (Inte.)	7''W x .75''H	90+	1100	1050	💷 🔼 🕖 🍇 🚟 🕭		
С	57663	18W PCB LED 3000K (Inte.)	9"W x .75"H	90+	1280	1260	· 🔁 🕖 🍇 🚟 🕭		
D	57664	20W PCB LED 3000K (Inte.)	11"W x .75"H	90+	1450	1400	🕮 📆 🕖 👪 🚟 🕭		
E	57600		2.25"W x 10.75"H						
F	57670	25W PCB LED 3000K (Inte.)	16"W x 1.5"H	90+	2250	1750	🐵 🗖 🕖 🚵 🚟		
							•		

Finish Options: White glass (WT) Black (BK) Polished Chrome (PC) Satin Nickel (SN) White (WT)



		LUMENS				
	ITEM# LAMPING	DIMENSION	CRI INIT.	DEL. Additional Info.		
G	57665 12.5W PCB LED 3000K (Integrated)	4.75"W x .75"H	90+ 920	875 📵 🗻 🕗 🚨 🧟		
Н	57667 15W PCB LED 3000K (Integrated)	6.25"W x .75"H	90+ 1100	1050 📵 🗻 🕗 🚨 🥌		
- 1	57668 18W PCB LED 3000K (Integrated)	8.5"W x .75"H	90+ 1280	1260 🕮 🗻 🕗 🚨 🚟 🕭		
J	57669 20W PCB LED 3000K (Integrated)	10.5"W x .75"H	90+ 1450	1400 🕮 🗻 🕗 🚨 🥌		
K	57675 25W PCB LED 3000K (Integrated)	15"W x 1.5"H	90+ 2250	1750 🐽 📆 🕗 👪 🚟		

Finish Options: White glass (WT) Black (BK) Polished Chrome (PC) Satin Nickel (SN) White (WT)

## DIVERSE

This very compact LED flush mount easily installs on any 3.5" octogan box and gives the look of a recessed trim. Constructed of Die Cast Aluminum, the Diverse luminaire is dimmable and also approved for wet locations so it can be used in virtually any ceiling application, including showers.







В



57642WTWT 57643 WTBK, WTWT 57644WTWT Flush Mount

			LUMENS				
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	57413	11W PCB LED 3000K (Integrated)	6"W x 1.25"H	90+	800	750	(ii) 📆 🚰 🕖 🚨
Α	57631	12W PCB LED 2700K (Integrated)	6.25"W x 1.25"H	90+	1080	850	□  □  □  □  □  □  □  □  □  □  □  □  □
Α	57636	12W PCB LED 4000K (Integrated)	6.25"W x 1.25"H	90+	1080	850	III 🔁 🕗 🚨
В	57612	13.5W PCB LED 2700K (Integrated)	7.5"W x 1.25"H	90+	1200	950	□    □    □    □    □    □    □
В	57613	13.5W PCB LED 3000K (Integrated)	7.5"W x 1.25"H	90+	1200	950	
В	57614	13.5W PCB LED 4000K (Integrated)	7.5"W x 1.25"H	90+	1200	950	
С	57642	15W PCB LED 2700K (Integrated)	7.5"W x 1.25"H	90+	1350	1050	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
С	57643	15W PCB LED 3000K (Integrated)	7.5"W x 1.25"H	90+	1350	1050	
С	57644	15W PCB LED 4000K (Integrated)	7.5"W x 1.25"H	90+	1350	1050	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

Finish Options: White glass (WT) Black (BK) White (WT)



57931WTWT 57850 WTBK, WTBZ, WTSN 57851WTWT 57853WTWT Flush Mount

D



- Die Cast Aluminum
- 3000K Color Temperature
- CRI 90+
- For residential use only
- · Suitable for wet locations
- Dimmable with Triac Dimmer





57932 WTWT 57855 WTBK, WTBZ, **WTSN** 57856WTWT 57858WTWT Flush Mount





57933 WTSN, WTWT 57860 WTBK, WTBZ 57861WTWT 57863WTWT

Flush Mount



			LUMENS				
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
D	57851	18W PCB LED 2700K (Integrated)	9.25"W x 1.25"H	90+	1620	1260	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
D	57850	18W PCB LED 3000K (Integrated)	9.25"W x 1.25"H	90+	1620	1260	
D	57931	18W PCB LED 3000K (Integrated)	9.25"W x 1.25"H	90+	1620	1260	· 🔁 🔀 🕖 🕸
D	57853	18W PCB LED 4000K (Integrated)	9.25"W x 1.25"H	90+	1620	1260	
E	57856	20W PCB LED 2700K (Integrated)	11"W x 1.75"H	90+	1800	1400	□ □ □ □ □
E	57855	20W PCB LED 3000K (Integrated)	11"W x 1.75"H	90+	1800	1400	
E	57932	20W PCB LED 3000K (Integrated)	11"W x 1.75"H	90+	1800	1400	□  □  □  □  □  □  □  □  □  □  □  □  □
E	57858	20W PCB LED 4000K (Integrated)	11"W x 1.75"H	90+	1800	1400	□ □ □ □ □
F	57861	25W PCB LED 2700K (Integrated)	13"W x 1.75"H	90+	2250	1750	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
F	57860	25W PCB LED 3000K (Integrated)	13"W x 1.75"H	90+	2250	1750	
F	57933	25W PCB LED 3000K (Integrated)	13"W x 1.75"H	90+	2250	1750	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
F	57863	25W PCB LED 4000K (Integrated)	13"W x 1.75"H	90+	2250	1750	



# ADMIRALTY

Coastally inspired, the wide brimmed aluminum spun shade on this series of outdoor rated sconces, pendants, and flush mounts features a tiered shade design. The ringed separation features a filigree of oval cut outs, whereby a single lamp illuminates the Satin White glass supporting it. The resulting light is dispersed both above and below the spun shade as well as through the patterned filigree. Both modern and classic homes can appreciate this classic design reimagined. The series is available either in matte Black or a striking two-tone Black with Antique Brass.

## ADMIRALTY



	ITEM# LAMPING	DIMENSION	HCO	BP	Additional Info.
Α	35120 1 x 60W MB, Incan.	12"W x 10.25"H			(L)
В	35121 1 x 60W MB, Incan.	12"W x 11.75"H, 56.25"OAH			O.M.
С	35122 1 x 60W MB, Incan.	9.75"W x 14.5"H x 11.25"Ext.	2.5"	5"W x 5"H	0
D	35124 1 x 60W MB, Incan.	12"W x 16.75"H x 13.25"Ext.	2.5"	5"W x 5"H	0

Finish Options: Satin White glass (SW) Black (BK) Antique Brass (AB)



D









	ITEM#	LAMPING	DIMENSION	НСО	BP	Additional Info.
Α	12441	1 x 60W MB, Incan.	7.75"W x 12.5"H, 55.75"OAH			<b>@</b>
В	12442	1 x 60W MB, Incan.	5"W x 16"H x 6.75"Ext.	2.5"	5"W x 5"H	0
С	12443	3 x 40W CA, Incan.	9.5"W x 18.75"H, 64.75"OAH			<b>(4)</b> (90°)
D	12444	1 x 60W MB, Incan.	7.75"W x 15.5"H x 9"Ext.	2.5"	5"W x 5"H	0

Finish: Clear glass (CL) Frosted glass (FT) Black (BK)



## LATTICE

Modeled on open weave wicker stitchwork and constructed using synthetic rattan for longevity, this series of wall sconces are rated for both interiors and outdoors. Matte Black frames are paired with either natural rattan or a matching black finish. This homespun concept pays homage to the outdoors with relevant styling and timeless appeal.



- Die cast aluminum frames in matte Black
- Open weave pattern of synthetic rattan for longevity available in a Natural or matte Black finish
- Back plate panel of stainless steel for reflection and amplified lumen output
- Dark Sky compliant
- LED integrated, 3000k Color Temperature










54802 BK, RABK Outdoor Wall 54804 BK, RABK Outdoor Wall



	ITEM#	LAMPING	DIMENSION	НСО	ВР	CRI		DEL.	Additional Info.
Α	54802	12W PCB LED 3000K (Inte.)	8"W x 12"H x 4.75"Ext.	2.25"	6"W x 5"H	90+	840	500	
В	54804	15W PCB LED 3000K (Inte.)	8"W x 16"H x 4.75"Ext.	2.25"	6"W x 5"H	90+	1050	650	

Finish Options: Black (BK) Rattan/Black (RABK)







## NEOCLASS

Two tone frames of Black or White with internal Gold frames provides a neoclassical approach to the squared coach lantern. The sconces jut out from the wall on well-defined trusses that add a contemporary element. Delivering classic design that suits most exteriors, this collection adds interest in the interior contrasting frame of Gold that secures clear glass panes to diffuse the lamp within.

## NEOCLASS

- Die cast aluminum frames in matte Black
- Glass panels framed in Gold within matte Black or White fixtures
- Pendants suitable for indoor and outdoor applications
- Oversized pendants and sconces for larger buildings



30054 CLBKGLD, CLWTGLD Outdoor Wall





A



30056 CLBKGLD, CLWTGLD Outdoor Wall C

	ITEM# LAMPING	DIMENSION	НСО	BP	Additional Info.
Α	30052 1 x 60W MB, Incan.	6"W x 16.25"H x 8"Ext.	3"	4.75"W x 8"H	<b>()</b> DC
В	30054 2 x 40W CA, Incan.	7"W x 18"H x 8.5"Ext.	3"	4.75"W x 8"H	<b>()</b> 00
С	30056 4 x 40W CA, Incan.	12"W x 29"H x 14"Ext.	4.75"	5.5"W x 12.5"H	<b>() ©</b>

Finish Options: Clear glass (CL) Black/Gold (BKGLD) White/Gold (WTGLD)



30058 CLBKGLD, CLWTGLD Outdoor Pendant



30059 CLBKGLD, CLWTGLD Outdoor Flush Mount



30051 CLBKGLD, CLWTGLD Outdoor Pendant

	ITEM# LAMPING	DIMENSION	Additional Info.
D	30051 1 x 60W MB, Incan.	7"W x 12.5"H, 57.5"OAH	C DC
E	30058 4 x 40W CA, Incan.	12"W x 20"H, 64.75"OAH	<b>©</b>
F	30059 2 x 60W MB, Incan.	13.25"W x 6"H	<b>@ ©</b>

Finish Options: Clear glass (CL) Black/Gold (BKGLD) White/Gold (WTGLD)









- Outdoor rated Vivex<sup>™</sup> frames in matte Black
- Aluminum louvered insets available in Black, Weathered Zinc, or glossy White
- Dark Sky compliant
- Glass free design for lower maintenance and robust construction







40632 BK, WTBK, WZBK Outdoor Wall

40634 BK, WTBK, WZBK Outdoor Wall B

	ITEM# LAMPING	DIMENSION	HCO	BP	Additional Info.
Α	40632 1 x 60W MB, Incan.	7.5"W x 14"H x 8.25"Ext.	10.75"	4.75"W x 6.75"H	<b>()</b> 05
В	40634 1 x 60W MB, Incan.	8.5"W x 18"H x 8.75"Ext.	14.75"	4.75"W x 6.75"H	<b>()</b> 05

Finish Options: Black (BK) White/Black (WTBK) Weathered Zinc/Black (WZBK)





## RIVETVX


Tasteful details on this series of low-profile VivexTM sconces and flush mounts adds a stylish touch to functional spaces. Finished in a two-tone Black and Gold combination, this VivexTM series is engineered to withstand harsher climates adding fashionable flare to a necessary lighting element. The Gold rivet details at its corners are not just decorative, but structurally secure an outer shell that seals its internal LED housing from water intrusion. The applications of the flush mount and slim sconces provide dimensional convenience and accessibility for limited spaces or hallways regulated by ADA requirements.











- Two tone Black and Gold
- · Frosted glass diffuser
- ADA compliant
- LED Integrated, 3000K Color Temperature
- Dimmable with Triac and ELV dimmers











42129BKAB Outdoor Flush Mount





42122BKAB Outdoor Wall



							LUM	IENS	
	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	INIT.	DEL.	Additional Info.
Α	42120	8W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 3.25"Ext.	2.75"	4.75"W x 4.75"H	90+	780	450	
В	42122	12W PCB LED 3000K (Inte.)	6.5"W x 9.5"H x 4"Ext.	6.25"	6.25"W x 6.25"H	90+	870	550	
С	42129	29W PCB LED 3000K (Inte.)	12"W x 3.5"H			90+	1920	1200	

Finish: Black (BK) Antique Brass (AB)









# CATALINA

An elongated rectangular shaped design that is both minimalist and industrial. Die cast frames of Dark Bronze support Clear glass panels that provide an unobstructed view of the lantern's interior. Customize with your choice of lamps from vintage to tubular.

## CATALINA

- · Dark Bronze finish with clear glass panels
- Powder coated aluminum construction
- Pair with vintage ST64 or T10 lamps to create a different appearance
- Up-light configurations with closed tops for outdoor applications



30091CLDBZ Outdoor Wall



30095CLDBZ Outdoor Wall



30092CLDBZ Outdoor Wall



30093CLDBZ Outdoor Wall



30094CLDBZ Outdoor Wall

	ITEM# LAMPING	DIMENSION	HCO	BP	Additional Info.
Α	30091 1 x 60W MB, Incan.	6"W x 17.5"H x 7.5"Ext.	11.25"	4.75"W x 8"H	<b>()</b> DC
В	30092 1 x 60W MB, Incan.	6"W x 13"H x 7.5"Ext.	3.75"	4.75"W x 6"H	<b>O</b>
С	30093 1 x 60W MB, Incan.	6"W x 17"H x 7.5"Ext.	3.75"	4.75"W x 8"H	<b>O</b>
D	30094 1 x 60W MB, Incan.	7"W x 21"H x 8.5"Ext.	4.75"	4.75"W x 8"H	<b>O</b>
E	30095 1 x 60W MB, Incan.	7"W x 21.5"H x 8.5"Ext.	14.25"	4.75"W x 8"H	<b>() ©</b>

Finish: Clear glass (CL) Dark Bronze (DBZ)



30096CLDBZ Outdoor Wall



30098CLDBZ Outdoor Flush Mount



30097CLDBZ Outdoor Pendant



30090CLDBZ Outdoor Post

	ITEM# LAMPING	DIMENSION	НСО	BP	Additional Info.
F	30090 1 x 60W MB, Incan.	6"W x 19.5"H			OC DC
G	30096 2 x 60W MB, Incan.	8"W x 26"H x 9.5"Ext.	13"	5.75"W x 14"H	<b>OC</b>
Н	30097 1 x 60W MB, Incan.	7"W x 22.5"H			
I	30098 2 x 60W MB, Incan.	13"W x 6"H			DANS DC

Finish: Clear glass (CL) Dark Bronze (DBZ)





40802CLACPBK Outdoor Wall



40806CLACPBK Outdoor Wall



- Vivex<sup>™</sup> material with Wet rated construction
- · Contrasting Antique Copper plates on backing
- · Clear glass panels
- Uniquely staggered candelabras on larger sconces





40804CLACPBK Outdoor Wall

	ITEM# LAMPING	DIMENSION	НСО	BP	Additional Info.
Α	40802 1 x 60W MB, Incan.	8.5"W x 12.25"H x 5"Ext.	7.5"		<b>() (x)</b>
В	40804 1 x 60W MB, Incan.	8.75"W x 17.75"H x 7"Ext.	8.75"	5"W x 11"H	<b>() (x</b>
С	40806 2 x 40W CA, Incan.	10"W x 21.5"H x 7"Ext.	8.75"	5"W x 11"H	<b>() (x)</b>

Finish: Clear glass (CL) Antique Copper (ACP) Black (BK)








**30069CLBK** Outdoor Pendant D

- Matte Black die cast aluminum construction · Clear glass shades Outdoor rated collection
- Semi-flush mount convertible to pendanthite glass



· Pendant convertible to Semi-Flush Mount





30062CLBK Outdoor Wall В




30064CLBK Outdoor Wall C

	ITEM#	LAMPING	DIMENSION	HCO	BP	Additional Info.
Α	30061	1 x 60W MB, Incan.	12"W x 8.75"H, 55.5"OAH			<b>(2)</b> (90°)
В	30062	1 x 60W MB, Incan.	7"W x 13"H x 7"Ext.	2.5"	4.75" x 6.25"	0
С	30064	2 x 40W CA, Incan.	8"W x 16"H x 8"Ext.	3"	4.75" x 6.25"	0
D	30069	3 x 40W CA, Incan.	13"W x 25"H			

Finish: Clear glass (CL) Black (BK)











# SUTTON PLACE VX

Stately outdoor sconces reference classic lantern shapes and are constructed of Maxim's proprietary Vivex composite, a robust weather-resistant materials guaranteed to withstand harsh weather climates. Available in several sizes and illuminated with clusters of candle sockets, this is a timeless design built to last.

#### SUTTON PLACE VX

- Clear beveled glass shades secured in lanterns adds classic detailing
- Made of Maxim's cast Vivex material developed for coastal and other harsh climates
- Coordinating pocket sconce features a mirror backed face





40232CLBK Outdoor Wall



40233CLBK Outdoor Wall



40235CLBK Outdoor Wall



40237CLBK Outdoor Wall

	ITEM# LAMPING	DIMENSION	HCO	BP	Additional Info.
Α	40232 1 x 60W MB, Incan.	7.75"W x 14.5"H x 8.75"Ext.	7''	4.75"W x 8"H	<b>() (x</b>
В	40233 1 x 60W MB, Incan.	7.75"W x 19"H x 8.75"Ext.	11.5"	4.75"W x 8"H	<b>() (x</b> )
С	40235 2 x 60W CA, Incan.	10"W x 22"H x 11.5"Ext.	14"	6.25"W x 9.5"H	<b>() (X</b>
D	40237 3 x 60W CA, Incan.	13"W x 25"H x 14.5"Ext.	13"	6.75"W x 11.5"H	<b>() (x</b>

Finish: Clear glass (CL) Black (BK)



	ITEM# LAMPING	DIMENSION	НСО	ВР	Additional Info.
E	40230 2 x 60W CA, Incan.	10"W x 24.25"H			<b>() (x</b>
F	40231 2 x 60W CA, Incan.	11"W x 17"H x 6"Ext.	5.75"	9"W x 11.25"H	<b>() (x)</b>
G	40239 2 x 60W CA, Incan.	10"W x 23.25"H, 61"OAH			VX

Finish: Clear glass (CL) Black (BK)



#### SAVANNAH VX

- Black Oxide exterior finish
- Available with matching interior space or contrasting Antique Copper back plates
- Constructed of Vivex material
- Clear glass panes





40912 CLACPBO, CLBO Outdoor Wall



40914 CLACPBO, CLBO Outdoor Wall



40916 CLACPBO, CLBO Outdoor Wall

	ITEM# LAMPING	DIMENSION	HCO	BP	Additional Info.
Α	40912 1 x 60W MB, Incan.	7.75"W x 12.5"H x 5"Ext.	8''	7.75"W x 12.5"H	<b>() (x</b> )
В	40914 2 x 60W CA, Incan.	7.75"W x 15.25"H x 5"Ext.	9.5"	7.75"W x 15.25"H	<b>O W</b>
С	40916 3 x 60W CA, Incan.	10.5"W x 22"H x 5"Ext.	13.5"	10.5"W x 22"H	<b>() (x)</b>

Finish Options: Clear glass (CL) Antique Copper (ACP) Black Oxide (BO)





#### NASSAU VX

- Classic Lantern designAvailable in solid Black or White with Black accents
- Constructed of Vivex for harsher climates





**40312** CLBK, **CLWTBK** Outdoor Wall



40314 CLBK, CLWTBK Outdoor Wall В



40316 CLBK, CLWTBK Outdoor Wall C

	ITEM# LAMPING	DIMENSION	НСО	BP	Additional Info.
Α	40312 1 x 60W MB, Incan.	5"W x 12.75"H x 6"Ext.	6.5"	5"W x 5"H	<b>⊘ v</b> ×
В	40314 1 x 60W MB, Incan.	5"W x 16"H x 6"Ext.	9.75"	5"W x 5"H	() (x)
С	40316 2 x 60W CA, Incan.	7.5"W x 21.25"H x 8.5"Ext.	12"	7.5"W x 8.75"H	<b>() (x)</b>

Finish Options: Clear glass (CL) Black (BK) White (WT)





panels. This collection plays homage to the classic exterior sconces and modernizes the appearance. Enhance the design with tubular lamps to add accentuate the verticality of the frames.







30754CLBK Outdoor Wall



30758CLBK Outdoor Wall

## MANCHESTER

- Updated coach lantern design
- Aluminum and Stainless Steel construction
- Two tone Black finish with Gold reflector
- · Candelabra clusters and full range of dimensions



30752CLBK Outdoor Wall



30756CLBK Outdoor Wall

	ITEM# LAMPING	DIMENSION	НСО	BP	Additional Info.
Α	30752 1 x 60W MB, Incan.	9"W x 14"H x 5.5"Ext.	8.5"	4.5"W x 6.75"H	0
В	30754 2 x 60W CA, Incan.	9"W x 20"H x 5.5"Ext.	11.5"	4.5"W x 6.75"H	0
С	30756 3 x 60W CA, Incan.	11.5"W x 24"H x 5.5"Ext.	14"	5"W x 9.25"H	0
D	30758 3 x 60W CA, Incan.	11.5"W x 30"H x 5.5"Ext.	1 <i>7</i> "	5"W x 9.25"H	0

Finish: Clear glass (CL) Black (BK)





# CABANA

Dual frames of square tubing and squared features create a dimensional structure that transitions between modern and transitional architecture. The inner structure frames Clear Seedy glass that reduces glare and appears dirt free over longer periods of time. Available in various sizes and hanging and post configurations, this is a complete collection to light all areas of your exterior space.





- Matte Black finish with Clear Seedy glass panels
- Comprehensive range of product types in transitional styling



3032CDBK Outdoor Wall



3033CDBK Outdoor Wall



3035CDBK Outdoor Wall



3039CDBK Outdoor Pendant





3031CDBK Outdoor Flush Mount B

	ITEM#	LAMPING	DIMENSION	HCO	BP	<u>Additional Info.</u>
Α	3030	1 x 60W MB, Incan.	7"W x 16.75"H			0
В	3031	2 x 60W MB, Incan.	12"W x 6"H			DAMP
С	3032	1 x 60W MB, Incan.	7"W x 11"H x 8"Ext.	3"	4.75"W x 6.25"H	0
D	3033	1 x 60W MB, Incan.	7"W x 15"H x 8"Ext.	3"	4.75"W x 6.25"H	0
E	3035	1 x 60W MB, Incan.	7"W x 18"H x 8"Ext.	3"	4.75"W x 6.25"H	0
F	3039	1 x 60W MB, Incan.	7''W x 15.5''H, 91.25''OAH			OAMP


Finish: Seedy glass (CD) Black (BK)











- Up and Down lighting
- Dimmable LED Lighting, 3000K Color Temperature
- Free of glass panels
- Matte Black outdoor rated powder coat





30744BK Outdoor Wall



30746BK Outdoor Wall



30742BK Outdoor Wall

	ITEM# LAMPING	DIMENSION	НСО	ВР	CRI		iens del.	Additional Info.
Α	30742 2 x 6W LED 3000K (Inte.)	6.5"W x 13.5"H x 7.5"Ext.	5.75"	4.5"W x 6.5"H	90+	910	450	<b>□</b> 🔼 🕗
В	30744 2 x 6W LED 3000K (Inte.)	7.5"W x 15.5"H x 8.5"Ext.	4.25"	4.5"W x 6.5"H	90+	910	450	
С	30746 2 x 9W LED 3000K (Inte.)	9"W x 18.5"H x 10"Ext.	5"	4.5"W x 7.75"H	90+	1190	750	

Finish: Black (BK)





## CIYDEVX

A transitional design using simple cylinders and banding shifts easily between Coastal, Craftsman, and Modern exteriors. The light sources are protected by clear glass shades and the frames are protected by our innovative Vivex composite engineered to withstand harsher coastal climates. An incredible value and uncomplicated design, the Clyde series is an easy selection for most exterior applications.



- Transitional design both Coastal and Modern
  Available in Black with clear glass
  Constructed of Vivex for harsher climates





40629CLBK **Outdoor Pendant** E



**40620CLBK** Outdoor Post A



40622CLBK Outdoor Wall В



40623CLBK Outdoor Wall C



40625CLBK Outdoor Wall D

	ITEM# LAMPING	DIMENSION	НСО	ВР	Additional Info.
Α	40620 1 x 60W MB, Incan.	9"W x 19"H			<b>() (x</b>
В	40622 1 x 60W MB, Incan.	7"W x 11"H x 8"Ext.	7.75"	4.75W x 6.5"H	<b>() (X)</b>
С	40623 1 x 60W MB, Incan.	9"W x 14"H x 10"Ext.	10"	4.75W x 8"H	<b>() (x</b>
D	40625 1 x 60W MB, Incan.	9"W x 17"H x 10"Ext.	13"	4.75W x 8"H	<b>() (x</b>
E	40629 1 x 60W MB, Incan.	9"W x 17.5"H, 55"OAH			

Finish: Clear glass (CL) Black (BK)





## OPULENT

Clear glass tubes are ribbed internally to refract tubular lamps creating a shimmering lighting effect. The glass is supported on a two-tone frame of black with Aged Brass accents that make this sconce complimentary to both indoor and outdoor applications. With an extension of less than 4 inches, this ADA compliant sconce even presents commercial applications in its transitional application. Complete the look with tubular filament lamps to take full advantage of the elongated shape.







- Corrosive resistant Aluminum construction
- Supported by a two-tone Black frame with Aged Brass accents
- Clear Ribbed glass tube shades
- ADA Compliant
- Wet location rated
- Use tubular lamps to complement elongated glass







16121CRBKAB Outdoor Wall



16122CRBKAB Outdoor Wall

	ITEM# LAMPING	DIMENSION	HCO	BP	Additional Info.
Α	16120 1 x 40W MB, Incan.	5"W x 11"H x 4"Ext.	5.5"	4.75W x 9.75"H	<b>()</b>
В	16121 1 x 40W MB, Incan.	5"W x 14"H x 4"Ext.	7''	4.75W x 12.75"H	<b>()</b>
С	16122 2 x 40W MB, Incan.	5"W x 20"H x 4"Ext.	10"	4.75W x 18.75"H	<b>() (</b> )


Finish: Clear Ribbed glass (CR) Black (BK) Antique Brass (AB)





Clean lines and Clear glass form the structure similar to a classic coach lantern. Produced of 304 Grade Stainless Steel and Aluminum, the Rincon set of LED outdoor sconces suit a variety of aesthetics both modern and traditional. Finished in a vibrant two-tone black and gold finish, these sconces are sure to provide updated curb appeal to your exterior.












50752BKGLD Outdoor Wall

						LUMENS
	ITEM# LAMPING	DIMENSION	HCO	BP	CRI	INIT. DEL. Additional Info.
Α	50752 14W PCB LED 3000K (Inte.)	7"W x 10"H x 4"Ext.	5.5"	5.5"W x 6.5"H	90+	980 540 💷 📆 🕖
В	50754 14W PCB LED 3000K (Inte.)	7"W x 15.5"H x 4"Ext.	8.5"	5"W x 12.5"H	90+	980 540 💷 📆 🕗

Finish: Black (BK) Gold (GLD)







#### TELLURIDE

- Corrosive resistant Aluminum construction
- Rustic barn light design
- Rivet and ring details embellish design
- Dark Oiled Bronze outdoor-rated powder coat
- Wet Location Rated
- White interior to shade for superior illumination





35034OB Outdoor Wall



35036OB Outdoor Wall

	ITEM# LAMPING	DIMENSION	HCO	BP	Additional Info.
Α	35034 1 x 60W MB, Incan.	8.25"W x 12"H x 9.5"Ext.	6.5"	4.75"W x 5.75"H	<b>()</b> 05
В	35036 1 x 60W MB, Incan.	10.25"W x 14.5"H x 11.75"Ext.	7.75"	4.75"W x 5.75"H	<b>()</b> 05

Finish: Oriental Bronze (OB)



#### PERFOUTDOOF

- Corrosive resistant Aluminum construction
- Oblong white glass shade
- Perforated Gold dome shade cap
- Two tone Black and Gold outdoor rated powder coat
- Wet Location rated



30182WTBKGLD Outdoor Wall

	ITEM#	LAMPING	DIMENSION	НСО	Additional Info.
Α	30182	1 x 60W MB, Incan.	7.5"W x 10.5"H x 8.25"Ext.	4''	0

Finish: White glass (WT) Black (BK) Gold (GLD)







#### SPOTLIGHT

- · Constructed of non-corrosive aluminum
- Directional joint can focus light where needed
- Suitable for indoor and covered outdoor use (UL Rated Damp)
- Dedicated LED and LED lamping included







	ITEM#	LAMPING	DIMENSION	нсо	ВР	CRI		iens del.	Additional Info.
Α	62001	9W MB LED 3000K (Incl.)	3.75"W x 6.5"H x 6.25"Ext	. 3.25"	4.75"W x 4.	75"H 90+	800	500	
В	62003	9W MB LED 3000K (Incl.)	3.75"W x 6.5"H x 6.25"Ext	. 3.25"	4.75"W x 4.	75"H 90+	800	500	

Finish Options: Black (BK) Natural Aged Brass (NAB)





Referencing the classic French-styled roof line, the Mansard LED sconces accentuate the volume of the roof shape in a more traditional styling than other simpler geometries. High powered LED lights are recessed within these sconces to conceal the light source and provide a Dark Sky application for light directing it downwards alone.







- Stylish LED downlights in smaller scaleGreat for side doors and balconies
- Traditional details and beveled edges
- · Available in Black and Antique Brass outdoor rated finishes
- 3000K Color Temperature





BK (Black)



AB (Antique Brass)

52129 AB, BK Outdoor Wall A

						LUMENS	
	ITEM# LAMPING	DIMENSION	HCO	BP	CRI	INIT. DEI	Additional Info.
Α	52129 12W PCB LED 3000K (Inte.	6.5"W x 3.25"H x 6.5"Ext	. 3.25" 4	4.75"W x 6.25"H	H 90+	750 560	

Finish Options: Antique Brass (AB) Black (BK)

## PATHFINDER

With solid Die-Cast Aluminum construction and powered by a range voltage input driver, Pathfinder is a high performance down light for commercial and residential installations. Choose from triangular or spherical profiles as they discreetly extend from the wall. Available with a photocell option, these archetypal forms purposely blend into the architectural landscape creating safer spaces that shine light on locations of interest. Available in Black, Architectural Bronze, or Metallic Sliver



52122 ABZ, BK, SV Outdoor Wall





52122 ABZ/PHC, BK/PHC, SV/PHC
Outdoor Wall
В

						LUM	1ENS
	ITEM#	LAMPING	DIMENSION	HOC	CRI	INIT.	DEL. Additional Info.
	52122		* 1		:		820 🕖 💷 🕭 🗻 120-277V Input
В	52122/PH	HC 15W LED PCB 3000K (In	te.) 7"W x 4.5"H x 3.5"Ext	. 2.32"	80+	880	820 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)

Finish Options: Architectural Bronze (ABZ) Black (BK) Silver (SV)

### PATHFINDER

- Die Cast Aluminum
- 120-277V Range Voltage Input
- High Wattage, High Lumen output
- Photocell Option





**52120** ABZ, **BK**, SV Outdoor Wall







	LUMENS									
	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	INIT.	DEL.	Additional Info.	
С	52120	15W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 4"Ext.	2.75"	5.5"W x 5.5"H	90+	495	475	ED 🕗 📴 🕰	120-277V Input

Finish Options: Architectural Bronze (ABZ) Black(BK) Silver (SV)







- · Outdoor Dark Bronze powder coat on frame for exterior covered applications
- DC Motor 6-speed fan with reverse function
- White tunable LED transitions from warm 2700K to Daylight White
- · Wall remote included
- · Connect to Wifi for smart enabled function
- · Installed under covered areas











#### Energy Information at High Speed

ITEM#	Airflow	Electricity Use (excludes lights)	Airflow Efficiency
61012	2600 CFM	27.3W	95 CFM / W
61014	2900 CFM	21.6W	134 CFM / W

Compare: 49" to 60" ceiling fans have airflows efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

#### 61014 NADBZ, RADBZ

Fandelight

В

#### DOWNROD OPTIONS

- 18" (FRD0118DBZ) 24" (FRD0124DBZ)
- 30" (FRD0130DBZ)
- 36" (FRD0136DBZ)

								LUM	ENS	
	ITEM#	LAMPING	VOLTAGE	DIMENSION	BLADES	SPEED	CRI	INIT.	DEL.	Additional Info
A	61012	30W PCB LED 2700/4000K (Inte.)	DC 120V	28"D x 18.5"H	3 x 22"	6 Speed	90+	3420	2220	<b>७</b> • •
В	61014	35W PCB LED 2700/4000K (Inte.)	DC 120V	35.75"D x 19.75"H	3 x 28"	6 Speed	90+	3990	2590	

Finish Options: Natural/Dark Bronze (NADBZ) Dark Rattan/Dark Bronze (RADBZ)

## TIMBER

A modern configuration of rustic elements, this Fandelight features a Driftwood finish on ring supported by brackets and thin struts in a contrasting Black steel. Within this timber wheel is an inner Black ring that houses an LED downlight. This minimalist form, with its use of rustic color palette, evokes a strikingly sophisticated composition that complements a wider variety of design aesthetics both rustic and modern. Whether used in a bedroom, entry, or over your dining space, this Fandelight is far more refreshing that conventional ceiling fans and much cooler than a light alone.



#### Energy Information at High Speed

ITEM#	Airflow	Electricity Use (excludes lights)	Airflow Efficiency
61011	2600 CFM	27.3W	95 CFM / W

**Compare**: 49" to 60" ceiling fans have airflows efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

#### **DOWNROD OPTIONS**

- 18" (FRD0118BK)
- 24" (FRD0124BK)
- 30" (FRD0130BK)
- 36" (FRD0136BK)



WALL CONTROL



V V	_	╙	_	v	v	14	1	1	v	ᆫ

								LUM	EIA2	
	ITEM#	LAMPING	VOLTAGE	DIMENSION	BLADES	SPEED	CRI	INIT.	DEL.	Additional Info.
A	61011	30W PCB LED 2700K-4000K (Inte.)	DC 120V	31"W x 23"H	3 x 22"	6 Speed	90+	3420	2220	<b>T</b> • • • •

Finish: Driftwood (DW) Black(BK)





An elegant fusion of function and fashion, this contemporary Fandelight features a bold Black band segmented by highly reflective plated Gold crystal settings. The settings support beveled crystal accents on jewel-inspired prongs a set distance from the fixture enhance its iridescence allowing natural and ambient light to glisten off its faceted surfaces. Encircled within this bejeweled band is an internal ring in Black that houses an LED light source directing ample light downward. Certainly a luxurious statement of modernity, the concept is further enhanced with our signature high performance, Wifi-enabled fans. Included with your purchase, there is a wall mounted remote control that allows function via switch or by Smart app. Elevate you space that needs a fan, with a Fan-delight!



DOWNROD OPTIONS

- 18" (FRD0118BK)
- 24" (FRD0124BK)
- 30" (FRD0130BK)
- 36" (FRD0136BK)



WALL CONTROL

#### Energy Information at High Speed

ITEM# Airflow		Electricity Use (excludes lights)	Airflow Efficiency
61019	2600 CFM	27.3W	95 CFM / W

**Compare**: 49" to 60" ceiling fans have airflows efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

LUMENS

ITEN	# LAMPING	VOLTAGE	DIMENSION	BLADES	SPEED	CRI	INIT.	DEL.	AdditionalInfo.
<b>A</b> 610	9 30W PCB LED 2700K-4000K (Inte.)	DC 120V	33"W x 23"H	3 x 22"	6 Speed	90+	3420	2220	<b>7 9 9 ?</b>

Finish: Beveled Crystal (BC) Black (BK) Gold (GLD)





# SLIM STICK I MX-L-24-SS

LED Strip Lighting

Narrow Aluminum channels of LED are easily concealed with convenient components that combine to tackle your task lighting. The adjustable bracket is easy to install and allows you to direct the light to where you need it. Use a simple plug-in or hard wire the power supply in a remote, unseen space. Compatible with the 24V LED dimmer wall switch in Maxim's CounterMax collection, the 24V Slim Stick is an economical and stress-free all-inclusive LED building block to task lighting. Available in lengths from 6" to 48" the LED light bars require accessories that are purchased separately. Ensure you have all you need by referring to the diagrams on both installation manuals and specification sheets.

### SLIM STICK I MX-L-24-SS LED Strip Lighting

#### Features:


- · Aluminum finish with black accessories
- · Opal White Acrylic provides uniform reflectance
- 24V system must be paired with driver accessories
- Runs up to 20' with 100W driver
- Adjustable mounting clips allows for angled installation
- · Dimmable with Triac dimmers and Touch dimmer
- · Energy Star Certified
- Title 24 JA8 Listed
- 3000K Color Temperature
- CRI 90+





Includes adjustable mounting clips

89801AL LED Strip



			LUMENS					
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.	
Α	89800	3W LED 3000K (Integarted)	6"L x .75"W x .5"H	90+	350	260	<u> </u>	
В	89801	5W LED 3000K (Integarted)	12"L x .75"W x .5"H	90+	700	400	<u> </u>	
С	89802	10W LED 3000K (Integarted)	24"L x .75"W x .5"H	90+	1050	800	<u> </u>	
D	89803	15W LED 3000K (Integarted)	36"L x .75"W x .5"H	90+	1400	1200	<u> </u>	
Ε	89804	20W LED 3000K (Integarted)	48"L x .75"W x .5"H	90+	1750	1560	<u> </u>	

Finish: Aluminum (AL)



24V 60W Plug-In Driver DRV898-2460BK



24V 96W Hardwire Driver DHW898-2496BK
• Dimmable 100-277V



In-Line Dimmer 89835AL



Low Voltage Splice Box 89833WT



Connecting Cord
18" CRD898-18BK
36" CRD898-36BK
60" CRD898-60BK



Connecting Cord
12" 89822BK
• Includes on/off switch



90° Connector 89830BK



90° Connector 89831BK



### INDEX

288220	1128543	1610376	203486
288319	1128642	1610477	2048216
288519	1128943	1610677	2048616
288918	1137228	1610876	2048815
3030178	1137327	1610976	2124011
3031178	1137528	1611114	21241112
3032178	1137727	1611214	21242111
3033178	1137826	1611313	21248110
3035178	1204061	1611413	21249110
3039178	1204061	1611514	2183171
10092102	1204160	1611613	2183372
10096102	1204560	16120184 16121184	2183571
10098114	1204860		2183770
10099102	1209182	16122184	2183972
10220130	1209282	1612314	2417034
10221131	1209382	1612512	2417134
10222130	1209482	1612710	2417434
10223131	1209581	1612812	2417634
10224132	1209680	1612911	2481146
10226132	1209781	16130105	2481546
10227131	1216168	16132104	2481946
10228132	1216367	16133104	2498050
10229132	1216667	16135104	2498148
10230130	1216866	16139105	2498249
10231131	12383108	1616154	2498348
10232130	12386108	1616254	2498949
10233131	12401119	1616453	2517058
10237131	12403120	1616852	2517158
10238132	12404120	1820095	2517458
10239132	12405120	1820196	2517556
10270134	12406120	1820495	2517655
10272134	12408120	1820594	2517957
10273134	1241031	2003024	2637038
10274134	1241131	2003124	2637238
10278134	1241231	2003323	2637437
1036290	1241430	2003523	2637636
1037286	1241632	2003622	2770140
1037486	1241832	2026099	2770639
1037686	1241932	2026199	2770840
1038488	12441148	20262100	282724
1038688	12442148	2026499	282743
11120116	12443148	2026598	282763
11122116	12444148	203418	282782
11124118	1610078	203437	30051154
1128244	1610278	203457	30052153

### INDEX

30054153	3840564	57631143	58737137
30056153	3840664	57636143	58738138
30058154	3840964	57642143	58739138
30059154	40230170	57643143	58740138
30061166	40231170	57644143	58741138
30062166	40232169	57660141	58742136
30064166	40233169	57662141	58743136
30069166	40235169	57663141	58746136
30099162	40237169	57664141	58747136
30091161	40237170	57665142	58780137
30092161	40312174	57667142	58784137
30093161	40314174	57668142	
			58810137
30094161	40316174	57669142	58812137
30095161	40620182	57670141	58814137
30096162	40622182	57675142	59702128
30097162	40623182	57850144	59704128
30098162	40625182	57851144	60230130
30182190	40629182	57853144	60232130
3031192	40632156	57855144	61011199
3031591	40634156	57856144	61012198
3031692	40802164	57858144	61014198
30742180	40804164	57860144	61019200
30744180	40806164	57861144	62001192
30746180	40912172	57863144	62003192
30752176	40914172	57880140	89800202
30754176	40916172	57881140	89801202
30756176	42120158	57882140	89802202
30758176	42122158	57883140	89803202
3200474	42129158	57884140	89804202
3200574	50752186	57885140	89822202
3200873	50754186	57894140	89830202
3236184	52032122	57895140	89831202
3236484	52034122	57931144	89833202
3236684	52120196	57932144	
			89835202
32481126	52122195	57933144	9003024
32482126	52122/PHC195	58710137	CRD898-18202
32650124	52129194	58711137	CRD898-36202
32651124	52132121	58712137	CRD898-60202
32653124	54802150	58713137	DHW898-2496202
35034188	54804150	58714137	DRV898-2460202
35036188	57413143	58715137	MSC030143
35120146	57600141	58720138	
35121146	57612143	58722138	
35122146	57613143	58724138	
35124146	57614143	58736137	

### LAMPING GUIDE

Linedrawings	ltem	Туре	Base	Watt	Description
	BI40T8E12CL120V	I	E12	40	40W Incandescent E12 T8 120V Bulb Clear
	BI40T14E26CL120V	I	E26	40	40W Incandescent E26 T14 120V Bulb Clear
(m)	BI40ST58E26CL120V	ı	E26	40	40W Incandescent MB ST58 120V Bulb Clear
	BI60ST64E26CL120V	1	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BL4E12TCL120V27	L	E12	4	LED Filament 4W E12 Candelabra 2700K
₩	BL4E12T8CL120V22	L	E12	4	4W Dimmable LED Filament E12 CL 120V 3000K
$\square$	BL4E26T10CL120V27	L	E26	4	4W Dimmable LED Spiral Filament E26 CL 120V 2700K
₩	BL6E26T10CL120V27	L	E26	6	6W Dimmable LED Spiral Filament E26 CL 120V 2700K
(I)	BL6E26ST58CL120V27	L	E26	6	6W Dimmable LED E26 ST58 2700K CL Bulb
	BL7E26A19FT120V30	L	E26	7	7W Dimmable LED E26 A19 3000K Frost Bulb
	BL9E26FT120V30	L	E26	9	9W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL12E26FT120V30	L	E26	12	12W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
-	BL16E26FT120V30	L	E26	16	16W LED E26 3000K 120V Bulb Frost
	BL3-5A52E26CL120V22	L	E26	3.5	3.5W Dimmable LED A52 2200K 120V Bulb Clear
	BL3-5D40E26CL120V22	L	E26	3.5	3.5W Dimmable LED D40 2200K 120V Bulb Clear
	BL3-5G40E26CL120V22	L	E26	3.5	3.5W Dimmable LED G40 2200K 120V Bulb Clear
	BL3-5G40E26CL120V22	L	E26	3.5	3.5W Dimmable LED G40 2200K 120V Bulb Clear
	BL3-5ST64E26CL120V22	L	E26	3.5	3.5W Dimmable LED ST64 2200K 120V Bulb Clear
	BL5A50E26CL120V22	L	E26	5	5W Dimmable LED A50 2200K 120V Bulb Clear
	BL5BT56E26CL120V22	L	E26	5	5W Dimmable LED BT56 2200K 120V Bulb Clear
	BL5GU10FT120V30	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear, T24 JA8 Compliant
P	BL9GU24FT120V30	L	GU24	9	9W Dimmable LED GU24 3000K 120V Bulb Frosted
Ü	BL11GU24CL120V30	L	GU24	11	11W LED GU24 3000K 120V Clear
	BL1-2G4FT12V30	L	G4	1.2	1.2W LED DC AC 12V 3000K CRI80
	BL1-5G4CL12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear
	BL1-5G4CLCOB12V	L	G4	1.5	1.5W LED COB 12V 3000K CRI80
	BL1-8G4CL12V	L	G4	1.8	1.8W LED DC AC 12V 3000K CRI80
Ϋ́	BL2G9CL120V30	L	G9	2	2W LED G9 3000K CRI80 Clear
	BL3G9CL120V30	L	G9	3	3W LED G9 3000K CRI80 Clear
	BL2-2G9FT120V30	L	G9	2.2	2.2W LED G9 3000K CRI80 Frost

### LAMPING GUIDE

Linedrawings	ltem	Туре	Base	Watt	Description
	BL2-3G9CL120V35	L	G9	2.3	2.3W LED G9 3500K CRI80 Clear
	BL2-9G9CL120V27	L	G9	2.9	2.9W LED G9 2700K CRI80 Clear
	BL2-9G9CL120V35	L	G9	2.9	2.9W LED G9 3500K CRI80 Clear
	BL4G9CL120V830	L	G9	4	4W LED G9 3000K CRI90 Clear
	BL11PAR30CL120V30	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V
¥	BL16PAR38CL120V30	L	PAR38	16	16W Dimmable LED PAR38 3000K 120V
₩	BL4MR11FT12V30	L	MR11	4	4W LED MR11 12V 3000K Bulb Frosted
	BL3MR16FLCL12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear
\frac{1}{4}	BL7MR16FLCL12V	L	MR16	7	7W LED MR16 3000K 12V Clear
	BX10G4CL12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
A	BX10G4FT12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BX20G4CL12V	Х	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
#	BX20G4FT12V	Х	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BX35G4CL12V	Х	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	Х	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
C. C	BX40G9CL120V	Х	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	Х	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	Х	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	Х	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH50PAR20FTCL120V	Н	E26	50	50W Halogen PAR20 120V Bulb Clear
	BH35GU10CL120V	Н	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	Н	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent

F - Fluorescent

H - Halogen

I - Incandescent

L - LED

X - Xenon

### FINISH

### GLASS STYLES

AB ABZ ACP AL AR BK BO BSD BZ CHB DBZ DW EC GL GLD GN	Antique Brass Architectural Bronze Antique Copper Aluminum Anthratice Black Black Oxide Brown Suede Bronze Chestnut Bronze Darkened Bronze Driftwood Ecru White Gold Leaf Gold Golden Noir	AG BC CD CL CR FT SW TC WA WT	Artisanal Beveled Crystal Seedy Clear Clear Ribbed Frosted Satin White Textural Clear Alabaster Stone White	
HR	Heritage	SH	HADES	
MW NA NAB OB OI PC PN RA SBR SN SV TN VG VR WBR WT	Matte White Natural Natural Aged Brass Oriental Bronze Oil Rubbed Bronze Polished Chrome Polished Nickel Rattan Satin Brass Satin Nickel Silver Tan Venetian Gold Verdigris Weathered Brass White	BO CV GC GY OM WL WO WT WW	Black Organza Canvas Grass Cloth Grey Oatmeal White Linen White Organze White White Weave	
WWD WWT	Weathered Wood Weathered White			

WZ Weathered Zine

#### LEGEND



LED



**ADA Compliant** 



Dark Sky



Dimmable



For Damp Location



For Wet Location



Incandescent



Installs on Slope Ceiling



Installs Up or Down



Vivex



Die Cast Aluminum



**Energy Star** Certified

Installing new ENERGY STAR qualified light fixtures is a smart way to save energy and money. Maxim Lighting is proud to be a ENERGY STAR partner, Look for this ENERGY STAR logo to find Maxim Lighting fixtures that use \( \frac{1}{4} \) of the energy oftraditional incandescent fixtures and last up to 10 times longer. More information on ENERGY STAR can be found on the ENERGY STAR web site at energystar.gov.



California





All new homes, additions, alterations and most commercial buildings in California must meet minimum energy efficiency standards contained in Title 24, Part 6 of the California Code of Regulations. When you see the California Title 24 symbol next to a Maxim Lighting fixtures, you can be assured that the fixtures complies. More information on California Title 24 can be found on the California Energy Commission web site at energy.ca.gov/title24.

### Warranty And Other Information

- For specific and detailed warranty information, ask your Maxim Lighting sales representative or visit www.maximlighting.com/warranty.
- Maxim Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limita-tions inherent to the photographic process.
- · Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- · Bulbs are not included unless otherwise noted.







CounterMax, Maxim Lighting and StarStrand are registered trademarks of Maxim Lighting International, Inc. All designs, logos, products and images © Copyright 2023 Maxim Lighting International, Inc. All Rights Reserved. Printed in China













