




PRODUCT NAME: Pasadena
ITEM NUMBER: 4067

Please consult your electrician for hanging fixture and wiring.



CAUTION: To prevent water intrusion, caulk around back-plate where fixture meets the wall using outdoor silicone sealant. Leave a small gap at the bottom to allow moisture to exit.






Bulb(not included):2 Edison-style bulbs recommended

PRODUCTS ARE NOT INENDED
FOR COMMERCIAL USE.

MADE IN CHINA

Page 1 of (3)

IMPORTANT: Turn off power at the main fuse or circuit breaker box before starting installation



(A) Body


(B) Bottom cover

(C) Support screw


(D) Knurled nut

(E) Mounting bracket

Locate all hardware & components before discarding packaging




1.)



Step.1: Install mounting bracket (E) to outlet box.

2.)




Step.2: Wire fixture to wires in outlet box. Copper/green wire is for Ground.


Cleaning & Care:

Clean with soft cloth and a mild detergent.
Do not use abrasive cleaner.

IMPORTANT: Turn off power at the main fuse or circuit breaker box before starting installation




3.)




Step. 3: Run a bead of silicone sealant along the edge of the backplate to prevent water intrusion. Leave a gap at the bottom to allow moisture to escape. Attach the fixture to the mounting bracket (E) using screws (C) provided.

4.)



Step. 4: Install medium base Edison-style bulb (not included) into socket.

5.)



Step. 5: Attach bottom cover (B) to the body (A) and tighten screws (D) on the bottom of the fixture to secure.

Cleaning & Care:

Clean with soft cloth and a mild detergent. Do not use abrasive cleaner.